

Package: photobiology (via r-universe)

August 23, 2024

Type Package

Title Photobiological Calculations

Version 0.11.3

Date 2024-08-23

Maintainer Pedro J. Aphalo <pedro.aphalo@helsinki.fi>

Description Definitions of classes, methods, operators and functions for use in photobiology and radiation meteorology and climatology. Calculation of effective (weighted) and not-weighted irradiances/doses, fluence rates, transmittance, reflectance, absorptance, absorbance and diverse ratios and other derived quantities from spectral data. Local maxima and minima: peaks, valleys and spikes. Conversion between energy-and photon-based units. Wavelength interpolation. Astronomical calculations related solar angles and day length. Colours and vision. This package is part of the 'r4photobiology' suite, Aphalo, P. J. (2015) <doi:10.19232/uv4pb.2015.1.14>.

License GPL (>= 2)

Depends R (>= 4.0.0)

Imports stats, grDevices, polynom (>= 1.4-1), tibble (>= 3.1.6), stringr (>= 1.4.0), lubridate (>= 1.9.3), plyr (>= 1.8.9), dplyr (>= 1.1.4), tidyr (>= 1.3.1), splus2R (>= 1.3-3), zoo (>= 1.8-12), rlang (>= 1.1.4)

Suggests knitr (>= 1.48), rmarkdown (>= 2.27), testthat (>= 3.2.1), roxygen2 (>= 7.3.2), lutz (>= 0.3.2), covr

LazyLoad yes

LazyData yes

ByteCompile true

URL <https://docs.r4photobiology.info/photobiology/>,
<https://github.com/aphalo/photobiology>

BugReports <https://github.com/aphalo/photobiology/issues>

Encoding UTF-8

RoxygenNote 7.3.2

VignetteBuilder knitr

Repository <https://aphalo.r-universe.dev>

RemoteUrl <https://github.com/aphalo/photobiology>

RemoteRef HEAD

RemoteSha 8969138ea181fbb145c9f4345e4868f9370c86d7

Contents

photobiology-package	8
A.illuminant.spct	10
A2T	11
absorbance	12
absorptance	15
add_attr2tb	18
Afr2T	21
any2T	23
as.calibration_mspct	24
as.calibration_spct	25
as.chroma_mspct	26
as.chroma_spct	27
as.cps_mspct	28
as.cps_spct	29
as.filter_mspct	30
as.filter_spct	32
as.generic_mspct	33
as.generic_spct	36
as.matrix_mspct	36
as.object_mspct	37
as.object_spct	39
as.raw_mspct	40
as.raw_spct	41
as.reflector_mspct	42
as.reflector_spct	44
as.response_mspct	45
as.response_spct	46
as.solar_date	47
as.solute_mspct	48
as.solute_spct	50
as.source_mspct	51
as.source_spct	53
as_energy	55
as_quantum	55
as_quantum_mol	56
as_tod	57

average_spct	58
beesxyzCMF.spct	58
black_body.spct	59
c	60
calc_multipliers	60
calc_source_output	61
ccd.spct	62
checkTimeUnit	63
check_spct	64
check_spectrum	67
check_w.length	68
ciev10.spct	69
ciev2.spct	69
cixyzCC10.spct	70
cixyzCC2.spct	71
cixyzCMF10.spct	72
cixyzCMF2.spct	73
class_spct	74
clean	74
clear.spct	79
clip_wl	80
collect2mspct	81
color_of	83
compare_spct	85
cone_fundamentals10.spct	86
convertTfrType	88
convertThickness	89
convertTimeUnit	90
convolve_each	91
copy_attributes	91
cps2irrad	92
D2.UV653	93
D2_spectrum	94
D65.illuminant.spct	95
day_night	96
defunct	100
despike	101
diffraction_single_slit	108
dim.generic_mspct	109
div-.generic_spct	110
div_spectra	110
drop_user_cols	112
e2q	113
e2qmol_multipliers	115
e2quantum_multipliers	115
enable_check_spct	116
energy_as_default	117
energy_irradiance	117

energy_ratio	119
eq_ratio	120
ET_ref	123
Extract	126
Extract_mspct	128
e_fluence	129
e_fraction	131
e_irrad	135
e_ratio	138
e_response	141
FEL_spectrum	144
findMultipleWl	145
find_peaks	145
find_spikes	146
find_wls	148
fit_peaks	149
fluence	151
format.solar_time	154
format.tod_time	154
formatted_range	155
fscale	155
fshift	161
generic_mspct	166
getFilterProperties	167
getHowMeasured	169
getIdFactor	170
getInstrDesc	171
getInstrSettings	171
getKType	172
getMspctVersion	173
getMultipleWl	173
getNormalized	174
getScaled	175
getSoluteProperties	176
getSpctVersion	178
getTimeUnit	178
getWhatMeasured	179
getWhenMeasured	180
getWhereMeasured	182
get_attributes	183
get_peaks	185
green_leaf.spct	186
head_tail	187
illuminance	189
insert_hinges	191
insert_spct_hinges	192
integrate_spct	192
integrate_xy	193

interpolate_spct	194
interpolate_spectrum	195
interpolate_wl	196
irrad	198
irradiance	201
irrad_extraterrestrial	203
is.generic_mspct	204
is.generic_spct	205
is.old_spct	206
is.solar_time	207
is.summary_generic_spct	207
is.waveband	208
isValidInstrDesc	209
isValidInstrSettings	209
is_absorbance_based	210
is_effective	211
is_mole_based	212
is_normalized	213
is_photon_based	214
is_scaled	215
is_tagged	215
join_mspct	216
labels	218
Ler_leaf.spct	219
log	220
make_var_labels	221
MathFun	223
merge2object_spct	224
merge_attributes	225
minus-.generic_spct	226
mod-.generic_spct	226
msmsply	227
mspct_classes	228
na.omit	228
net_irradiance	231
normalization	232
normalize	233
normalized_diff_ind	239
normalize_range_arg	241
oper_spectra	242
peaks	243
phenylalanine.spct	250
photodiode.spct	251
photons_energy_ratio	252
photon_irradiance	253
photon_ratio	254
plus-.generic_spct	256
print.generic_spct	256

print.metadata	258
print.solar_time	259
print.summary_generic_spct	259
print.tod_time	260
print.waveband	261
prod_spectra	261
pull_sample	262
q2e	264
qe_ratio	266
q_fluence	268
q_fraction	271
q_irrad	274
q_ratio	278
q_response	281
r4p_pkgs	284
rbindspect	284
reflectance	286
relative_AM	289
replace_bad_pixs	290
response	291
Rfr_fraction	294
Rfr_from_n	297
Rfr_normdiff	298
Rfr_ratio	302
rgb_spct	305
rmDerivedMspct	306
rmDerivedSpct	306
round	307
select_spct_attributes	308
setBSWFUsed	309
setFilterProperties	310
setGenericSpct	312
setHowMeasured	316
setIdFactor	317
setInstrDesc	318
setInstrSettings	319
setKType	320
setMultipleWI	321
setNormalized	322
setResponseType	323
setRfrType	324
setScaled	326
setSoluteProperties	327
setTfrType	329
setTimeUnit	331
setWhatMeasured	332
setWhenMeasured	333
setWhereMeasured	334

shared_member_class	336
sign	336
slash-generic_spct	337
smooth_spct	337
solar_time	340
source_spct	341
spct_attr2tb	347
spct_classes	348
spct_metadata	348
spct_wide2long	350
spikes	351
split2mspct	356
split_bands	359
split_energy_irradiance	360
split_irradiance	362
split_photon_irradiance	363
spread	364
Subset	366
subset2mspct	367
subt_spectra	368
summary.generic_spct	369
summary_spct_classes	371
sum_spectra	372
sun.spct	373
sun_angles	374
sun_daily.spct	377
sun_evening.spct	378
s_e_irrad2rgb	379
s_mean	380
s_mean_se	382
s_mean_se_band	384
s_median	386
s_prod	388
s_range	390
s_sd	392
s_se	394
s_sum	396
s_var	398
T2A	400
T2Afr	402
tag	404
Tfr_fraction	406
Tfr_normdiff	410
Tfr_ratio	413
thin_wl	417
times-generic_spct	421
transmittance	421
Trig	424

trimInstrDesc	425
trimInstrSettings	426
trim_spct	427
trim_tails	429
trim_waveband	430
trim_wl	432
two_filters.spct	434
tz_time_diff	435
uncollect2spct	436
untag	437
upgrade_spct	438
upgrade_spectra	439
using_Tfr	439
validate_geocode	440
valleys	441
verbose_as_default	448
v_insert_hinges	449
v_replace_hinges	449
water.spct	450
water_vp_sat	451
waveband	455
waveband_ratio	457
wb2rect_spct	458
wb2spct	459
wb2tagged_spct	460
wb_trim_as_default	461
white_led.source_spct	461
wl2wavenumber	462
wls_at_target	464
wl_max	468
wl_midpoint	469
wl_min	471
wl_range	472
wl_stepsize	473
w_length2rgb	474
w_length_range2rgb	475
^.generic_spct	476

Index**477**

Description

Definitions of classes, methods, operators and functions for use in photobiology and radiation meteorology and climatology. Calculation of effective (weighted) and not-weighted irradiances/doses, fluence rates, transmittance, reflectance, absorptance, absorbance and diverse ratios and other derived quantities from spectral data. Local maxima and minima: peaks, valleys and spikes. Conversion between energy-and photon-based units. Wavelength interpolation. Astronomical calculations related solar angles and day length. Colours and vision. This package is part of the 'r4photobiology' suite, Aphalo, P. J. (2015) [doi:10.19232/uv4pb.2015.1.14](https://doi.org/10.19232/uv4pb.2015.1.14).

Details

Package 'photobiology' is at the core of a suite of R packages supporting computations and plotting relevant to photobiology (described at <https://www.r4photobiology.info/>). Package 'photobiology' has its main focus in the characterization of the light environment, the description of optical properties of objects and substances and description of light responses of organisms and devices used to measure light. The facilities for spectral data storage and manipulations are widely useful in photobiology, chemistry, geophysics, radiation climatology and remote sensing. Astronomical computations for the sun are also implemented. The design of object classes for spectral data supports reproducibility by facilitating the consistent use of units and physical quantities and consistent embedding of metadata. Data are expressed throughout using SI base units, except for wavelengths which are consistently expressed in nanometres [*nm*]. Please see the vignette *0: The R for Photobiology Suite* for a description of the suite.

Acknowledgements

This work was funded by the Academy of Finland (decision 252548). COST Action FA9604 'UV4Growth' facilitated discussions and exchanges of ideas that lead to the development of this package. The contributions of Andy McLeod, Lars Olof Björn, Nigel Paul, Lasse Ylianttila, T. Matthew Robson and Titta Kotilainen were specially significant. Tutorials by Hadley Wickham and comments on my presentation at User!2015 allowed me to significantly improve the coding and functionality.

Author(s)

Maintainer: Pedro J. Aphalo <pedro.aphalo@helsinki.fi> ([ORCID](#))

Other contributors:

- Titta K. Kotilainen ([ORCID](#)) [contributor]
- Glenn Davis <gdavis@gluonics.com> [contributor]
- Agnese Fazio <agnese.fazio@uni-jena.de> [contributor]

References

Aphalo, P. J., Albert, A., Björn, L. O., McLeod, A. R., Robson, T. M., Rosenqvist, E. (Eds.). (2012). *Beyond the Visible: A handbook of best practice in plant UV photobiology* (1st ed., p. xx + 174). Helsinki: University of Helsinki, Department of Biosciences, Division of Plant Biology. ISBN 978-952-10-8363-1 (PDF), 978-952-10-8362-4 (paperback). Open access PDF download available at [doi:10.31885/9789521083631](https://doi.org/10.31885/9789521083631).

Aphalo, Pedro J. (2015) The r4photobiology suite. *UV4Plants Bulletin*, 2015:1, 21-29. doi:10.19232/uv4pb.2015.1.14.

Maia, R., Eliason, C. M., Bitton, P. P., Doucet, S. M., Shawkey, M. D. (2013) pavo: an R package for the analysis, visualization and organization of spectral data. *Methods in Ecology and Evolution*, 4(10):906-913. doi:10.1111/2041210X.12069.

See Also

Useful links:

- <https://docs.r4photobiology.info/photobiology/>
- <https://github.com/aphalo/photobiology>
- Report bugs at <https://github.com/aphalo/photobiology/issues>

Examples

```
# irradiance of the whole spectrum
irrad(sun.spct)
# photon irradiance 400 nm to 700 nm
q_irrad(sun.spct, waveband(c(400,700)))
# energy irradiance 400 nm to 700 nm
e_irrad(sun.spct, waveband(c(400,700)))
# simulating the effect of a filter on solar irradiance
e_irrad(sun.spct * yellow_gel.spct, waveband(c(400,500)))
e_irrad(sun.spct * yellow_gel.spct, waveband(c(500,700)))
# daylength
sunrise_time(lubridate::today(tzone = "EET"), tz = "EET",
             geocode = data.frame(lat = 60, lon = 25),
             unit.out = "hour")
day_length(lubridate::today(tzone = "EET"), tz = "EET",
           geocode = data.frame(lat = 60, lon = 25),
           unit.out = "hour")
# colour as seen by humans
color_of(sun.spct)
color_of(sun.spct * yellow_gel.spct)
# filter transmittance
transmittance(yellow_gel.spct)
transmittance(yellow_gel.spct, waveband(c(400,500)))
transmittance(yellow_gel.spct, waveband(c(500,700)))
```

A.illuminant.spct

CIE A illuminant data

Description

A dataset containing wavelengths at a 5 nm interval (300 nm to 830 nm) and the corresponding spectral energy irradiance normalized to 1 at 560 nm. Spectrum approximates typical, domestic, tungsten-filament lighting and 'corresponds' to a black body a 2856 K. CIE standard illuminant A is intended to represent typical, domestic, tungsten-filament lighting. Original data from <http://files.cie.co.at/204.xls> downloaded on 2014-07-25 The variables are as follows:

Usage

```
A.illuminant.spct
```

Format

A source spectrum with 96 rows and 2 variables

Details

- w.length (nm)
- s.e.irrad (rel. units)

Author(s)

CIE

See Also

Other Spectral data examples: [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
A.illuminant.spct
```

A2T

Convert absorbance into transmittance

Description

Function that converts absorbance (a.u.) into transmittance (fraction).

Usage

```
A2T(x, action, byref, ...)
```

```
## Default S3 method:
```

```
A2T(x, action = NULL, byref = FALSE, ...)
```

```
## S3 method for class 'numeric'
```

```
A2T(x, action = NULL, byref = FALSE, ...)
```

```
## S3 method for class 'filter_spct'
```

```
A2T(x, action = "add", byref = FALSE, ...)
```

```
## S3 method for class 'filter_mspct'
```

```
A2T(x, action = "add", byref = FALSE, ..., .parallel = FALSE, .paropts = NULL)
```

Arguments

<code>x</code>	an R object
<code>action</code>	a character string
<code>byref</code>	logical indicating if new object will be created by reference or by copy of <code>x</code>
<code>...</code>	not used in current version
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A copy of `x` with a column `Tfr` added and `A` and `Afr` possibly deleted except for `w.length`. If `action = "replace"`, in all cases, the additional columns are removed, even if no column needs to be added.

Methods (by class)

- `A2T(default)`: Default method for generic function
- `A2T(numeric)`: method for numeric vectors
- `A2T(filter_spct)`: Method for filter spectra
- `A2T(filter_mspct)`: Method for collections of filter spectra

See Also

Other quantity conversion functions: [Afr2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2qmol_multipliers\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

absorbance

Absorbance

Description

Function to calculate the mean, total, or other summary of absorbance for spectral data stored in a `filter_spct` or in an `object_spct`.

Usage

```
absorbance(spct, w.band, quantity, wb.trim, use.hinges, ...)
```

```
## Default S3 method:
```

```
absorbance(spct, w.band, quantity, wb.trim, use.hinges, ...)
```

```
## S3 method for class 'filter_spct'
```

```
absorbance(  
  spct,  
  w.band = NULL,  
  quantity = "average",  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.hinges = NULL,  
  naming = "default",  
  ...  
)  
  
## S3 method for class 'object_spct'  
absorbance(  
  spct,  
  w.band = NULL,  
  quantity = "average",  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.hinges = NULL,  
  naming = "default",  
  ...  
)  
  
## S3 method for class 'filter_mspct'  
absorbance(  
  spct,  
  w.band = NULL,  
  quantity = "average",  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.hinges = NULL,  
  naming = "default",  
  ...,  
  attr2tb = NULL,  
  idx = "spct.idx",  
  .parallel = FALSE,  
  .paropts = NULL  
)  
  
## S3 method for class 'object_mspct'  
absorbance(  
  spct,  
  w.band = NULL,  
  quantity = "average",  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.hinges = NULL,  
  naming = "default",  
  ...,  
  attr2tb = NULL,  
  idx = "spct.idx",  
  .parallel = FALSE,  
  .paropts = NULL  
)
```

```

    .paropts = NULL
  )

```

Arguments

<code>spct</code>	an R object.
<code>w.band</code>	waveband or list of waveband objects or a numeric vector of length two. The waveband(s) determine the region(s) of the spectrum that are summarized. If a numeric range is supplied a waveband object is constructed on the fly from it.
<code>quantity</code>	character string One of "average" or "mean", "total", "contribution", "contribution.pc", "relative" or "relative.pc".
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
<code>...</code>	other arguments (possibly used by derived methods).
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>attr2tb</code>	character vector, see add_attr2tb for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used.

Methods (by class)

- `absorbance(default)`: Default for generic function
- `absorbance(filter_spct)`: Specialization for filter spectra

- `absorbance(object_spct)`: Specialization for object spectra
- `absorbance(filter_mspct)`: Calculates absorbance from a `filter_mspct`
- `absorbance(object_mspct)`: Calculates absorbance from a `object_mspct`

Note

The use `.hinges` parameter controls speed optimization. The defaults should be suitable in most cases. Only the range of wavelengths in the wavebands is used and all BSWFs are ignored.

Examples

```
absorbance(polyester.spct, new_waveband(400,700))
absorbance(yellow_gel.spct, new_waveband(400,700))
absorbance(yellow_gel.spct, split_bands(c(400,700), length.out = 3))
absorbance(yellow_gel.spct, split_bands(c(400,700), length.out = 3),
  quantity = "average")
absorbance(yellow_gel.spct, split_bands(c(400,700), length.out = 3),
  quantity = "total")
absorbance(yellow_gel.spct, split_bands(c(400,700), length.out = 3),
  quantity = "relative")
absorbance(yellow_gel.spct, split_bands(c(400,700), length.out = 3),
  quantity = "relative.pc")
absorbance(yellow_gel.spct, split_bands(c(400,700), length.out = 3),
  quantity = "contribution")
absorbance(yellow_gel.spct, split_bands(c(400,700), length.out = 3),
  quantity = "contribution.pc")
```

absorptance

Absorptance

Description

Function to calculate the mean, total, or other summary of absorptance for spectral data stored in a `filter_spct` or in an `object_spct`. Absorptance is a different quantity than absorbance.

Usage

```
absorptance(spct, w.band, quantity, wb.trim, use.hinges, ...)

## Default S3 method:
absorptance(spct, w.band, quantity, wb.trim, use.hinges, ...)

## S3 method for class 'filter_spct'
absorptance(
  spct,
  w.band = NULL,
  quantity = "average",
```

```
    wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
    use.hinges = NULL,
    naming = "default",
    ...
  )

## S3 method for class 'object_spct'
absorptance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
  ...
)

## S3 method for class 'filter_mspct'
absorptance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx"
)

## S3 method for class 'object_mspct'
absorptance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

`spct` an R object.

<code>w.band</code>	waveband or list of waveband objects or a numeric vector of length two. The waveband(s) determine the region(s) of the spectrum that are summarized. If a numeric range is supplied a waveband object is constructed on the fly from it.
<code>quantity</code>	character string One of "average" or "mean", "total", "contribution", "contribution.pc", "relative" or "relative.pc".
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
<code>...</code>	other arguments (possibly used by derived methods).
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>attr2tb</code>	character vector, see add_attr2tb for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, `names` attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used.

Methods (by class)

- `absorptance(default)`: Default for generic function
- `absorptance(filter_spct)`: Specialization for filter spectra
- `absorptance(object_spct)`: Specialization for object spectra
- `absorptance(filter_mspct)`: Calculates absorptance from a `filter_mspct`
- `absorptance(object_mspct)`: Calculates absorptance from a `object_mspct`

Note

The `use.hinges` parameter controls speed optimization. The defaults should be suitable in most cases. Only the range of wavelengths in the wavebands is used and all BSWFs are ignored.

Examples

```
absorptance(black_body.spct, new_waveband(400,500))
absorptance(white_body.spct, new_waveband(300,400))
absorptance(black_body.spct, split_bands(c(400,700), length.out = 3))
absorptance(black_body.spct, split_bands(c(400,700), length.out = 3),
  quantity = "average")
absorptance(black_body.spct, split_bands(c(400,700), length.out = 3),
  quantity = "total")
absorptance(black_body.spct, split_bands(c(400,700), length.out = 3),
  quantity = "relative")
absorptance(black_body.spct, split_bands(c(400,700), length.out = 3),
  quantity = "relative.pc")
absorptance(black_body.spct, split_bands(c(400,700), length.out = 3),
  quantity = "contribution")
absorptance(black_body.spct, split_bands(c(400,700), length.out = 3),
  quantity = "contribution.pc")
```

 add_attr2tb

Copy attributes from members of a generic_mspct

Description

Copy metadata attributes from members of a `generic_mspct` object into a tibble or `data.frame`.

Usage

```
add_attr2tb(
  tb = NULL,
  mspct,
  col.names = NULL,
  idx = "spct.idx",
  unnest = FALSE
)

when_measured2tb(mspct, tb = NULL, col.names = "when.measured", idx = NULL)

geocode2tb(mspct, tb = NULL, col.names = "geocode", idx = "spct.idx")

lonlat2tb(mspct, tb = NULL, col.names = c("lon", "lat"), idx = "spct.idx")

lon2tb(mspct, tb = NULL, col.names = "lon", idx = "spct.idx")
```

```
lat2tb(mspct, tb = NULL, col.names = "lat", idx = "spct.idx")

address2tb(mspct, tb = NULL, col.names = "address", idx = "spct.idx")

what_measured2tb(
  mspct,
  tb = NULL,
  col.names = "what.measured",
  idx = "spct.idx"
)

how_measured2tb(mspct, tb = NULL, col.names = "how.measured", idx = "spct.idx")

normalized2tb(mspct, tb = NULL, col.names = "normalized", idx = "spct.idx")

scaled2tb(mspct, tb = NULL, col.names = "scaled", idx = "spct.idx")

instr_desc2tb(mspct, tb = NULL, col.names = "instr.desc", idx = "spct.idx")

instr_settings2tb(
  mspct,
  tb = NULL,
  col.names = "instr.settings",
  idx = "spct.idx"
)

BSWF_used2tb(mspct, tb = NULL, col.names = "BSWF.used", idx = "spct.idx")

filter_properties2tb(
  mspct,
  tb = NULL,
  col.names = "filter.properties",
  idx = "spct.idx"
)

solute_properties2tb(
  mspct,
  tb = NULL,
  col.names = "solute.properties",
  idx = "spct.idx"
)

Tfr_type2tb(mspct, tb = NULL, col.names = "Tfr.type", idx = "spct.idx")

Rfr_type2tb(mspct, tb = NULL, col.names = "Rfr.type", idx = "spct.idx")

time_unit2tb(mspct, tb = NULL, col.names = "time.unit", idx = "spct.idx")
```

```
comment2tb(mspct, tb = NULL, col.names = "comment", idx = "spct.idx")
```

Arguments

tb	tibble or data.frame to which to add the data (optional).
mspct	generic_mspct Any collection of spectra.
col.names	named character vector Name(s) of metadata attributes to copy, while if named, the names provide the name for the column.
idx	character Name of the column with the names of the members of the collection of spectra.
unnest	logical Flag controlling if metadata attributes that are lists of values should be returned in a list column or in separate columns.

Details

The attributes are copied to a column in a tibble or data frame. If the tb formal parameter receives NULL as argument, a new tibble will be created. If an existing data.frame or tibble is passed as argument, new columns are added to it. However, the number of rows in the argument passed to tb must match the number of spectra in the argument passed to mspct. Only in the case of method add_attr2tb() if the argument to col.names is a named vector, the names of members are used as names for the columns created. This permits setting any valid name for the new columns. If the vector passed to col.names has no names the names of the attributes are used for the new columns. If the fields of the attributes are unnested their names are used as names for the columns.

Valid accepted as argument to col.names are NULL, "lon", "lat", "address", "geocode", "where.measured", "when.measured", "what.measured", "how.measured", "comment", "normalised", "normalized", "scaled", "bswf.used", "instr.desc", "instr.settings", solute.properties, "filter.properties", "Tfr.type", "Rfr.type", "time.unit".

Value

A tibble With the metadata attributes in separate new variables.

Note

The order of the first two arguments is reversed in add_attr2tb() compared to the other functions. This is to allow its use in 'pipes', while the functions for single attributes are expected to be used mostly to create new tibbles.

See Also

Other measurement metadata functions: [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
library(dplyr)

my.mspect <- source_mspect(list(sun1 = sun.spct, sun2 = sun.spct * 2))
q_irrad(my.mspect) %>%
  add_attr2tb(my.mspect, c(lat = "latitude",
                          lon = "longitude",
                          when.measured = "time"))

when_measured2tb(my.mspect)
```

Afr2T

*Convert transmittance into absorptance.***Description**

Function that converts transmittance (fraction) into absorptance (fraction). If reflectance (fraction) is available, it allows conversions between internal and total absorptance.

Usage

```
Afr2T(x, action, byref, clean, ...)

## Default S3 method:
Afr2T(x, action = NULL, byref = FALSE, clean = FALSE, ...)

## S3 method for class 'numeric'
Afr2T(x, action = NULL, byref = FALSE, clean = FALSE, Rfr = NA_real_, ...)

## S3 method for class 'filter_spct'
Afr2T(x, action = "add", byref = FALSE, clean = FALSE, ...)

## S3 method for class 'object_spct'
Afr2T(x, action = "add", byref = FALSE, clean = FALSE, ...)

## S3 method for class 'filter_mspect'
Afr2T(
  x,
  action = "add",
  byref = FALSE,
  clean = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

```
## S3 method for class 'object_mspct'
Afr2T(
  x,
  action = "add",
  byref = FALSE,
  clean = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

x	an R object
action	character Allowed values "replace" and "add"
byref	logical indicating if new object will be created by reference or by copy of x
clean	logical replace off-boundary values before conversion
...	not used in current version
Rfr	numeric vector. Spectral reflectance o reflectance factor. Set to zero if x is internal reflectance,
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A copy of x with a column Tfr added and other columns possibly deleted except for w.length. If action = "replace", in all cases, the additional columns are removed, even if no column needs to be added.

Methods (by class)

- Afr2T(default): Default method for generic function
- Afr2T(numeric): Default method for generic function
- Afr2T(filter_spct): Method for filter spectra
- Afr2T(object_spct): Method for object spectra
- Afr2T(filter_mspct): Method for collections of filter spectra
- Afr2T(object_mspct): Method for collections of object spectra

See Also

Other quantity conversion functions: [A2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2qmол_multipliers\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

Examples

```
T2Afr(Ler_leaf.spct)
```

any2T	<i>Convert filter quantities.</i>
-------	-----------------------------------

Description

Functions that convert or add related physical quantities to `filter_spct` or `object_spct` objects. transmittance (fraction) into absorptance (fraction).

Usage

```
any2T(x, action = "add", clean = FALSE)
```

```
any2A(x, action = "add", clean = FALSE)
```

```
any2Afr(x, action = "add", clean = FALSE)
```

Arguments

<code>x</code>	an <code>filter_spct</code> or a <code>filter_mspct</code> object.
<code>action</code>	character Allowed values "replace" and "add".
<code>clean</code>	logical replace off-boundary values before conversion

Details

These functions are dispatchers for [A2T](#), [Afr2T](#), [T2A](#), and [T2Afr](#). The dispatch is based on the names of the variables stored in `x`. They do not support in-place modification of `x`.

Value

A copy of `x` with the columns for the different quantities added or replaced. If `action = "replace"`, in all cases, the additional columns are removed, even if no column needs to be added.

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2qmol_multipliers\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

Examples

```
any2Afr(Ler_leaf.spct)
any2T(Ler_leaf.spct)
any2T(polyester.spct)
```

as.calibration_mspct *Coerce to a collection-of-spectra*

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.calibration_mspct(x, ...)

## Default S3 method:
as.calibration_mspct(x, ...)

## S3 method for class 'data.frame'
as.calibration_mspct(x, ...)

## S3 method for class 'calibration_spct'
as.calibration_mspct(x, ...)

## S3 method for class 'list'
as.calibration_mspct(x, ..., ncol = 1, byrow = FALSE)

## S3 method for class 'matrix'
as.calibration_mspct(
  x,
  w.length,
  spct.data.var = "irrad.mult",
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)
```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
ncol	integer Number of 'virtual' columns in data
byrow	logical If ncol > 1 how to read in the data
w.length	numeric A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.

multiplier	numeric A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a calibration_mspctt object.

Methods (by class)

- as.calibration_mspct(default):
- as.calibration_mspct(data.frame):
- as.calibration_mspct(calibration_spct):
- as.calibration_mspct(list):
- as.calibration_mspct(matrix):

Note

When x is a square matrix an explicit argument is needed for byrow to indicate how data in x should be read. In every case the length of the w.length vector must match one of the dimensions of x.

See Also

Other Coercion methods for collections of spectra: [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.calibration_spct *Coerce to a spectrum*

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.calibration_spct(x, ...)
```

```
## Default S3 method:
as.calibration_spct(x, ...)
```

Arguments

x an R object.
 ... other arguments passed to "set" functions.

Value

A copy of `x` converted into a `calibration_spct` object.

Methods (by class)

- `as.calibration_spct(default)`:

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.chroma_mspct

Coerce to a collection-of-spectra

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.chroma_mspct(x, ...)

## Default S3 method:
as.chroma_mspct(x, ...)

## S3 method for class 'data.frame'
as.chroma_mspct(x, ...)

## S3 method for class 'chroma_spct'
as.chroma_mspct(x, ...)

## S3 method for class 'list'
as.chroma_mspct(x, ..., ncol = 1, byrow = FALSE)
```

Arguments

<code>x</code>	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
<code>...</code>	passed to individual spectrum object constructor
<code>ncol</code>	integer Number of 'virtual' columns in data
<code>byrow</code>	logical If <code>ncol > 1</code> how to read in the data

Value

A copy of x converted into a chroma_mspct object.

Methods (by class)

- as.chroma_mspct(default):
- as.chroma_mspct(data.frame):
- as.chroma_mspct(chroma_spct):
- as.chroma_mspct(list):

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.chroma_spct	<i>Coerce to a spectrum</i>
----------------	-----------------------------

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.chroma_spct(x, ...)
```

```
## Default S3 method:
as.chroma_spct(x, ...)
```

Arguments

x an R object.
 ... other arguments passed to "set" functions.

Value

A copy of x converted into a chroma_spct object.

Methods (by class)

- as.chroma_spct(default):

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.cps_mspct

Coerce to a collection-of-spectra

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.cps_mspct(x, ...)
```

```
## Default S3 method:
as.cps_mspct(x, ...)
```

```
## S3 method for class 'data.frame'
as.cps_mspct(x, ...)
```

```
## S3 method for class 'cps_spct'
as.cps_mspct(x, ...)
```

```
## S3 method for class 'list'
as.cps_mspct(x, ..., ncol = 1, byrow = FALSE)
```

```
## S3 method for class 'matrix'
as.cps_mspct(
  x,
  w.length,
  spct.data.var = "cps",
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)
```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
ncol	integer Number of 'virtual' columns in data

byrow	logical	If ncol > 1 how to read in the data
w.length	numeric	A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character	The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.
multiplier	numeric	A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character	Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a cps_mspct object.

Methods (by class)

- as.cps_mspct(default):
- as.cps_mspct(data.frame):
- as.cps_mspct(cps_spct):
- as.cps_mspct(list):
- as.cps_mspct(matrix):

Note

When x is a square matrix an explicit argument is needed for byrow to indicate how data in x should be read. In every case the length of the w.length vector must match one of the dimensions of x.

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.cps_spct

Coerce to a spectrum

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.cps_spct(x, ...)
```

```
## Default S3 method:
```

```
as.cps_spct(x, ...)
```

Arguments

x an R object.
 ... other arguments passed to "set" functions.

Value

A copy of x converted into a cps_spct object.

Methods (by class)

- as.cps_spct(default):

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.filter_mspct	<i>Coerce to a collection-of-spectra</i>
-----------------	--

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.filter_mspct(x, ...)

## Default S3 method:
as.filter_mspct(x, ...)

## S3 method for class 'data.frame'
as.filter_mspct(x, Tfr.type = c("total", "internal"), strict.range = TRUE, ...)

## S3 method for class 'filter_spct'
as.filter_mspct(x, ...)

## S3 method for class 'list'
as.filter_mspct(
  x,
  Tfr.type = c("total", "internal"),
  strict.range = TRUE,
  ...,
  ncol = 1,
```

```

    byrow = FALSE
  )

## S3 method for class 'matrix'
as.filter_mspct(
  x,
  w.length,
  spct.data.var = "Tfr",
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)

```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
Tfr.type	a character string, either "total" or "internal"
strict.range	logical Flag indicating how off-range values are handled
ncol	integer Number of 'virtual' columns in data
byrow	logical If ncol > 1 how to read in the data
w.length	numeric A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.
multiplier	numeric A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a filter_mspct object.

Methods (by class)

- as.filter_mspct(default):
- as.filter_mspct(data.frame):
- as.filter_mspct(filter_spct):
- as.filter_mspct(list):
- as.filter_mspct(matrix):

Note

When `x` is a square matrix an explicit argument is needed for `byrow` to indicate how data in `x` should be read. In every case the length of the `w` length vector must match one of the dimensions of `x`.

See Also

Other Coercion methods for collections of spectra: `as.calibration_mspct()`, `as.chroma_mspct()`, `as.cps_mspct()`, `as.generic_mspct()`, `as.object_mspct()`, `as.raw_mspct()`, `as.reflector_mspct()`, `as.response_mspct()`, `as.solute_mspct()`, `as.source_mspct()`, `split2mspct()`, `subset2mspct()`

as.filter_spct	<i>Coerce or convert into a filter spectrum</i>
----------------	---

Description

Return a possibly modified copy of an R object with its class set to a filter spectrum. In the case of conversion from a `solute_spct` object, compute the spectral quantity based on additional input from user.

Usage

```
as.filter_spct(x, ...)

## Default S3 method:
as.filter_spct(
  x,
  Tfr.type = c("total", "internal"),
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  ...
)

## S3 method for class 'solute_spct'
as.filter_spct(
  x,
  Tfr.type = "internal",
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  Rfr.constant = NA_real_,
  comment = NULL,
  molar.concentration = NULL,
  mass.concentration = NULL,
  path.length = 1,
  ...
)
```


Arguments

x	an R object.
...	other arguments passed to "set" functions.
Tfr.type	a character string, either "total" or "internal".
strict.range	logical Flag indicating whether off-range values result in an error instead of a warning.
Rfr.constant	numeric The value of the reflection factor (1) to be set.
comment	character A string to be added as a comment attribute to the object created. If not supplied, the comment will be copied from x.
molar.concentration, mass.concentration	numeric Concentration to be used to compute transmittance of the solute in solution [$mol\ m^{-3} = mmol\ dm^{-3}$ or $kg\ m^{-3} = g\ dm^{-3}$, respectively].
path.length	numeric The length of the light path (m) used to compute transmittance of the solute in a solution.

Value

A copy of x converted into a filter_spct. object.

Methods (by class)

- as.filter_spct(default):
- as.filter_spct(solute_spct):

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.generic_mspct

Coerce to a collection-of-spectra

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```

as.generic_mspct(x, ...)

## Default S3 method:
as.generic_mspct(x, ...)

## S3 method for class 'data.frame'
as.generic_mspct(x, force.spct.class = FALSE, ...)

## S3 method for class 'generic_spct'
as.generic_mspct(x, force.spct.class = FALSE, ...)

## S3 method for class 'list'
as.generic_mspct(x, force.spct.class = FALSE, ..., ncol = 1, byrow = FALSE)

## S3 method for class 'matrix'
as.generic_mspct(
  x,
  w.length,
  member.class,
  spct.data.var,
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)

mat2mspct(
  x,
  w.length,
  member.class,
  spct.data.var,
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)

```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
force.spct.class	logical indicating whether to change the class of members to generic_spct or retain the existing class.
ncol	integer Number of 'virtual' columns in data

byrow	logical	If ncol > 1 how to read in the data
w.length	numeric	A vector of wavelength values sorted in strictly ascending order (nm).
member.class	character	The name of the class of the individual spectra to be constructed.
spct.data.var	character	The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.
multiplier	numeric	A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character	Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a generic_mspct object.

Methods (by class)

- as.generic_mspct(default):
- as.generic_mspct(data.frame):
- as.generic_mspct(generic_spct):
- as.generic_mspct(list):
- as.generic_mspct(matrix):

Note

Members of generic_mspct objects can be heterogeneous: they can belong to any class derived from generic_spct and class is not enforced. When x is a list of data frames force.spct.class = TRUE needs to be supplied. When x is a square matrix an explicit argument is needed for byrow to indicate how data in x should be read. In every case the length of the w.length vector must match one of the dimensions of x.

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.generic_spct	<i>Coerce to a spectrum</i>
-----------------	-----------------------------

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.generic_spct(x, ...)

## Default S3 method:
as.generic_spct(x, ...)
```

Arguments

x	an R object
...	other arguments passed to "set" functions

Value

A copy of x converted into a generic_spct object.

Methods (by class)

- as.generic_spct(default):

See Also

[setGenericSpect](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.matrix-mpsct	<i>Coerce a collection of spectra into a matrix</i>
-----------------	---

Description

Convert an object of class generic_mpsct or a derived class into an R matrix with wavelengths saved as an attribute and spectral data in rows or columns.

Usage

```
## S3 method for class 'generic_mspct'
as.matrix(x, spct.data.var, byrow = attr(x, "mspct.byrow"), ...)

mspct2mat(x, spct.data.var, byrow = attr(x, "mspct.byrow"), ...)
```

Arguments

x	generic_mspct object.
spct.data.var	character The name of the variable containing the spectral data.
byrow	logical. If FALSE (the default) the matrix is filled with the spectra stored by columns, otherwise the matrix is filled by rows.
...	currently ignored.

Warning!

This conversion preserves the spectral data but discards almost all the metadata contained in the spectral objects. In other words a matrix created with this function cannot be used to recreate the original object unless the same metadata is explicitly supplied when converting the matrix into new collection of spectra.

Note

Only collections of spectra containing spectra with exactly the same w. length values can by converted. If needed, the spectra can be re-expressed before attempting the conversion to a matrix.

as.object_mspct	<i>Coerce to a collection-of-spectra</i>
-----------------	--

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.object_mspct(x, ...)

## Default S3 method:
as.object_mspct(x, ...)

## S3 method for class 'data.frame'
as.object_mspct(
  x,
  Tfr.type = c("total", "internal"),
  Rfr.type = c("total", "specular"),
  strict.range = TRUE,
```

```

    ...
  )

  ## S3 method for class 'object_spct'
  as.object_mspct(x, ...)

  ## S3 method for class 'list'
  as.object_mspct(
    x,
    Tfr.type = c("total", "internal"),
    Rfr.type = c("total", "specular"),
    strict.range = TRUE,
    ...,
    ncol = 1,
    byrow = FALSE
  )

```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
Tfr.type	a character string, either "total" or "internal"
Rfr.type	a character string, either "total" or "specular"
strict.range	logical Flag indicating how off-range values are handled
ncol	integer Number of 'virtual' columns in data
byrow	logical If ncol > 1 how to read in the data

Value

A copy of x converted into a object_mspct object.

Methods (by class)

- as.object_mspct(default):
- as.object_mspct(data.frame):
- as.object_mspct(object_spct):
- as.object_mspct(list):

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.object_spct	<i>Coerce to a spectrum</i>
----------------	-----------------------------

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.object_spct(x, ...)  
  
## Default S3 method:  
as.object_spct(  
  x,  
  Tfr.type = c("total", "internal"),  
  Rfr.type = c("total", "specular"),  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  ...  
)
```

Arguments

x	an R object.
...	other arguments passed to "set" functions.
Tfr.type	a character string, either "total" or "internal".
Rfr.type	a character string, either "total" or "specular".
strict.range	logical Flag indicating whether off-range values result in an error instead of a warning.

Value

A copy of x converted into a object_spct object.

Methods (by class)

- as.object_spct(default):

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.raw_mspct	<i>Coerce to a collection-of-spectra</i>
--------------	--

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.raw_mspct(x, ...)

## Default S3 method:
as.raw_mspct(x, ...)

## S3 method for class 'data.frame'
as.raw_mspct(x, ...)

## S3 method for class 'raw_spct'
as.raw_mspct(x, ...)

## S3 method for class 'list'
as.raw_mspct(x, ..., ncol = 1, byrow = FALSE)

## S3 method for class 'matrix'
as.raw_mspct(
  x,
  w.length,
  spct.data.var = "counts",
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)
```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
ncol	integer Number of 'virtual' columns in data
byrow	logical If ncol > 1 how to read in the data
w.length	numeric A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.

multiplier	numeric A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a raw_mspct object.

Methods (by class)

- as.raw_mspct(default):
- as.raw_mspct(data.frame):
- as.raw_mspct(raw_spct):
- as.raw_mspct(list):
- as.raw_mspct(matrix):

Note

When x is a square matrix an explicit argument is needed for byrow to indicate how data in x should be read. In every case the length of the w.length vector must match one of the dimensions of x.

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.raw_spct	<i>Coerce to a spectrum</i>
-------------	-----------------------------

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.raw_spct(x, ...)
```

```
## Default S3 method:
as.raw_spct(x, ...)
```

Arguments

x	an R object.
...	other arguments passed to "set" functions.

Value

A copy of `x` converted into a `raw_spct` object.

Methods (by class)

- `as.raw_spct(default)`:

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

`as.reflector_mspct` *Coerce to a collection-of-spectra*

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.reflector_mspct(x, ...)

## Default S3 method:
as.reflector_mspct(x, ...)

## S3 method for class 'data.frame'
as.reflector_mspct(
  x,
  Rfr.type = c("total", "specular"),
  strict.range = TRUE,
  ...
)

## S3 method for class 'reflector_spct'
as.reflector_mspct(x, ...)

## S3 method for class 'list'
as.reflector_mspct(
  x,
  Rfr.type = c("total", "specular"),
  strict.range = TRUE,
  ...,
  ncol = 1,
```

```

    byrow = FALSE
  )

  ## S3 method for class 'matrix'
  as.reflector_mspct(
    x,
    w.length,
    spct.data.var = "Rfr",
    multiplier = 1,
    byrow = NULL,
    spct.names = "spct_",
    ...
  )

```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
Rfr.type	a character string, either "total" or "specular"
strict.range	logical Flag indicating how off-range values are handled
ncol	integer Number of 'virtual' columns in data
byrow	logical If ncol > 1 how to read in the data
w.length	numeric A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.
multiplier	numeric A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a reflector_mspct object.

Methods (by class)

- as.reflector_mspct(default):
- as.reflector_mspct(data.frame):
- as.reflector_mspct(reflector_spct):
- as.reflector_mspct(list):
- as.reflector_mspct(matrix):

Note

When `x` is a square matrix an explicit argument is needed for `byrow` to indicate how data in `x` should be read. In every case the length of the `w`. length vector must match one of the dimensions of `x`.

See Also

Other Coercion methods for collections of spectra: `as.calibration_mspct()`, `as.chroma_mspct()`, `as.cps_mspct()`, `as.filter_mspct()`, `as.generic_mspct()`, `as.object_mspct()`, `as.raw_mspct()`, `as.response_mspct()`, `as.solute_mspct()`, `as.source_mspct()`, `split2mspct()`, `subset2mspct()`

as.reflector_spct	<i>Coerce to a spectrum</i>
-------------------	-----------------------------

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.reflector_spct(x, ...)

## Default S3 method:
as.reflector_spct(
  x,
  Rfr.type = c("total", "specular"),
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  ...
)
```

Arguments

<code>x</code>	an R object.
<code>...</code>	other arguments passed to "set" functions.
<code>Rfr.type</code>	a character string, either "total" or "specular".
<code>strict.range</code>	logical Flag indicating whether off-range values result in an error instead of a warning.

Value

A copy of `x` converted into a `reflector_spct` object.

Methods (by class)

- `as.reflector_spct(default)`:

See Also[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.response_mspct	<i>Coerce to a collection-of-spectra</i>
-------------------	--

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.response_mspct(x, ...)

## Default S3 method:
as.response_mspct(x, ...)

## S3 method for class 'data.frame'
as.response_mspct(x, time.unit = "second", ...)

## S3 method for class 'response_spct'
as.response_mspct(x, ...)

## S3 method for class 'list'
as.response_mspct(x, time.unit = "second", ..., ncol = 1, byrow = FALSE)

## S3 method for class 'matrix'
as.response_mspct(
  x,
  w.length,
  spct.data.var = "s.e.response",
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)
```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
time.unit	character A string, "second", "day" or "exposure"

ncol	integer	Number of 'virtual' columns in data
byrow	logical	If ncol > 1 how to read in the data
w.length	numeric	A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character	The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.
multiplier	numeric	A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character	Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a response_mspct object.

Methods (by class)

- as.response_mspct(default):
- as.response_mspct(data.frame):
- as.response_mspct(response_spct):
- as.response_mspct(list):
- as.response_mspct(matrix):

Note

When x is a square matrix an explicit argument is needed for byrow to indicate how data in x should be read. In every case the length of the w.length vector must match one of the dimensions of x.

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.response_spct *Coerce to a spectrum*

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.response_spct(x, ...)
```

Default S3 method:

```
as.response_spct(x, time.unit = "second", ...)
```

Arguments

x	an R object.
...	other arguments passed to "set" functions.
time.unit	character string indicating the time unit used for spectral irradiance or exposure ("second", "day" or "exposure") or an object of class duration as defined in package lubridate.

Value

A copy of x converted into a response_spct object.

Methods (by class)

- `as.response_spct(default)`:

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.solar_date

Convert a solar_time object into solar_date object

Description

Convert a solar_time object into solar_date object

Usage

```
as.solar_date(x, time)
```

Arguments

x	solar_time object.
time	an R date time object

Value

For method `as.solar_date()` a date-time object with the class attr set to "solar.time". This is needed only for unambiguous formatting and printing.

See Also

Other Local solar time functions: [is.solar_time\(\)](#), [print.solar_time\(\)](#), [solar_time\(\)](#)

as.solute_mspct *Coerce to a collection-of-spectra*

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.solute_mspct(x, ...)  
  
## Default S3 method:  
as.solute_mspct(x, ...)  
  
## S3 method for class 'data.frame'  
as.solute_mspct(  
  x,  
  K.type = c("attenuation", "absorption", "scattering"),  
  strict.range = TRUE,  
  ...  
)  
  
## S3 method for class 'solute_spct'  
as.solute_mspct(x, ...)  
  
## S3 method for class 'list'  
as.solute_mspct(  
  x,  
  K.type = c("attenuation", "absorption", "scattering"),  
  strict.range = TRUE,  
  ...,  
  ncol = 1,  
  byrow = FALSE  
)  
  
## S3 method for class 'matrix'  
as.solute_mspct(  
  x,  
  w.length,  
  spct.data.var = "K.mole",  
  multiplier = 1,  
  byrow = NULL,  
  spct.names = "spct_",  
  ...  
)
```


Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
K.type	a character string, either "attenuation", "absorption" or "scattering"
strict.range	logical Flag indicating how off-range values are handled
ncol	integer Number of 'virtual' columns in data
byrow	logical If ncol > 1 how to read in the data
w.length	numeric A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.
multiplier	numeric A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a `filter_mspct` object.

Methods (by class)

- `as.solute_mspct(default)`:
- `as.solute_mspct(data.frame)`:
- `as.solute_mspct(solute_spct)`:
- `as.solute_mspct(list)`:
- `as.solute_mspct(matrix)`:

Note

When x is a square matrix an explicit argument is needed for `byrow` to indicate how data in x should be read. In every case the length of the `w.length` vector must match one of the dimensions of x.

See Also

Other Coercion methods for collections of spectra: `as.calibration_mspct()`, `as.chroma_mspct()`, `as.cps_mspct()`, `as.filter_mspct()`, `as.generic_mspct()`, `as.object_mspct()`, `as.raw_mspct()`, `as.reflector_mspct()`, `as.response_mspct()`, `as.source_mspct()`, `split2mspct()`, `subset2mspct()`

as.solute_spct *Coerce to a solute spectrum*

Description

Return a possibly modified copy of an R object with its class set to `solute_spct` (a solute spectrum). In the case of conversion from a `filter_spct` object, compute spectral molar attenuation based on additional input from user.

Usage

```
as.solute_spct(x, ...)  
  
## Default S3 method:  
as.solute_spct(  
  x,  
  K.type = c("attenuation", "absorption", "scattering"),  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  ...  
)  
  
## S3 method for class 'filter_spct'  
as.solute_spct(  
  x,  
  K.type = c("attenuation", "absorption", "scattering"),  
  name = NA_character_,  
  mass = NA_character_,  
  formula = NULL,  
  structure = grDevices::as.raster(matrix()),  
  ID = NA_character_,  
  solvent.name = NA_character_,  
  solvent.ID = NA_character_,  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  comment = NULL,  
  molar.concentration = NULL,  
  mass.concentration = NULL,  
  path.length = 1,  
  ...  
)
```

Arguments

x	an R object.
...	other arguments passed to "set" functions.
K.type	a character string, one of "attenuation", "absorption" or "scattering".

strict.range	logical	Flag indicating whether off-range values result in an error instead of a warning.
name, solvent.name	character	The names of the substance and of the solvent. A named character vector, with member names such as "IUPAC" for the authority.
mass	numeric	The mass in Dalton (Da = g/mol).
formula	character	The molecular formula.
structure	raster	A bitmap of the structure.
ID, solvent.ID	character	The IDs of the substance and of the solvent. A named character vector, with member names such as "ChemSpider" or "PubChen" for the authority.
comment	character	A string to be added as a comment attribute to the object created. If not supplied, the comment will be copied from x.
molar.concentration, mass.concentration	numeric	Concentration to be used to compute transmittance of the solute in solution [$mol\ m^{-3} = mmol\ dm^{-3}$ or $kg\ m^{-3} = g\ dm^{-3}$, respectively].
path.length	numeric	The length of the light path (m) used to compute transmittance of the solute in a solution.

Value

A copy of x converted into a solute_spct object.

Methods (by class)

- as.solute_spct(default):
- as.solute_spct(filter_spct):

See Also

[setSoluteSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.source_spct\(\)](#), [source_spct\(\)](#)

as.source_mspct

Coerce to a collection-of-spectra

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```

as.source_mspct(x, ...)

## Default S3 method:
as.source_mspct(x, ...)

## S3 method for class 'data.frame'
as.source_mspct(
  x,
  time.unit = c("second", "day", "exposure"),
  bswf.used = c("none", "unknown"),
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  ...
)

## S3 method for class 'source_spct'
as.source_mspct(x, ...)

## S3 method for class 'list'
as.source_mspct(
  x,
  time.unit = c("second", "day", "exposure"),
  bswf.used = c("none", "unknown"),
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  ...,
  ncol = 1,
  byrow = FALSE
)

## S3 method for class 'matrix'
as.source_mspct(
  x,
  w.length,
  spct.data.var = "s.e.irrad",
  multiplier = 1,
  byrow = NULL,
  spct.names = "spct_",
  ...
)

```

Arguments

x	a list of spectral objects or a list of objects such as data frames that can be converted into spectral objects.
...	passed to individual spectrum object constructor
time.unit	character A string, "second", "day" or "exposure"
bswf.used	character

strict.range	logical	Flag indicating how off-range values are handled
ncol	integer	Number of 'virtual' columns in data
byrow	logical	If ncol > 1 how to read in the data
w.length	numeric	A vector of wavelength values sorted in strictly ascending order (nm).
spct.data.var	character	The name of the variable that will contain the spectral data. This indicates what physical quantity is stored in the matrix and the units of expression used.
multiplier	numeric	A multiplier to be applied to the values in x to do unit or scale conversion.
spct.names	character	Vector of names to be assigned to collection members, either of length 1, or with length equal to the number of spectra.

Value

A copy of x converted into a source_mspct object.

Methods (by class)

- as.source_mspct(default):
- as.source_mspct(data.frame):
- as.source_mspct(source_spct):
- as.source_mspct(list):
- as.source_mspct(matrix):

Note

When x is a square matrix an explicit argument is needed for byrow to indicate how data in x should be read. In every case the length of the w.length vector must match one of the dimensions of x.

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [split2mspct\(\)](#), [subset2mspct\(\)](#)

as.source_spct	<i>Coerce to a spectrum</i>
----------------	-----------------------------

Description

Return a copy of an R object with its class set to a given type of spectrum.

Usage

```
as.source_spct(x, ...)  
  
## Default S3 method:  
as.source_spct(  
  x,  
  time.unit = c("second", "day", "exposure"),  
  bswf.used = c("none", "unknown"),  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  ...  
)
```

Arguments

x	an R object.
...	other arguments passed to "set" functions.
time.unit	character string indicating the time unit used for spectral irradiance or exposure ("second", "day" or "exposure") or an object of class duration as defined in package lubridate.
bswf.used	character A string indicating the BSWF used, if any, for spectral effective irradiance or exposure ("none" or the name of the BSWF).
strict.range	logical Flag indicating whether off-range values result in an error instead of a warning.

Value

A copy of x converted into a source_spct object.

Methods (by class)

- as.source_spct(default):

See Also

[setGenericSpct](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [source_spct\(\)](#)

as_energy	<i>Convert spectral photon irradiance into spectral energy irradiance</i>
-----------	---

Description

Convert a spectral photon irradiance [$\text{mol s}^{-1} \text{m}^{-2} \text{nm}^{-1}$] into a spectral energy irradiance [$\text{W m}^{-2} \text{nm}^{-1}$].

Usage

```
as_energy(w.length, s.qmol.irrad)
```

Arguments

w.length numeric vector of wavelengths [nm].
s.qmol.irrad numeric vector of spectral photon irradiance values.

Value

A numeric vector of spectral (energy) irradiances.

See Also

Other low-level functions operating on numeric vectors.: [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.spct, as_energy(w.length, s.q.irrad))
```

as_quantum	<i>Convert spectral energy irradiance into spectral photon irradiance</i>
------------	---

Description

Convert spectral energy irradiance [$\text{W m}^{-2} \text{nm}^{-1}$] into spectral photon irradiance expressed as number of photons [$\text{s}^{-1} \text{m}^{-2} \text{nm}^{-1}$]

Usage

```
as_quantum(w.length, s.e.irrad)
```

Arguments

w.length numeric vector of wavelengths (nm).
s.e.irrad numeric vector of spectral (energy) irradiance values.

Value

A numeric vector of spectral photon irradiances.

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [e2q\(\)](#), [e2qmol_multipliers\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

Examples

```
with(sun.data, as_quantum(w.length, s.e.irrad))
```

<code>as_quantum_mol</code>	<i>Convert spectral energy irradiance into spectral photon irradiance</i>
-----------------------------	---

Description

Convert spectral energy irradiance [$W m^{-2} nm^{-1}$] into a spectral photon irradiance expressed in number of molds of photons [$mol s^{-1} m^{-2} nm^{-1}$].

Usage

```
as_quantum_mol(w.length, s.e.irrad)
```

Arguments

w.length numeric vector of wavelengths (nm).
s.e.irrad numeric vector of spectral (energy) irradiance values.

Value

a numeric vector of spectral photon irradiances.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.data, as_quantum_mol(w.length, s.e.irrad))
```

as_tod

Convert datetime to time-of-day

Description

Convert a datetime into a time of day expressed in hours, minutes or seconds from midnight in local time for a time zone. This conversion is useful when time-series data for different days needs to be compared or plotted based on the local time-of-day.

Usage

```
as_tod(x, unit.out = "hours", tz = NULL)
```

Arguments

x	a datetime object accepted by lubridate functions
unit.out	character string, One of "tod_time", "hours", "minutes", or "seconds".
tz	character string indicating time zone to be used in output.

Value

A numeric vector of the same length as x. If unit.out = "tod_time" an object of class "tod_time" which the same as for unit.out = "hours" but with the class attribute set, which dispatches to special format() and print() methods.

See Also

[solar_time](#)

Other Time of day functions: [format.tod_time\(\)](#), [print.tod_time\(\)](#)

Examples

```
library(lubridate)
my_instants <- ymd_hms("2020-05-17 12:05:03") + days(c(0, 30))
my_instants
as_tod(my_instants)
as_tod(my_instants, unit.out = "tod_time")
```

average_spct *Average spectral data.*

Description

This function gives the result of integrating spectral data over wavelengths and dividing the result by the spread or span of the wavelengths.

Usage

```
average_spct(spct)
```

Arguments

spct generic_spct

Value

One or more numeric values with no change in scale factor: e.g. [W m⁻² nm⁻¹] -> [W m⁻² nm⁻¹]. Each value in the returned vector corresponds to a variable in the spectral object, except for wavelength.

Examples

```
average_spct(sun.spct)
```

beesxyzCMF.spct *Honeybee xyz chromaticity colour matching function data*

Description

A dataset containing wavelengths at a 5 nm interval (300 nm to 700 nm) and the corresponding x, y, and z chromaticity coordinates. Original data from XXX.

A chroma_spct object with variables as follows:

Usage

```
beesxyzCMF.spct
```

Format

A data frame with 81 rows and 4 variables

Details

- w.length (nm)
- x
- y
- z

See Also

Other Visual response data examples: [ciev10.spct](#), [ciev2.spct](#), [ciexyzCC10.spct](#), [ciexyzCC2.spct](#), [ciexyzCMF10.spct](#), [ciexyzCMF2.spct](#), [cone_fundamentals10.spct](#)

black_body.spct

Theoretical optical bodies

Description

Datasets for a hypothetical objects with transmittance 0/1 (0%), reflectance 0/1 (0%), with transmittance 0/1 (0%), reflectance 1/1 (100%), and with with transmittance 1/1 (100%), reflectance 0/1 (0%).

Format

A object_spct object with 4 rows and 3 variables

Details

- w.length (nm)
- Tfr (0..1)
- Rfr (0..1)

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

c	<i>Combine collections of spectra</i>
---	---------------------------------------

Description

Combine two or more generic_mspct objects into a single object.

Usage

```
## S3 method for class 'generic_mspct'
c(..., recursive = FALSE, ncol = 1, byrow = FALSE)
```

Arguments

...	one or more generic_mspct objects to combine.
recursive	logical ignored as nesting of collections of spectra is not supported.
ncol	numeric Virtual number of columns
byrow	logical When object has two dimensions, how to map member objects to columns and rows.

Value

A collection of spectra object belonging to the most derived class shared among the combined objects.

calc_multipliers	<i>Spectral weights</i>
------------------	-------------------------

Description

Calculate multipliers for selecting a range of wavelengths and optionally applying a biological spectral weighting function (BSWF) and wavelength normalization. This function returns numeric multipliers that can be used to select a waveband and apply a weight.

Usage

```
calc_multipliers(
  w.length,
  w.band,
  unit.out = "energy",
  unit.in = "energy",
  use.cached.mult = FALSE,
  fill = 0
)
```

Arguments

w.length	numeric vector of wavelengths (nm).
w.band	waveband object.
unit.out	character A string: "photon" or "energy", default is "energy".
unit.in	character A string: "photon" or "energy", default is "energy".
use.cached.mult	logical Flag indicating whether multiplier values should be cached between calls.
fill	numeric If fill = NA then values returned for wavelengths outside the range of the waveband are set to NA.

Value

a numeric vector of multipliers of the same length as w.length.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.data, calc_multipliers(w.length, new_waveband(400,700),"photon"))
with(sun.data, calc_multipliers(w.length, new_waveband(400,700),"photon"), use.cached.mult = TRUE)
```

calc_source_output *Scaled and/or interpolated light-source spectral output*

Description

Values calculated by interpolation from user-supplied spectral emission data or by name for light source data included in the packages photobiologySun, photobiologyLamps, or photobiologyLEDs, optionally re-scaling the spectral data values.

Usage

```
calc_source_output(
  w.length.out,
  w.length.in,
  s.irrad.in,
  unit.in = "energy",
```

```

    scaled = NULL,
    fill = NA,
    ...
  )

```

Arguments

w.length.out	numeric vector of wavelengths (nm) for output.
w.length.in	numeric vector of wavelengths (nm) for input.
s.irrad.in	numeric vector of spectral transmittance value (fractions or percent).
unit.in	a character string "energy" or "photon".
scaled	NULL, "peak", "area"; div ignored if !is.null(scaled).
fill	if NA, no extrapolation is done, and NA is returned for wavelengths outside the range of the input. If NULL then the tails are deleted. If 0 then the tails are set to zero.
...	Additional arguments passed to spline if called.

Value

a source_spct with three numeric vectors with wavelength values (w.length), scaled and interpolated spectral energy irradiance (s.e.irrad), scaled and interpolated spectral photon irradiance values (s.q.irrad).

Note

This is a convenience function that adds no new functionality but makes it a little easier to plot lamp spectral emission data consistently. It automates interpolation, extrapolation/trimming and scaling.

Examples

```

with(sun.data,
     calc_source_output(290:1100,
                       w.length.in = w.length,
                       s.irrad.in = s.e.irrad)
  )

```

 ccd.spct

Spectral response of a back-thinned CCD image sensor.

Description

A dataset containing wavelengths at a 1 nm interval and spectral response as quantum efficiency for CCD sensor type S11071/S10420 from Hamamatsu (measured without a quartz window). These vectors are frequently used as sensors in high-UV-sensitivity vector spectrometers. Data digitized from manufacturer's data sheet. The original data is expressed as percent quantum efficiency with a value of 77% at the peak. The data have been re-expressed as fractions of one.

Usage

ccd.spct

Format

A response_spct object with 186 rows and 2 variables

Details

- w.length (nm).
- s.q.response (fractional quantum efficiency)

References

Hamamatsu (2014) Datasheet: CCD Image Sensors S11071/S10420-01 Series. Hamamatsu Photonics KK, Hamamatsu, City. <http://www.hamamatsu.com/jp/en/S11071-1004.html>. Visited 2017-12-15.

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

ccd.spct

checkTimeUnit

Check the "time.unit" attribute of an existing source_spct object

Description

Function to read the "time.unit" attribute

Usage

checkTimeUnit(x)

Arguments

x a source_spct object

Value

x possibly with the time.unit attribute modified

Note

if x is not a source_spct or a response_spct object, NA is returned

See Also

Other time attribute functions: [convertThickness\(\)](#), [convertTimeUnit\(\)](#), [getTimeUnit\(\)](#), [setTimeUnit\(\)](#)

 check_spct

Check validity of spectral objects

Description

Check that an R object contains the expected data members.

Usage

```
check_spct(x, byref, strict.range, force = FALSE, ...)
```

```
## Default S3 method:
```

```
check_spct(x, byref = FALSE, strict.range = NA, force = FALSE, ...)
```

```
## S3 method for class 'generic_spct'
```

```
check_spct(
  x,
  byref = TRUE,
  strict.range = NA,
  force = FALSE,
  multiple.wl = getMultipleWl(x),
  ...
)
```

```
## S3 method for class 'calibration_spct'
```

```
check_spct(
  x,
  byref = TRUE,
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  force = FALSE,
  multiple.wl = getMultipleWl(x),
  ...
)
```

```
## S3 method for class 'raw_spct'
```

```
check_spct(
  x,
  byref = TRUE,
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  force = FALSE,
```



```
        multiple.wl = getMultipleWl(x),
        ...
    )

## S3 method for class 'cps_spct'
check_spct(
    x,
    byref = TRUE,
    strict.range = getOption("photobiology.strict.range", default = FALSE),
    force = FALSE,
    multiple.wl = getMultipleWl(x),
    ...
)

## S3 method for class 'filter_spct'
check_spct(
    x,
    byref = TRUE,
    strict.range = getOption("photobiology.strict.range", default = FALSE),
    force = FALSE,
    multiple.wl = getMultipleWl(x),
    ...
)

## S3 method for class 'solute_spct'
check_spct(
    x,
    byref = TRUE,
    strict.range = getOption("photobiology.strict.range", default = FALSE),
    force = FALSE,
    multiple.wl = getMultipleWl(x),
    ...
)

## S3 method for class 'reflector_spct'
check_spct(
    x,
    byref = TRUE,
    strict.range = getOption("photobiology.strict.range", default = FALSE),
    force = FALSE,
    multiple.wl = getMultipleWl(x),
    ...
)

## S3 method for class 'object_spct'
check_spct(
    x,
    byref = TRUE,
```

```

    strict.range = getOption("photobiology.strict.range", default = FALSE),
    force = FALSE,
    multiple.wl = getMultipleWl(x),
    ...
)

## S3 method for class 'response_spct'
check_spct(
  x,
  byref = TRUE,
  strict.range = NA,
  force = FALSE,
  multiple.wl = getMultipleWl(x),
  ...
)

## S3 method for class 'source_spct'
check_spct(
  x,
  byref = TRUE,
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  force = FALSE,
  multiple.wl = getMultipleWl(x),
  ...
)

## S3 method for class 'chroma_spct'
check_spct(
  x,
  byref = TRUE,
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  force = FALSE,
  multiple.wl = getMultipleWl(x),
  ...
)

```

Arguments

x	An R object
byref	logical indicating if new object will be created by reference or by copy of x
strict.range	logical indicating whether off-range values result in an error instead of a warning, NA disables the test.
force	logical If TRUE check is done even if checks are disabled.
...	additional param possible in derived methods
multiple.wl	numeric Maximum number of repeated w.length entries with same value.

Methods (by class)

- `check_spct(default)`: Default for generic function.
- `check_spct(generic_spct)`: Specialization for `generic_spct`.
- `check_spct(calibration_spct)`: Specialization for `calibration_spct`.
- `check_spct(raw_spct)`: Specialization for `raw_spct`.
- `check_spct(cps_spct)`: Specialization for `cps_spct`.
- `check_spct(filter_spct)`: Specialization for `filter_spct`.
- `check_spct(solute_spct)`: Specialization for `solute_spct`.
- `check_spct(reflector_spct)`: Specialization for `reflector_spct`.
- `check_spct(object_spct)`: Specialization for `object_spct`.
- `check_spct(response_spct)`: Specialization for `response_spct`.
- `check_spct(source_spct)`: Specialization for `source_spct`.
- `check_spct(chroma_spct)`: Specialization for `chroma_spct`.

See Also

Other data validity check functions: [check_spectrum\(\)](#), [check_w.length\(\)](#), [enable_check_spct\(\)](#)

Examples

```
check_spct(sun.spct)

check_spct(sun.spct)
# try(check_spct(-sun.spct))
# try(check_spct((sun.spct[1, "w.length"] <- 1000)))
```

check_spectrum	<i>Sanity check a spectrum</i>
----------------	--------------------------------

Description

Checks spectral irradiance data in numeric vectors for compliance with assumptions used in calculations.

Usage

```
check_spectrum(w.length, s.irrad)
```

Arguments

<code>w.length</code>	numeric vector of wavelengths [<i>nm</i>].
<code>s.irrad</code>	numeric Corresponding vector of spectral (energy) irradiances [$W m^{-2} nm^{-1}$].

Value

A single logical value indicating whether test was passed or not

See Also

Other data validity check functions: [check_spct\(\)](#), [check_w.length\(\)](#), [enable_check_spct\(\)](#)

Examples

```
with(sun.data, check_spectrum(w.length, s.e.irrad))
```

check_w.length	<i>Sanity check of wavelengths (internal function).</i>
----------------	---

Description

This function checks a w.length vector for compliance with assumptions used in calculations.

Usage

```
check_w.length(w.length)
```

Arguments

w.length numeric array of wavelength (nm)

Value

a single logical value indicating whether test was passed or not

See Also

Other data validity check functions: [check_spct\(\)](#), [check_spectrum\(\)](#), [enable_check_spct\(\)](#)

Examples

```
with(sun.data, photobiology:::check_w.length(w.length))
```

`ciev10.spct`*Linear energy CIE 2008 luminous efficiency function 10 deg data*

Description

A dataset containing wavelengths at a 1 nm interval (390 nm to 830 nm) and the corresponding response values for a 10 degrees target. Original data from <http://www.cvrl.org/> downloaded on 2014-04-29 The variables are as follows:

- w.length (nm)
- s.e.response

Usage`ciev10.spct`**Format**

A chroma_spct object with 441 rows and 4 variables

Author(s)

CIE

See Also

Other Visual response data examples: [beesxyzCMF.spct](#), [ciev2.spct](#), [ciexyzCC10.spct](#), [ciexyzCC2.spct](#), [ciexyzCMF10.spct](#), [ciexyzCMF2.spct](#), [cone_fundamentals10.spct](#)

Examples`ciev10.spct`

`ciev2.spct`*Linear energy CIE 2008 luminous efficiency function 2 deg data*

Description

A dataset containing wavelengths at a 1 nm interval (390 nm to 830 nm) and the corresponding response values for a 2 degrees target. Original data from <http://www.cvrl.org/> downloaded on 2014-04-29 The variables are as follows:

Usage`ciev2.spct`

Format

A chroma_spct object with 441 rows and 4 variables

Details

- w.length (nm)
- s.e.response

Note

These data are not from the official CIE on-line distribution but are retained for backwards compatibility. It is recommended to download the latest version from <https://cie.co.at/data-tables>.

Author(s)

CIE

See Also

Other Visual response data examples: [beesxyzCMF.spct](#), [ciev10.spct](#), [ciexyzCC10.spct](#), [ciexyzCC2.spct](#), [ciexyzCMF10.spct](#), [ciexyzCMF2.spct](#), [cone_fundamentals10.spct](#)

Examples

ciev2.spct

ciexyzCC10.spct

CIE xyz chromaticity coordinates (CC) 10 deg data

Description

A dataset containing wavelengths at a 1 nm interval (390 nm to 830 nm) and the corresponding x, y, and z chromaticity coordinates. Derived from proposed CIE 2006 standard. Original data from <http://www.cvr1.org/> downloaded on 2014-04-29 The variables are as follows:

- w.length (nm)
- x
- y
- z

Usage

ciexyzCC10.spct

Format

A chroma_spct object with 441 rows and 4 variables

Note

These data are not from the official CIE on-line distribution but are retained for backwards compatibility. It is recommended to download the latest version from <https://cie.co.at/data-tables>.

Author(s)

CIE

See Also

Other Visual response data examples: [beesxyzCMF.spct](#), [ciev10.spct](#), [ciev2.spct](#), [ciexyzCC2.spct](#), [ciexyzCMF10.spct](#), [ciexyzCMF2.spct](#), [cone_fundamentals10.spct](#)

Examples

ciexyzCC10.spct

ciexyzCC2.spct

CIE xyz chromaticity coordinates 2 deg data

Description

A dataset containing wavelengths at a 1 nm interval (390 nm to 830 nm) and the corresponding x, y, and z chromaticity coordinates. According to proposed CIE 2006 standard. Original data from <http://www.cvr1.org/> downloaded on 2014-04-28 The variables are as follows:

- w.length (nm)
- x
- y
- z

Usage

ciexyzCC2.spct

Format

A chroma_spct object with 441 rows and 4 variables

Note

These data are not from the official CIE on-line distribution but are retained for backwards compatibility. It is recommended to download the latest version from <https://cie.co.at/data-tables>.

Author(s)

CIE

See Also

Other Visual response data examples: [beesxyzCMF.spct](#), [ciev10.spct](#), [ciev2.spct](#), [cixyzCC10.spct](#), [cixyzCMF10.spct](#), [cixyzCMF2.spct](#), [cone_fundamentals10.spct](#)

Examples

cixyzCC2.spct

`cixyzCMF10.spct`*Linear energy CIE xyz colour matching function (CMF) 10 deg data*

Description

A dataset containing wavelengths at a 1 nm interval (390 nm to 830 nm) and the corresponding x, y, and z 10 degrees CMF values. Derived from proposed CIE 2006 standard. Original data from <http://www.cvr1.org/> downloaded on 2014-04-29 The variables are as follows:

- w.length (nm)
- x
- y
- z

Usage`cixyzCMF10.spct`**Format**

A `chroma_spct` object with 441 rows and 4 variables

Note

These data are not from the official CIE on-line distribution but are retained for backwards compatibility. It is recommended to download the latest version from <https://cie.co.at/data-tables>.

These data are not from the official CIE on-line distribution but are retained for backwards compatibility. It is recommended to download the latest version from <https://cie.co.at/data-tables>.

Author(s)

CIE

See Also

Other Visual response data examples: [beesxyzCMF.spct](#), [ciev10.spct](#), [ciev2.spct](#), [ciexyzCC10.spct](#), [ciexyzCC2.spct](#), [ciexyzCMF2.spct](#), [cone_fundamentals10.spct](#)

Examples

ciexyzCMF10.spct

ciexyzCMF2.spct

Linear energy CIE xyz colour matching function (CMF) 2 deg data

Description

A dataset containing wavelengths at a 1 nm interval (390 nm to 830 nm) and the corresponding x, y, and z 2 degrees CMF values. Derived from proposed CIE 2006 standard. Original data from <http://www.cvr1.org/> downloaded on 2014-04-29 The variables are as follows:

- w.length (nm)
- x
- y
- z

Usage

ciexyzCMF2.spct

Format

A chroma_spct object with 441 rows and 4 variables

Note

These data are not from the official CIE on-line distribution but are retained for backwards compatibility. It is recommended to download the latest version from <https://cie.co.at/data-tables>.

Author(s)

CIE

See Also

Other Visual response data examples: [beesxyzCMF.spct](#), [ciev10.spct](#), [ciev2.spct](#), [ciexyzCC10.spct](#), [ciexyzCC2.spct](#), [ciexyzCMF10.spct](#), [cone_fundamentals10.spct](#)

Examples

ciexyzCMF2.spct

class_spct	<i>Query which is the class of a spectrum</i>
------------	---

Description

Extract class information from a generic spectrum.

Usage

```
class_spct(x)
```

Arguments

x any R object

Details

The value returned is equivalent to the set intersection of the value returned by `class(x)` and the value returned by `spct_classes`, but preserving the order of the members of the character vector.

Value

A character vector containing all matching xxxx.spct S3 classes.

Examples

```
class_spct(sun.spct)
class(sun.spct)
```

clean	<i>Clean (=replace) off-range values in a spectrum</i>
-------	--

Description

These functions implement the equivalent of `replace()` but for spectral objects instead of vectors.

Usage

```
clean(x, range, range.s.data, fill, ...)
```

```
## Default S3 method:
```

```
clean(x, range, range.s.data, fill, ...)
```

```
## S3 method for class 'source_spct'
```

```
clean(
```

```
x,  
  range = x,  
  range.s.data = c(0, NA),  
  fill = range.s.data,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  ...  
)  
  
## S3 method for class 'filter_spct'  
clean(  
  x,  
  range = x,  
  range.s.data = NULL,  
  fill = range.s.data,  
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),  
  ...  
)  
  
## S3 method for class 'reflector_spct'  
clean(x, range = x, range.s.data = c(0, 1), fill = range.s.data, ...)  
  
## S3 method for class 'solute_spct'  
clean(x, range = x, range.s.data = c(0, NA), fill = range.s.data, ...)  
  
## S3 method for class 'object_spct'  
clean(  
  x,  
  range = x,  
  range.s.data = c(0, 1),  
  fill = range.s.data,  
  min.Afr = NULL,  
  ...  
)  
  
## S3 method for class 'response_spct'  
clean(  
  x,  
  range = x,  
  range.s.data = c(0, NA),  
  fill = range.s.data,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  ...  
)  
  
## S3 method for class 'cps_spct'  
clean(x, range = x, range.s.data = c(0, NA), fill = range.s.data, ...)  
  
## S3 method for class 'raw_spct'
```

```
clean(  
  x,  
  range = x,  
  range.s.data = c(NA_real_, NA_real_),  
  fill = range.s.data,  
  ...  
)  
  
## S3 method for class 'generic_spct'  
clean(  
  x,  
  range = x,  
  range.s.data = c(NA_real_, NA_real_),  
  fill = range.s.data,  
  col.names,  
  ...  
)  
  
## S3 method for class 'source_mspct'  
clean(  
  x,  
  range = NULL,  
  range.s.data = c(0, NA),  
  fill = range.s.data,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  ...,  
  .parallel = FALSE,  
  .paropts = NULL  
)  
  
## S3 method for class 'filter_mspct'  
clean(  
  x,  
  range = NULL,  
  range.s.data = NULL,  
  fill = range.s.data,  
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),  
  ...,  
  .parallel = FALSE,  
  .paropts = NULL  
)  
  
## S3 method for class 'reflector_mspct'  
clean(  
  x,  
  range = NULL,  
  range.s.data = c(0, 1),  
  fill = range.s.data,
```

```
    ...,
    .parallel = FALSE,
    .paropts = NULL
  )

## S3 method for class 'object_mspct'
clean(
  x,
  range = NULL,
  range.s.data = c(0, 1),
  fill = range.s.data,
  min.Afr = NULL,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'solute_mspct'
clean(
  x,
  range = NULL,
  range.s.data = c(0, NA),
  fill = range.s.data,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'response_mspct'
clean(
  x,
  range = NULL,
  range.s.data = c(0, NA),
  fill = range.s.data,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'cps_mspct'
clean(
  x,
  range = NULL,
  range.s.data = c(0, NA),
  fill = range.s.data,
  ...,
  .parallel = FALSE,
```

```

    .paropts = NULL
  )

## S3 method for class 'raw_mspct'
clean(
  x,
  range = NULL,
  range.s.data = c(0, NA),
  fill = range.s.data,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'generic_mspct'
clean(
  x,
  range = x,
  range.s.data = c(NA_real_, NA_real_),
  fill = range.s.data,
  col.names,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>x</code>	an R object
<code>range</code>	numeric vector of wavelengths
<code>range.s.data</code>	numeric vector of length two giving the allowable range for the spectral data.
<code>fill</code>	numeric vector of length 1 or 2, giving the replacement values to use at each extreme of the range.
<code>...</code>	currently ignored
<code>unit.out</code>	character string with allowed values "energy", and "photon", or its alias "quantum"
<code>qty.out</code>	character string with allowed values "energy", and "photon", or its alias "quantum"
<code>min.Afr</code>	numeric Gives the minimum value accepted for the computed absorptance. The default NULL sets a valid value ($Afr \geq 0$) with a warning. If an integer value is passed to <code>digits</code> values are adjusted silently.
<code>col.names</code>	character The name of the variable to clean
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A copy of x , possibly with some of the spectral data values replaced by the value passed to `fill`.

Methods (by class)

- `clean(default)`: Default for generic function
- `clean(source_spct)`: Replace off-range values in a source spectrum
- `clean(filter_spct)`: Replace off-range values in a filter spectrum
- `clean(reflector_spct)`: Replace off-range values in a reflector spectrum
- `clean(solute_spct)`: Replace off-range values in a solute spectrum
- `clean(object_spct)`: Replace off-range values in an object spectrum
- `clean(response_spct)`: Replace off-range values in a response spectrum
- `clean(cps_spct)`: Replace off-range values in a counts per second spectrum
- `clean(raw_spct)`: Replace off-range values in a raw counts spectrum
- `clean(generic_spct)`: Replace off-range values in a generic spectrum
- `clean(source_mspct)`:
- `clean(filter_mspct)`:
- `clean(reflector_mspct)`:
- `clean(object_mspct)`:
- `clean(solute_mspct)`:
- `clean(response_mspct)`:
- `clean(cps_mspct)`:
- `clean(raw_mspct)`:
- `clean(generic_mspct)`:

Note

In the case of `object_spct` objects, cleaning is done first on the `Rfr` and `Tfr` columns and subsequently `Afr` estimated and if needed half of deviation of `Afr` from the expected minimum value subtracted from each of `Rfr` and `Tfr`.

clear.spct

Theoretical spectrum of clear and opaque materials

Description

Dataset for hypothetical objects with transmittance 1/1 (100%) and transmittance 0/1 (0%)

Usage

clear.spct

opaque.spct

Format

A `filter_spct` object with 4 rows and 2 variables

An object of class `filter_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 4 rows and 2 columns.

Details

- `w.length` (nm).
- `Tfr` (0..1)

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
clear.spct
opaque.spct
```

clip_wl

Clip head and/or tail of a spectrum

Description

Clip head and tail of a spectrum based on wavelength limits, no interpolation used at range boundaries.

Usage

```
clip_wl(x, range, ...)

## Default S3 method:
clip_wl(x, range, ...)

## S3 method for class 'generic_spct'
clip_wl(x, range = NULL, ...)

## S3 method for class 'generic_mspct'
clip_wl(x, range = NULL, ...)

## S3 method for class 'waveband'
clip_wl(x, range = NULL, ...)

## S3 method for class 'list'
clip_wl(x, range = NULL, ...)
```


Arguments

x	an R object.
range	a numeric vector of length two, or any other object for which function range() will return range of wavelengths expressed in nanometres.
...	ignored (possibly used by derived methods).

Value

a spectrum object or a collection of spectral objects of the same class as x with wavelength heads and tails clipped.

Methods (by class)

- clip_wl(default): Default for generic function
- clip_wl(generic_spct): Clip an object of class "generic_spct" or derived.
- clip_wl(generic_mspct): Clip an object of class "generic_mspct" or derived.
- clip_wl(waveband): Clip an object of class "waveband".
- clip_wl(list): Clip a list (of objects of class "waveband").

Note

The condition tested is $wl \geq range[1] \ \& \ wl < (range[2] + 1e-13)$.

See Also

Other trim functions: [trim_spct\(\)](#), [trim_waveband\(\)](#), [trim_wl\(\)](#)

Examples

```
clip_wl(sun.spct, range = c(400, 500))
clip_wl(sun.spct, range = c(NA, 500))
clip_wl(sun.spct, range = c(400, NA))
```

collect2mspct

Form a new collection

Description

Form a collection of spectra from separate objects in the parent frame of the call.

Usage

```
collect2mspct(
  .list = NULL,
  pattern = "*\\\\.spct$",
  collection.class = NULL,
  ...
)
```

Arguments

<code>.list</code>	list of R objects
<code>pattern</code>	character an optional regular expression, ignored if <code>.list</code> is not NULL.
<code>collection.class</code>	character vector
<code>...</code>	additional named arguments passed down to the collection constructor.

Details

This is a convenience function that simplifies the creation of collections from existing objects of class `generic_spct` or a derived class. A list of objects can be passed as argument, or a search pattern. If a list is passed, no search is done. If `collection.class` is NULL, then all objects of class `generic_spct` or of a class derived from it are added to the collection. If objects of only one derived class are to be collected this class or that of the matching collection should be passed as argument to `collection.class`. Objects of other R classes are silently discarded, which simplifies the specification of search patterns. By default, i.e., if `collection.class` is NULL, if all the objects collected belong to the same class then the corresponding collection class will be returned, otherwise a `generic_mspct` object with heterogeneous members will be returned. To force the return of a `generic_mspct` even when the collected spectra all belong to the same class, pass `generic_mspct` as argument to `collection.class`. If the argument to `collection.class` is a vector containing two or more class names, only the matching spectra will be collected, and a `generic_mspct` will be returned. The returned object is created with the constructor for the class, and validated.

Value

By default a collection of spectra.

See Also

Other experimental utility functions: [drop_user_cols\(\)](#), [thin_wl\(\)](#), [uncollect2spct\(\)](#)

Examples

```
collect2mspct() # returns empty generic_mspct object

sun1.spct <- sun.spct
sun2.spct <- sun.spct
kk.spct <- 10:30 # ignored
collect2mspct()
```

```

collect2mspct(collection.class = "generic_mspct")

pet1.spct <- polyester.spct
collect2mspct()
collect2mspct(collection.class = "source_mspct")
collect2mspct(collection.class = "filter_mspct")
collect2mspct(collection.class = "response_mspct")

```

color_of

Color of an object

Description

Equivalent RGB color of an object such as a spectrum, wavelength or waveband.

Usage

```

color_of(x, ...)

## Default S3 method:
color_of(x, ...)

## S3 method for class 'numeric'
color_of(x, type = "CMF", chroma.type = type, ...)

## S3 method for class 'list'
color_of(x, short.names = TRUE, type = "CMF", chroma.type = type, ...)

## S3 method for class 'waveband'
color_of(x, short.names = TRUE, type = "CMF", chroma.type = type, ...)

## S3 method for class 'source_spct'
color_of(x, type = "CMF", chroma.type = type, ...)

## S3 method for class 'source_mspct'
color_of(x, ..., idx = "spct.idx")

colour_of(x, ...)

color(x, ...)

fast_color_of_wl(x, type = "CMF", ...)

fast_color_of_wb(x, type = "CMF", ...)

```

Arguments

<code>x</code>	an R object.
<code>...</code>	ignored (possibly used by derived methods).
<code>type, chroma.type</code>	character telling whether "CMF", "CC", or "both" should be returned for human vision, or an object of class <code>chroma_spct</code> for any other trichromatic visual system.
<code>short.names</code>	logical indicating whether to use short or long names for wavebands
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.

Value

A color definition in hexadecimal format as a character string of 7 characters, "#" followed by the red, blue, and green values in hexadecimal (scaled to 0 ... 255). In the case of the specialization for `list`, a list of such definitions is returned. In the case of a collection of spectra, a `data.frame` with one column with such definitions and by default an additional column with names of the spectra as `index`. In case of missing input the returned value is `NA`.

Methods (by class)

- `color_of(default)`: Default method (returns always "black").
- `color_of(numeric)`: Method that returns Color definitions corresponding to numeric values representing a wavelengths in nm.
- `color_of(list)`: Method that returns Color of elements in a list.
- `color_of(waveband)`: Color at midpoint of a `waveband` object.
- `color_of(source_spct)`:
- `color_of(source_mspct)`:

Deprecated

Use of `color()` is deprecated as this wrapper function may be removed in future versions of the package because of name clashes. Use `color_of()` instead.

Note

When `x` is a list but not a waveband, if a method `color_of` is not available for the class of each element of the list, then `color_of.default` will be called.

Function `fast_color_of_wl()` should be used only when high performance is needed. It speeds up performance by rounding the wavelength values in the numeric vector passed as argument to `x` and then retrieves the corresponding pre-computed color definitions if `type` is either "CMF" or "CC". In other cases it falls-back to calling `color_of.numeric()`. Returned color definitions always have default names irrespective of names of `x`, which is different from the behavior of `color_of()` methods.

Function `fast_color_of_wb()` accepts waveband objects and lists of waveband objects. If all wavebands are narrow, it issues a vectotized call to `fast_color_of_wl()` with a vector of waveband midpoint wavelengths.

Examples

```
wavelengths <- c(300, 420, 500, 600, NA) # nanometres
color_of(wavelengths)
color_of(waveband(c(300,400)))
color_of(list(blue = waveband(c(400,480)), red = waveband(c(600,700))))
color_of(numeric())
color_of(NA_real_)

color_of(sun.spct)
```

compare_spct

Coarse-grained comparison of two spectra

Description

Compare two spectra using a specified summary function pre-applied to wavelength intervals.

Usage

```
compare_spct(
  x,
  w.band = 10,
  .summary.fun = NULL,
  ...,
  .comparison.fun = `/'`,
  returned.value = "spectrum",
  use.hinges = FALSE,
  short.names = TRUE
)
```

Arguments

x	A collection of two spectral objects of the same type.
w.band	waveband object or a numeric stepsize in nanometres.
.summary.fun	function. The summary function to use. It must be a method accepting object x as first argument.
...	additional named arguments passed down to .summary.fun.
.comparison.fun	function. The comparison function to use.
returned.value	character One of "data.frame", "spectrum", "tagged.spectrum".
use.hinges	logical Flag indicating whether to insert "hinges" into the returned spectrum when tagging it.
short.names	logical Flag indicating whether to use short or long names for wavebands when tagging.

Details

Summaries are computed for each of the wavebands in `w.band` by applying function `.summary.fun` separately to each spectrum, after trimming them to the overlapping wavelength region. Next the matching summaries are compared by means of `.comparison.fun`. Both the summaries and the result of the comparison are returned. Columns containing summary values are named by concatenating the name each member spectrum with the name of the argument passed to `.summary.fun`.

Tagging is useful for plotting using wavelength based colours, or when names for wavebands are used as annotations. When tagging is requested, the spectrum is passed to method `tag` with `use.hinges` and `short.names` as additional arguments.

Value

A `generic_spct`, tagged or not with the wavebands, or a `data.frame` object containing the summary values per waveband for each spectrum and the result of applying the comparison function to these summaries.

Examples

```
compare_spct(source_mspct(list(sun1 = sun.spct, sun2 = sun.spct * 2)))
compare_spct(source_mspct(list(sun1 = sun.spct, sun2 = sun.spct * 2)),
             w.band = NULL)
compare_spct(source_mspct(list(sun1 = sun.spct, sun2 = sun.spct * 2)),
             w.band = list(waveband(c(640, 650)), waveband(c(720, 740))))

compare_spct(filter_mspct(list(pet = polyester.spct,
                              yllw = yellow_gel.spct)),
             w.band = 50,
             .comparison.fun = `<`)

head(
  compare_spct(source_mspct(list(sun1 = sun.spct, sun2 = sun.spct * 2)),
              returned.value = "data.frame")
)
compare_spct(source_mspct(list(sun1 = sun.spct, sun2 = sun.spct * 2)),
             returned.value = "tagged.spectrum")
compare_spct(source_mspct(list(sun1 = sun.spct, sun2 = sun.spct * 2)),
             returned.value = "tagged.spectrum",
             use.hinges = TRUE)
```

cone_fundamentals10.spct

Ten-degree cone fundamentals

Description

A dataset containing wavelengths at a 1 nm interval (390 nm to 830 nm) and the corresponding response values for a 2 degrees target. Original data from <http://www.cvr1.org/> downloaded on 2014-04-29 The variables are as follows:

Usage

cone_fundamentals10.spct

cone_fundamentals10.mspct

Format

A `chroma_spct` object with 440 rows and 4 variables

An object of class `response_mspct` (inherits from `generic_mspct`, `list`) with 3 rows and 1 columns.

Details

- `w.length` (nm)
- `x`
- `y`
- `z`

Value

A `chroma_spct` object.

A `response_mspct` object containing the same data in three `response_spct` objects, one for each of `x`, `y` and `z`.

Note

These data are not from the official CIE on-line distribution but are retained for backwards compatibility. It is recommended to download the latest version from <https://cie.co.at/data-tables>.

The missing data for `z` in the NIR have been filled with zeros.

Author(s)

CIE

See Also

Other Visual response data examples: [beesxyzCMF.spct](#), [ciev10.spct](#), [ciev2.spct](#), [ciexyzCC10.spct](#), [ciexyzCC2.spct](#), [ciexyzCMF10.spct](#), [ciexyzCMF2.spct](#)

Examples

cone_fundamentals10.spct

convertTfrType	<i>Convert the "Tfr.type" attribute</i>
----------------	---

Description

Function to set the "Tfr.type" attribute and simultaneously convert the spectral data to correspond to the new type.

Usage

```
convertTfrType(x, Tfr.type = NULL)
```

Arguments

x	a filter_spct, object_spct, filter_mspct or object_mspct object.
Tfr.type	character One of "internal" or "total".

Details

Internal transmittance, τ , uses as reference the light entering the object while total transmittance, T , takes the incident light as reference. The conversion is possible only if total reflectance, ρ , is known. Either as spectral data in an object_spct object, a filter_spct object that is "under-the-hood" an object_spct, or if a fixed reflectance factor applicable to all wavelengths is stored in the filter.properties attribute of the filter_spct object.

Conversions are computed as:

$$\tau = \frac{T - \rho}{1 - \rho}$$

and

$$T = \tau * (1 - \rho) + \rho$$

For the conversion to take place the object passed as argument to x, must contain a column with transmittance data, named Tfr. Any necessary conversion from absorbance A or from Afr into transmittance, must be done before calling convertTfrType().

Value

x if possible, with the value of the "Tfr.type" attribute modified and the values stored in the Tfr variable converted to the new quantity.

Note

if x is not a filter_spct object, x is returned unchanged. If x does not have the "filter.properties" attribute set if it is missing data, x is returned with Tfr set to NA values.

See Also

[setTfrType](#), [filter_spct](#)

Examples

```
getTfrType(polyester.spct)
filter_properties(polyester.spct)
convertTfrType(polyester.spct, Tfr.type = "internal")
```

convertThickness	<i>Convert the "thickness" attribute of an existing filter_spct object.</i>
------------------	---

Description

Function to set the "thickness" attribute and simultaneously converting the spectral data to correspond to the new thickness.

Usage

```
convertThickness(x, thickness = NULL)
```

Arguments

x	a filter_spct, object_spct, filter_mspct or object_mspct object.
thickness	numeric [<i>m</i>].

Details

For spectral transmittance at a different thickness to be exactly computed, it needs to be based on internal transmittance. This function will apply `convertTfrType()` to `x` if needed, but to succeed metadata should be available. Please, see [convertTfrType](#).

Value

`x` possibly with the "thickness" field of the "filter.properties" attribute modified and Tfr or A computed for the requested thickness.

Note

if `x` is not a `filter_spct`, `object_spct`, `filter_mspct` or `object_mspct` object or a collection of such objects, `x` is returned unchanged. If `x` does not have the "filter.properties" attribute set or has it with missing member data, `x` is returned with Tfr set to NA values.

See Also

Other time attribute functions: [checkTimeUnit\(\)](#), [convertTimeUnit\(\)](#), [getTimeUnit\(\)](#), [setTimeUnit\(\)](#)

Examples

```
my.spct <- polyester.spct
filter_properties(my.spct)
convertThickness(my.spct, thickness = 250e-6)
```

convertTimeUnit	<i>Convert the "time.unit" attribute of an existing source_spct object</i>
-----------------	--

Description

Function to set the "time.unit" attribute and simultaneously rescaling the spectral data to be expressed using the new time unit as basis of expression. The change is done by reference ('in place').

Usage

```
convertTimeUnit(x, time.unit = NULL, ...)
```

Arguments

x	source_spct or response_spct object
time.unit	a character string, either "second", "hour", "day", "exposure" or "none", or a lubridate::duration
...	(currently ignored)

Value

x possibly with the time.unit attribute modified

Note

if x is not a source_spct or a response_spct object, or time.unit is NULL x is returned unchanged, if the existing or new time.unit cannot be converted to a duration, then the returned spectrum will contain NAs.

See Also

Other time attribute functions: [checkTimeUnit\(\)](#), [convertThickness\(\)](#), [getTimeUnit\(\)](#), [setTimeUnit\(\)](#)

Examples

```
my.spct <- sun.spct
my.spct
convertTimeUnit(my.spct, "day")
my.spct
```

convolve_each	<i>Convolve function for collections of spectra</i>
---------------	---

Description

Convolve function for collections of spectra which applies an operation on all the individual members of the collection(s) of spectra.

Usage

```
convolve_each(e1, e2, oper = `*`, sep = "_", ...)
```

Arguments

e1	an object of class <code>generic_mspct</code> or <code>generic_scpt</code> or numeric
e2	an object of class <code>generic_mspct</code> or <code>generic_scpt</code> or numeric
oper	function, usually but not necessarily an operator with two arguments.
sep	character Used when pasting the names of members of e1 and e2 to form the names of members of the returned collection of spectra.
...	additional arguments passed to oper if present.

Note

At least one of e1 and e2 must be a `generic_mspct` object or derived.

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

copy_attributes	<i>Copy attributes</i>
-----------------	------------------------

Description

Copy attributes from x to y. Methods defined for spectral and waveband objects of classes from package 'photobiology'.

Usage

```

copy_attributes(x, y, which, ...)

## Default S3 method:
copy_attributes(x, y, which = NULL, ...)

## S3 method for class 'generic_spct'
copy_attributes(x, y, which = NULL, which.not = NULL, copy.class = FALSE, ...)

## S3 method for class 'generic_mspct'
copy_attributes(x, y, which = NULL, which.not = NULL, copy.class = FALSE, ...)

## S3 method for class 'waveband'
copy_attributes(x, y, which = NULL, ...)

```

Arguments

x, y	R objects
which	character Names of attributes to copy, if NULL all those relevant according to the class of x is used as default,
...	not used
which.not	character Names of attributes not to be copied. The names passed here are removed from the list for which, which is most useful when we want to modify the default.
copy.class	logical If TRUE class attributes are also copied.

Value

A copy of y with additional attributes set.

Methods (by class)

- `copy_attributes(default)`: Default for generic function
- `copy_attributes(generic_spct)`:
- `copy_attributes(generic_mspct)`:
- `copy_attributes(waveband)`:

 cps2irrad

Conversion from counts per second to physical quantities

Description

Conversion of spectral data expressed as cps into irradiance, transmittance or reflectance.

Usage

```
cps2irrad(x.sample, pre.fun = NULL, missing.pixs = numeric(0), ...)
```

```
cps2Rfr(x.sample, x.white, x.black = NULL, dyn.range = NULL)
```

```
cps2Tfr(x.sample, x.clear, x.opaque = NULL, dyn.range = NULL)
```

Arguments

<code>x.sample</code> , <code>x.clear</code> , <code>x.opaque</code> , <code>x.white</code> , <code>x.black</code>	<code>cps_spect</code> objects.
<code>pre.fun</code>	function A function applied to <code>x.sample</code> before conversion.
<code>missing.pixs</code>	integer Index to positions in the detector array or scan missing in <code>x.sample</code> but present in the embedded calibration data. (Use only for emergency recovery of incomplete data!!)
<code>...</code>	Additional arguments passed to <code>pre.fun</code> .
<code>dyn.range</code>	numeric The effective dynamic range of the instrument, if NULL it is automatically set based on integration time bracketing.

Value

A `source_spect`, `filter_spect` or `reflector_spect` object containing the spectral values expressed in physical units.

Note

In contrast to other classes defined in package 'photobiology', class "cps_spect" can have more than one column of cps counts in cases where the intention is to merge these values as part of the processing at the time the calibration is applied. However, being these functions the final step in the conversion to physical units, they accept as input only objects with a single "cps" column, as merging is expected to have been already done.

D2.UV653

Data for typical calibration lamps

Description

A dataset containing fitted constants to be used as input for functions [D2_spectrum](#) and [FEL_spectrum](#) for computing example spectral curves based on fitted polynomials.

Format

A `polynom`: `:polynomial` object with 6 constants.

Details

An object of class `polynom`: `:polynomial`.

Author(s)

Lasse Ylianttila (data)

Examples

```
D2.UV653
as.character(D2.UV653)
```

D2_spectrum

Calculate deuterium lamp output spectrum from fitted constants

Description

Calculate values by means of a nth degree polynomial from user-supplied constants (for example from a lamp calibration certificate).

Usage

```
D2_spectrum(w.length, k = photobiology::D2.UV653, fill = NA_real_)
```

Arguments

w.length	numeric vector of wavelengths (nm) for output
k	a polynom:polynomial object with n constants for the polynomial
fill	if NA, no extrapolation is done, and NA is returned for wavelengths outside the range 190 nm to 450 nm. If NULL then the tails are deleted. If 0 then the tails are set to zero, etc. NA is default.

Value

a dataframe with four numeric vectors with wavelength values (w.length), energy and photon irradiance (s.e.irrad, s.q.irrad) depending on the argument passed to unit.out (s.irrad).

Note

This is function is valid for wavelengths in the range 180 nm to 495 nm, for wavelengths outside this range NAs are returned.

Examples

```
D2_spectrum(200)
D2_spectrum(170:220)
```

D65.illuminant.spct *CIE D65 illuminant data*

Description

A dataset containing wavelengths at a 5 nm interval (300 nm to 830 nm) and the corresponding spectral energy irradiance normalized to 1 at 560 nm. Spectrum approximates the midday solar spectrum at middle latitude as 'corresponds' to the white point of a black body a 6504 K. Original data from <http://files.cie.co.at/204.xls> downloaded on 2014-07-25 The variables are as follows:

Usage

D65.illuminant.spct

Format

A source spectrum with 107 rows and 2 variables

Details

- w.length (nm)
- s.e.irrad (rel. units)

Author(s)

CIE

See Also

Other Spectral data examples: [A.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

D65.illuminant.spct

 day_night

Times for sun positions

Description

Functions for calculating the timing of solar positions, given geographical coordinates and dates. They can be also used to find the time for an arbitrary solar elevation between 90 and -90 degrees by supplying "twilight" angle(s) as argument.

Usage

```
day_night(
  date = lubridate::now(tzone = "UTC"),
  tz = ifelse(lubridate::is.Date(date), "UTC", lubridate::tz(date)),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  twilight = "none",
  unit.out = "hours"
)
```

```
day_night_fast(date, tz, geocode, twilight, unit.out)
```

```
is_daytime(
  date = lubridate::now(tzone = "UTC"),
  tz = ifelse(lubridate::is.Date(date), "UTC", lubridate::tz(date)),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  twilight = "none",
  unit.out = "hours"
)
```

```
noon_time(
  date = lubridate::now(tzone = "UTC"),
  tz = lubridate::tz(date),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  twilight = "none",
  unit.out = "datetime"
)
```

```
sunrise_time(
  date = lubridate::now(tzone = "UTC"),
  tz = lubridate::tz(date),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  twilight = "sunlight",
  unit.out = "datetime"
)
```

```
sunset_time(
  date = lubridate::now(tzone = "UTC"),
```



```

    tz = lubridate::tz(date),
    geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
    twilight = "sunlight",
    unit.out = "datetime"
  )

day_length(
  date = lubridate::now(tzone = "UTC"),
  tz = "UTC",
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  twilight = "sunlight",
  unit.out = "hours"
)

night_length(
  date = lubridate::now(tzone = "UTC"),
  tz = "UTC",
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  twilight = "sunlight",
  unit.out = "hours"
)

```

Arguments

date	"vector" of POSIXct times or Date objects, any valid TZ is allowed, default is current date at Greenwich matching the default for geocode.
tz	character vector indicating time zone to be used in output and to interpret Date values passed as argument to date.
geocode	data frame with one or more rows and variables lon and lat as numeric values (degrees). If present, address will be copied to the output.
twilight	character string, one of "none", "rim", "refraction", "sunlight", "civil", "nautical", "astronomical", or a numeric vector of length one, or two, giving solar elevation angle(s) in degrees (negative if below the horizon).
unit.out	character string, One of "datetime", "day", "hour", "minute", or "second".

Details

Twilight names are interpreted as follows. "none": solar elevation = 0 degrees. "rim": upper rim of solar disk at the horizon or solar elevation = $-0.53 / 2$. "refraction": solar elevation = 0 degrees + refraction correction. "sunlight": upper rim of solar disk corrected for refraction, which is close to the value used by the online NOAA Solar Calculator. "civil": -6 degrees, "naval": -12 degrees, and "astronomical": -18 degrees. Unit names for output are as follows: "day", "hours", "minutes" and "seconds" times for sunrise and sunset are returned as times-of-day since midnight expressed in the chosen unit. "date" or "datetime" return the same times as datetime objects with TZ set (this is much slower than "hours"). Day length and night length are returned as numeric values expressed in hours when "datetime" is passed as argument to unit.out. If twilight is a numeric vector of length two, the element with index 1 is used for sunrise and that with index 2 for sunset.

`is_daytime()` supports twilight specifications by name, a test like `sun_elevation() > 0` may be used directly for a numeric angle.

Value

A tibble with variables `day`, `tz`, `twilight.rise`, `twilight.set`, `longitude`, `latitude`, `address`, `sunrise`, `noon`, `sunset`, `daylength`, `nightlength` or the corresponding individual vectors.

`is_daytime()` returns a logical vector, with TRUE for day time and FALSE for night time.

`noon_time`, `sunrise_time` and `sunset_time` return a vector of POSIXct times

`day_length` and `night_length` return numeric a vector giving the length in hours

Warning

Be aware that R's Date class does not save time zone metadata. This can lead to ambiguities in the current implementation based on time instants. The argument passed to `date` should be of class POSIXct, in other words an instant in time, from which the correct date will be computed based on the `tz` argument.

The time zone in which times passed to `date` as argument are expressed does not need to be the local one or match the geocode, however, the returned values will be in the same time zone as the input.

Note

Function `day_night()` is an implementation of Meeus equations as used in NOAA's on-line web calculator, which are very precise and valid for a very broad range of dates. For sunrise and sunset the times are affected by refraction in the atmosphere, which does in turn depend on weather conditions. The effect of refraction on the apparent position of the sun is only an estimate based on "typical" conditions. The more tangential to the horizon is the path of the sun, the larger the effect of refraction is on the times of visual occlusion of the sun behind the horizon—i.e. the largest timing errors occur at high latitudes. The computation is not defined for latitudes 90 and -90 degrees, i.e. at the poles.

There exists a different R implementation of the same algorithms called "AstroCalcPureR" available as function `astrocalc4r` in package 'fishmethods'. Although the equations used are almost all the same, the function signatures and which values are returned differ. In particular, the implementation in 'photobiology' splits the calculation into two separate functions, one returning angles at given instants in time, and a separate one returning the timing of events for given dates. In 'fishmethods' (= 1.11-0) there is a bug in function `astrocalc4r()` that affects sunrise and sunset times. The times returned by the functions in package 'photobiology' have been validated against the NOAA base implementation.

In the current implementation functions `sunrise_time`, `noon_time`, `sunset_time`, `day_length`, `night_length` and `is_daytime` are all wrappers on `day_night`, so if more than one quantity is needed it is preferable to directly call `day_night` and extract the different components from the returned list.

`night_length` returns the length of night-time conditions in one day (00:00:00 to 23:59:59), rather than the length of the night between two consecutive days.

References

The primary source for the algorithm used is the book: Meeus, J. (1998) *Astronomical Algorithms*, 2 ed., Willmann-Bell, Richmond, VA, USA. ISBN 978-0943396613.

A different implementation is available at <https://github.com/NEFSC/READ-PDB-AstroCalc4R/> and in R package 'fishmethods'. In 'fishmethods' (= 1.11-0) there is a bug in function `astrocalc4r()` that affects sunrise and sunset times.

An interactive web page using the same algorithms is available at <https://gml.noaa.gov/grad/solcalc/>. There are small differences in the returned times compared to our function that seem to be related to the estimation of atmospheric refraction (about 0.1 degrees).

See Also

[sun_angles](#).

Other astronomy related functions: `format.solar_time()`, `sun_angles()`

Examples

```
library(lubridate)

my.geocode <- data.frame(lon = 24.93838,
                        lat = 60.16986,
                        address = "Helsinki, Finland")

day_night(ymd("2015-05-30", tz = "EET"),
          geocode = my.geocode)
day_night(ymd("2015-05-30", tz = "EET") + days(1:10),
          geocode = my.geocode,
          twilight = "civil")
sunrise_time(ymd("2015-05-30", tz = "EET"),
             geocode = my.geocode)
noon_time(ymd("2015-05-30", tz = "EET"),
          geocode = my.geocode)
sunset_time(ymd("2015-05-30", tz = "EET"),
            geocode = my.geocode)
day_length(ymd("2015-05-30", tz = "EET"),
           geocode = my.geocode)
day_length(ymd("2015-05-30", tz = "EET"),
           geocode = my.geocode,
           unit.out = "day")
is_daytime(ymd("2015-05-30", tz = "EET") + hours(c(0, 6, 12, 18, 24)),
           geocode = my.geocode)
is_daytime(ymd_hms("2015-05-30 03:00:00", tz = "EET"),
           geocode = my.geocode)
is_daytime(ymd_hms("2015-05-30 00:00:00", tz = "UTC"),
           geocode = my.geocode)
is_daytime(ymd_hms("2015-05-30 03:00:00", tz = "EET"),
           geocode = my.geocode,
           twilight = "civil")
is_daytime(ymd_hms("2015-05-30 00:00:00", tz = "UTC"),
           geocode = my.geocode,
```

```
twilight = "civil")
```

defunct

Defunct functions and methods

Description

Functions listed here have been removed or deleted, and temporarily replaced by stubs that report this when they are called.

Usage

`f_mspct(...)`

`mutate_mspct(...)`

`calc_filter_multipliers(...)`

`T2T(...)`

`getAfrType(...)`

`setAfrType(...)`

`sample_spct(...)`

`sample_mspct(...)`

Arguments

... ignored

Note

Function `f_mspct()` has been renamed `msdply()`.

Function `mutate_mspct()` has been renamed `msmsply()`.

Function `calc_filter_multipliers()` has been removed.

Function `calc_filter_multipliers()` has been removed.

Method `getAfrType()` has been removed.

Method `setAfrType()` has been removed.

Function `sample_spct()` has been removed.

Function `sample_mspct()` has been removed.

despike	<i>Remove spikes from spectrum</i>
---------	------------------------------------

Description

Function that returns an R object with observations corresponding to spikes replaced by values computed from neighboring pixels. Spikes are values in spectra that are unusually high compared to neighbors. They are usually individual values or very short runs of similar "unusual" values. Spikes caused by cosmic radiation are a frequent problem in Raman spectra. Another source of spikes are "hot pixels" in CCD and diode array detectors.

Usage

```
despike(x, z.threshold, max.spike.width, window.width, method, na.rm, ...)
```

```
## Default S3 method:
```

```
despike(  
  x,  
  z.threshold = NA,  
  max.spike.width = NA,  
  window.width = NA,  
  method = "run.mean",  
  na.rm = FALSE,  
  ...  
)
```

```
## S3 method for class 'numeric'
```

```
despike(  
  x,  
  z.threshold = 9,  
  max.spike.width = 8,  
  window.width = 11,  
  method = "run.mean",  
  na.rm = FALSE,  
  ...  
)
```

```
## S3 method for class 'data.frame'
```

```
despike(  
  x,  
  z.threshold = 9,  
  max.spike.width = 8,  
  window.width = 11,  
  method = "run.mean",  
  na.rm = FALSE,  
  ...,  
  y.var.name = NULL,
```

```
    var.name = y.var.name
  )

## S3 method for class 'generic_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  y.var.name = NULL,
  var.name = y.var.name,
  ...
)

## S3 method for class 'source_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'response_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'filter_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
```

```
    filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
    ...
)

## S3 method for class 'reflector_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...
)

## S3 method for class 'solute_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...
)

## S3 method for class 'cps_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...
)

## S3 method for class 'raw_spct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...
)
```

```
## S3 method for class 'generic_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...,
  y.var.name = NULL,
  var.name = y.var.name,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'source_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'response_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'filter_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
```



```
    window.width = 11,
    method = "run.mean",
    na.rm = FALSE,
    filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
    ...,
    .parallel = FALSE,
    .paropts = NULL
)

## S3 method for class 'reflector_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'solute_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'cps_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

```
## S3 method for class 'raw_mspct'
despike(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  window.width = 11,
  method = "run.mean",
  na.rm = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

<code>x</code>	an R object
<code>z.threshold</code>	numeric Modified Z values larger than <code>z.threshold</code> are considered to correspond to spikes.
<code>max.spike.width</code>	integer Wider regions with high Z values are not detected as spikes.
<code>window.width</code>	integer. The full width of the window used for the running mean used as replacement.
<code>method</code>	character The name of the method: "run.mean" is running mean as described in Whitaker and Hayes (2018); "adj.mean" is mean of adjacent neighbors (isolated bad pixels only).
<code>na.rm</code>	logical indicating whether NA values should be treated as spikes and replaced.
<code>...</code>	Arguments passed by name to <code>find_spikes()</code> .
<code>var.name, y.var.name</code>	character Names of columns where to look for spikes to remove.
<code>unit.out</code>	character One of "energy" or "photon"
<code>filter.qty</code>	character One of "transmittance" or "absorbance"
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

Spikes are detected based on a modified Z score calculated from the differenced spectrum. The Z threshold used should be adjusted to the characteristics of the input and desired sensitivity. The lower the threshold the more stringent the test becomes, resulting in most cases in more spikes being detected. A modified version of the algorithm is used if a value different from NULL is passed as argument to `max.spike.width`. In such a case, an additional step filters out broader spikes (or falsely detected steep slopes) from the returned values.

Simple interpolation replaces values of isolated bad pixels by the mean of their two closest neighbors. The running mean approach allows the replacement of short runs of bad pixels by the running mean of neighboring pixels within a window of user-specified width. The first approach works well for spectra from array spectrometers to correct for hot and dead pixels in an instrument. The second approach is most suitable for Raman spectra in which spikes triggered by radiation are wider than a single pixel but usually not more than five pixels wide.

When the argument passed to `x` contains multiple spectra, the spikes are searched for and replaced in each spectrum independently of other spectra.

Value

A copy of the object passed as argument to `x` with values detected as spikes replaced by a local average of adjacent neighbors outside the spike.

Methods (by class)

- `despike(default)`: Default returning always NA.
- `despike(numeric)`: Default function usable on numeric vectors.
- `despike(data.frame)`: Method for "data.frame" objects.
- `despike(generic_spct)`: Method for "generic_spct" objects.
- `despike(source_spct)`: Method for "source_spct" objects.
- `despike(response_spct)`: Method for "response_spct" objects.
- `despike(filter_spct)`: Method for "filter_spct" objects.
- `despike(reflector_spct)`: Method for "reflector_spct" objects.
- `despike(solute_spct)`: Method for "solute_spct" objects.
- `despike(cps_spct)`: Method for "cps_spct" objects.
- `despike(raw_spct)`: Method for "raw_spct" objects.
- `despike(generic_mspct)`: Method for "generic_mspct" objects.
- `despike(source_mspct)`: Method for "source_mspct" objects.
- `despike(response_mspct)`: Method for "cps_mspct" objects.
- `despike(filter_mspct)`: Method for "filter_mspct" objects.
- `despike(reflector_mspct)`: Method for "reflector_mspct" objects.
- `despike(solute_mspct)`: Method for "solute_mspct" objects.
- `despike(cps_mspct)`: Method for "cps_mspct" objects.
- `despike(raw_mspct)`: Method for "raw_mspct" objects.

Note

Current algorithm misidentifies steep smooth slopes as spikes, so manual inspection is needed together with adjustment by trial and error of a suitable argument value for `z.threshold`.

See Also

See the documentation for [find_spikes](#) and [replace_bad_pixs](#) for details of the algorithm and implementation.

Examples

```
white_led.raw_spct[120:125, ]

# find and replace spike at 245.93 nm
despike(white_led.raw_spct,
        z.threshold = 10,
        window.width = 25)[120:125, ]
```

```
diffraction_single_slit
      Diffraction
```

Description

Diffraction of optical radiation passing through a single slit can be computed with function `diffraction_single_slit()`, which implements Fraunhofer's equation. Diffraction plus interference for a pair of slits can be computed with `diffraction_double_slit()`.

Usage

```
diffraction_single_slit(w.length, slit.width, angle)

diffraction_double_slit(w.length, slit.width, slit.distance, angle)
```

Arguments

<code>w.length</code>	numeric Wavelength (nm).
<code>slit.width</code>	numeric Width of the slit (m).
<code>angle</code>	numeric vector Angle (radians).
<code>slit.distance</code>	numeric Distance between the centres of the two slits (m).

Value

A numeric vector of the same length as `angle`, containing relative intensities.

Examples

```
diffraction_single_slit(w.length = 550,
                       slit.width = 1e-5,
                       angle = 0)

# use odd number for length.out so that 0 is in the sequence
angles <- pi * seq(from = -1/2, to = 1/2, length.out = 501)

plot(angles,
     diffraction_single_slit(w.length = 550, # 550 nm
```

```

                                slit.width = 6e-6, # 6 um
                                angle = angles),
  type = "l",
  ylab = "Relative irradiance (/1)",
  xlab = "Angle (radian)")

plot(angles,
     diffraction_double_slit(w.length = 550, # 550 nm
                             slit.width = 6e-6, # 6 um
                             slit.distance = 18e-6, # 18 um
                             angle = angles),
     type = "l",
     ylab = "Relative irradiance (/1)",
     xlab = "Angle (radian)")

```

dim.generic_mspct *Dimensions of an Object*

Description

Retrieve or set the dimension of an object.

Usage

```

## S3 method for class 'generic_mspct'
dim(x)

## S3 replacement method for class 'generic_mspct'
dim(x) <- value

```

Arguments

x A generic_mspct object or of a derived class.

value Either NULL or a numeric vector, which is coerced to integer (by truncation).

Value

Either NULL or a numeric vector, which is coerced to integer (by truncation).

div-.generic_spct
Arithmetic Operators

Description

Integer-division operator for generic spectra.

Usage

```
## S3 method for class 'generic_spct'
e1 %% e2
```

Arguments

e1	an object of class "generic_spct"
e2	an object of class "generic_spct"

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

div_spectra
Divide two spectra, even if the wavelengths values differ

Description

The wavelength vectors of the two spectra are merged, and the missing spectral values are calculated by interpolation. After this, the two spectral values at each wavelength are operated upon.

Usage

```
div_spectra(
  w.length1,
  w.length2 = NULL,
  s.irrad1,
  s.irrad2,
  trim = "union",
  na.rm = FALSE
)
```

Arguments

w.length1	numeric vector of wavelength (nm) of denominator.
w.length2	numeric vector of wavelength (nm) of divisor.
s.irrad1	a numeric vector of spectral values of denominator.
s.irrad2	a numeric vector of spectral values of divisor.
trim	a character string with value "union" or "intersection".
na.rm	a logical value, if TRUE, not the default, NAs in the input are replaced with zeros.

Details

If trim=="union" spectral values are calculated for the whole range of wavelengths covered by at least one of the input spectra, and missing values are set in each input spectrum to zero before addition. If trim=="intersection" then the range of wavelengths covered by both input spectra is returned, and the non-overlapping regions discarded. If w.length2==NULL, it is assumed that both spectra are measured at the same wavelengths, and a simple addition is used, ensuring fast calculation.

Value

a dataframe with two numeric variables.

w.length	A numeric vector with the wavelengths (nm) obtained by "fusing" w.length1 and w.length2. w.length contains all the unique vales, sorted in ascending order.
s.irrad	A numeric vector with the ratio between the two spectral values at each wavelength.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
head(sun.data)
one.data <- with(sun.data, div_spectra(w.length, w.length, s.e.irrad, s.e.irrad))
head(one.data)
tail(one.data)
```

drop_user_cols	<i>Drop user columns</i>
----------------	--------------------------

Description

Remove from spectral object additional columns that are user defined.

Usage

```
drop_user_cols(x, keep.also, ...)  
  
## Default S3 method:  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'generic_spct'  
drop_user_cols(x, keep.also, ...)  
  
## S3 method for class 'source_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'response_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'object_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'filter_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'reflector_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'solute_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'chroma_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'calibration_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'cps_spct'  
drop_user_cols(x, keep.also = NULL, ...)  
  
## S3 method for class 'raw_spct'  
drop_user_cols(x, keep.also = NULL, ...)
```



```
## S3 method for class 'generic_mspct'  
drop_user_cols(x, keep.also = NULL, ...)
```

Arguments

x	An R object
keep.also	character Additional columns to preserve.
...	needed to allow derivation.

Value

A copy of x possibly with some columns removed.

Methods (by class)

- drop_user_cols(default):
- drop_user_cols(generic_spct):
- drop_user_cols(source_spct):
- drop_user_cols(response_spct):
- drop_user_cols(object_spct):
- drop_user_cols(filter_spct):
- drop_user_cols(reflector_spct):
- drop_user_cols(solute_spct):
- drop_user_cols(chroma_spct):
- drop_user_cols(calibration_spct):
- drop_user_cols(cps_spct):
- drop_user_cols(raw_spct):
- drop_user_cols(generic_mspct):

See Also

Other experimental utility functions: [collect2mspct\(\)](#), [thin_wl\(\)](#), [uncollect2spct\(\)](#)

Description

Conversion methods for spectral energy irradiance into spectral photon irradiance and for spectral energy response into spectral photon response.

Usage

```
e2q(x, action, byref, ...)
```

```
## Default S3 method:
e2q(x, action = "add", byref = FALSE, ...)
```

```
## S3 method for class 'source_spct'
e2q(x, action = "add", byref = FALSE, ...)
```

```
## S3 method for class 'response_spct'
e2q(x, action = "add", byref = FALSE, ...)
```

```
## S3 method for class 'source_mspct'
e2q(x, action = "add", byref = FALSE, ..., .parallel = FALSE, .paropts = NULL)
```

```
## S3 method for class 'response_mspct'
e2q(x, action = "add", byref = FALSE, ..., .parallel = FALSE, .paropts = NULL)
```

Arguments

x	an R object.
action	a character string, one of "add", "replace", "add.raw" or "replace.raw".
byref	logical indicating if a new object will be created by reference or a new object returned.
...	not used in current version.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

The converted spectral values are added to or replace the existing spectral values depending on the argument passed to parameter action. Addition is currently not supported for normalized spectra. If the spectrum has been normalized with a recent version of package 'photobiology' the spectrum will be renormalized after conversion using the same arguments as previously. "add.raw" and "replace.raw" prevent the re-normalization, are included for completeness and as a way of restoring previous behaviour.

Methods (by class)

- e2q(default): Default method
- e2q(source_spct): Method for spectral irradiance
- e2q(response_spct): Method for spectral responsiveness
- e2q(source_mspct): Method for collections of (light) source spectra
- e2q(response_mspct): Method for collections of response spectra

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2qmol_multipliers\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

e2qmol_multipliers *Calculate energy to quantum (mol) multipliers*

Description

Multipliers as a function of wavelength, for converting from energy to photon (quantum) molar units.

Usage

```
e2qmol_multipliers(w.length)
```

Arguments

w.length numeric Vector of wavelengths (nm)

Value

A numeric vector of multipliers

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

Examples

```
with(sun.data, e2qmol_multipliers(w.length))
```

e2quantum_multipliers *Calculate energy to quantum multipliers*

Description

Gives multipliers as a function of wavelength, for converting from energy to photon (quantum) units (number of photons as default, or moles of photons).

Usage

```
e2quantum_multipliers(w.length, molar = FALSE)
```

Arguments

w.length numeric Vector of wavelengths (nm)
molar logical Flag indicating whether output should be in moles or numbers

Value

A numeric vector of multipliers

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2qmol_multipliers\(\)](#), [q2e\(\)](#)

Examples

```
with(sun.data, e2quantum_multipliers(w.length))  
with(sun.data, e2quantum_multipliers(w.length, molar = TRUE))
```

enable_check_spct *Enable or disable checks*

Description

Choose between protection against errors or faster performance by enabling (the default) or disabling data-consistency and sanity checks.

Usage

```
enable_check_spct()  
  
disable_check_spct()  
  
set_check_spct(x)
```

Arguments

x logical Flag to enable (TRUE), disable (FALSE) or unset (NULL) option.

Value

The previous value of the option, which can be passed as argument to function `set_check_spct()` to restore the previous state of the option.

See Also

Other data validity check functions: [check_spct\(\)](#), [check_spectrum\(\)](#), [check_w.length\(\)](#)

energy_as_default	<i>Set spectral-data options</i>
-------------------	----------------------------------

Description

Set spectral-data related options easily.

Usage

```
energy_as_default()  
photon_as_default()  
quantum_as_default()  
Tfr_as_default()  
Afr_as_default()  
A_as_default()  
unset_radiation_unit_default()  
unset_filter_qty_default()  
unset_user_defaults()
```

Value

Previous value of the modified option.

energy_irradiance	<i>Calculate (energy) irradiance from spectral irradiance</i>
-------------------	---

Description

Energy irradiance for a waveband from a radiation spectrum, optionally applying a "biological spectral weighting function" or BSWF.

Usage

```
energy_irradiance(  
  w.length,  
  s.irrad,  
  w.band = NULL,
```

```

    unit.in = "energy",
    check.spectrum = TRUE,
    use.cached.mult = FALSE,
    use.hinges = getOption("photobiology.use.hinges", default = NULL)
  )

```

Arguments

w.length	numeric vector of wavelength [nm].
s.irrad	numeric vector of spectral irradiances in [$W m^{-2} nm^{-1}$] or [$mol s^{-1} sm^{-2} nm^{-1}$] as indicated by the argument passed to unit.in.
w.band	waveband.
unit.in	character Allowed values "energy", and "photon", or its alias "quantum".
check.spectrum	logical Flag indicating whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

A single numeric value with no change in scale factor: [$W m^{-2}$].

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```

with(sun.data, energy_irradiance(w.length, s.e.irrad))
with(sun.data, energy_irradiance(w.length, s.e.irrad, new_waveband(400,700)))

```

energy_ratio	<i>Energy:energy ratio</i>
--------------	----------------------------

Description

Energy irradiance ratio between two wavebands for a radiation spectrum.

Usage

```
energy_ratio(
  w.length,
  s.irrad,
  w.band.num = NULL,
  w.band.denom = NULL,
  unit.in = "energy",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = NULL
)
```

Arguments

w.length	numeric vector of wavelengths [<i>nm</i>].
s.irrad	numeric vector of spectral irradiances in [$W m^{-2} nm^{-1}$] or [$mol s^{-1} sm^{-2} nm^{-1}$] as indicated by the argument passed to <code>unit.in</code> .
w.band.num	waveband object used to compute the numerator of the ratio.
w.band.denom	waveband object used to compute the denominator of the ratio.
unit.in	character Allowed values "energy", and "photon", or its alias "quantum".
check.spectrum	logical Flag indicating whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

a single numeric value giving the unitless energy ratio.

Note

The default for both `w.band` parameters is a waveband covering the whole range of `w.length`.

See Also

Other low-level functions operating on numeric vectors.: `as_energy()`, `as_quantum_mol()`, `calc_multipliers()`, `div_spectra()`, `energy_irradiance()`, `insert_hinges()`, `integrate_xy()`, `interpolate_spectrum()`, `irradiance()`, `l_insert_hinges()`, `oper_spectra()`, `photon_irradiance()`, `photon_ratio()`, `photons_energy_ratio()`, `prod_spectra()`, `s_e_irrad2rgb()`, `split_energy_irradiance()`, `split_photon_irradiance()`, `subt_spectra()`, `sum_spectra()`, `trim_tails()`, `v_insert_hinges()`, `v_replace_hinges()`

Examples

```
with(sun.data,
     energy_ratio(w.length, s.e.irrad, new_waveband(400,500), new_waveband(400,700)))
```

eq_ratio

Energy:photon ratio

Description

This function returns the energy to mole of photons ratio for each waveband and a light source spectrum.

Usage

```
eq_ratio(spct, w.band, scale.factor, wb.trim, use.cached.mult, use.hinges, ...)
```

```
## Default S3 method:
```

```
eq_ratio(spct, w.band, scale.factor, wb.trim, use.cached.mult, use.hinges, ...)
```

```
## S3 method for class 'source_spct'
```

```
eq_ratio(
  spct,
  w.band = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  naming = "short",
  name.tag = ifelse(naming != "none", "[e:q]", ""),
  ...
)
```

```
## S3 method for class 'source_mspct'
```

```
eq_ratio(
  spct,
  w.band = NULL,
  scale.factor = 1,
```



```

wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
use.cached.mult = FALSE,
use.hinges = NULL,
naming = "short",
name.tag = ifelse(naming != "none", "[e:q]", ""),
...,
attr2tb = NULL,
idx = "spct.idx",
.parallel = FALSE,
.paropts = NULL
)

```

Arguments

spct	source_spct.
w.band	waveband or list of waveband objects.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.cached.mult	logical Flag telling whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly used by derived methods).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

The ratio is based on one photon irradiance and one energy irradiance, both computed for the same waveband.

$$\frac{I(s, wb)}{Q(s, wb)}$$

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use_cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector. #’ @return Computed values are ratios between energy irradiance and photon irradiance for a given waveband. A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, `names` attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used, with "[e:q]" prepended. Units [J mol⁻¹].

Value

Computed values are ratios between energy irradiance and photon irradiance for a given waveband. A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of multiple spectra, containing one column with ratios for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they are expressed as relative fractions or percentages. In the case of vector output, `names` attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used, with "[e:q]" prepended. Units [mol J⁻¹].

Methods (by class)

- `eq_ratio(default)`: Default for generic function
- `eq_ratio(source_spct)`: Method for `source_spct` objects
- `eq_ratio(source_mspct)`: Calculates energy:photon from a `source_mspct` object.

Performance

As this method accepts spectra as its input, it computes irradiances before computing the ratios. If you need to compute both ratios and irradiances from several hundreds or thousands of spectra, computing the ratios from previously computed irradiances avoids their repeated computation. A less dramatic, but still important, increase in performance is available when computing in the same function call ratios that share the same denominator.

See Also

Other photon and energy ratio functions: [e_fraction\(\)](#), [e_ratio\(\)](#), [q_fraction\(\)](#), [q_ratio\(\)](#), [qe_ratio\(\)](#)

Examples

```
eq_ratio(sun.spct,
         waveband(c(400,700), wb.name = "White")) # J mol-1
eq_ratio(sun.spct,
         waveband(c(400,700), wb.name = "White"),
         scale.factor = 1e-6) # J umol-1
```

ET_ref

Evapotranspiration

Description

Compute an estimate of reference (= potential) evapotranspiration from meteorological data. Evapotranspiration from vegetation includes transpiration by plants plus evaporation from the soil or other wet surfaces. ET_0 is the reference value assuming no limitation to transpiration due to soil water, similar to potential evapotranspiration (PET). An actual evapotranspiration value ET can be estimated only if additional information on the plants and soil is available.

Usage

```
ET_ref(
  temperature,
  water.vp,
  wind.speed,
  net.irradiance,
  nighttime = FALSE,
  atmospheric.pressure = 10.13,
  soil.heat.flux = 0,
  method = "FAO.PM",
  check.range = TRUE
)

ET_ref_day(
  temperature,
  water.vp,
  wind.speed,
  net.radiation,
  atmospheric.pressure = 10.13,
  soil.heat.flux = 0,
  method = "FAO.PM",
  check.range = TRUE
)
```

Arguments

temperature	numeric vector of air temperatures (C) at 2 m height.
water.vp	numeric vector of water vapour pressure in air (Pa).
wind.speed	numeric Wind speed (m/s) at 2 m height.
net.irradiance	numeric Long wave and short wave balance (W/m2).
nightttime	logical Used only for methods that distinguish between daytime- and nighttime canopy conductances.
atmospheric.pressure	numeric Atmospheric pressure (Pa).
soil.heat.flux	numeric Soil heat flux (W/m2), positive if soil temperature is increasing.
method	character The name of an estimation method.
check.range	logical Flag indicating whether to check or not that arguments for temperature are within range of method. Passed to function calls to <code>water_vp_sat()</code> and <code>water_vp_sat_slope()</code> .
net.radiation	numeric Long wave and short wave balance (J/m2/day).

Details

Currently three methods, based on the Penmann-Monteith equation formulated as recommended by FAO56 (Allen et al., 1998) as well as modified in 2005 for tall and short vegetation according to ASCE-EWRI are implemented in function `ET_ref()`. The computations rely on data measured according WHO standards at 2 m above ground level to estimate reference evapotranspiration (ET_0). The formulations are those for ET expressed in mm/h, but modified to use as input flux rates in W/m2 and pressures expressed in Pa.

Value

A numeric vector of reference evapotranspiration estimates expressed in mm/h for `ET_ref()` and `ET_PM()` and in mm/d for `ET_ref_day()`.

References

Allen R G, Pereira L S, Raes D, Smith M. 1998. Crop evapotranspiration: Guidelines for computing crop water requirements. Rome: FAO. Allen R G, Pruitt W O, Wright J L, Howell T A, Ventura F, Snyder R, Itenfisu D, Steduto P, Berengena J, Yrisarry J, et al. 2006. A recommendation on standardized surface resistance for hourly calculation of reference ET_0 by the FAO56 Penman-Monteith method. Agricultural Water Management 81.

See Also

Other Evapotranspiration and energy balance related functions.: [net_irradiance\(\)](#)

Examples

```
# instantaneous
ET_ref(temperature = 20,
       water.vp = water_RH2vp(relative.humidity = 70,
                               temperature = 20),
       wind.speed = 0,
       net.irradiance = 10)

ET_ref(temperature = c(5, 20, 35),
       water.vp = water_RH2vp(70, c(5, 20, 35)),
       wind.speed = 0,
       net.irradiance = 10)

# Hot and dry air
ET_ref(temperature = 35,
       water.vp = water_RH2vp(10, 35),
       wind.speed = 5,
       net.irradiance = 400)

ET_ref(temperature = 35,
       water.vp = water_RH2vp(10, 35),
       wind.speed = 5,
       net.irradiance = 400,
       method = "FAO.PM")

ET_ref(temperature = 35,
       water.vp = water_RH2vp(10, 35),
       wind.speed = 5,
       net.irradiance = 400,
       method = "ASCE.PM.short")

ET_ref(temperature = 35,
       water.vp = water_RH2vp(10, 35),
       wind.speed = 5,
       net.irradiance = 400,
       method = "ASCE.PM.tall")

# Low temperature and high humidity
ET_ref(temperature = 5,
       water.vp = water_RH2vp(95, 5),
       wind.speed = 0.5,
       net.irradiance = -10,
       nighttime = TRUE,
       method = "ASCE.PM.short")

ET_ref_day(temperature = 35,
          water.vp = water_RH2vp(10, 35),
          wind.speed = 5,
          net.radiation = 35e6) # 35 MJ / d / m2
```

Extract

Extract or replace parts of a spectrum

Description

Just like extraction and replacement with indexes in base R, but preserving the special attributes used in spectral classes and checking for validity of remaining spectral data.

Usage

```
## S3 method for class 'generic_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'raw_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'cps_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'source_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'response_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'filter_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'reflector_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'solute_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'object_spct'  
x[i, j, drop = NULL]  
  
## S3 method for class 'chroma_spct'  
x[i, j, drop = NULL]  
  
## S3 replacement method for class 'generic_spct'  
x[i, j] <- value  
  
## S3 replacement method for class 'generic_spct'  
x$name <- value
```

Arguments

x	spectral object from which to extract element(s) or in which to replace element(s)
i	index for rows,
j	index for columns, specifying elements to extract or replace. Indices are numeric or character vectors or empty (missing) or NULL. Please, see Extract for more details.
drop	logical. If TRUE the result is coerced to the lowest possible dimension. The default is FALSE unless the result is a single column.
value	A suitable replacement value: it will be repeated a whole number of times if necessary and it may be coerced: see the Coercion section. If NULL, deletes the column if a single column is selected.
name	A literal character string or a name (possibly backtick quoted). For extraction, this is normally (see under 'Environments') partially matched to the names of the object.

Details

These methods are just wrappers on the method for data.frame objects which copy the additional attributes used by these classes, and validate the extracted object as a spectral object. When drop is TRUE and the returned object has only one column, then a vector is returned. If the extracted columns are more than one but do not include w.length, a data frame is returned instead of a spectral object.

Value

An object of the same class as x but containing only the subset of rows and columns that are selected. See details for special cases.

Note

If any argument is passed to j, even TRUE, some metadata attributes are removed from the returned object. This is how the extraction operator works with data.frames in R. For the time being we retain this behaviour for spectra, but it may change in the future.

See Also

[subset](#) and [trim_spct](#)

Examples

```
sun.spct[sun.spct[["w.length"]] > 400, ]
subset(sun.spct, w.length > 400)

tmp.spct <- sun.spct
tmp.spct[tmp.spct[["s.e.irrad"]] < 1e-5, "s.e.irrad"] <- 0
e2q(tmp.spct[, c("w.length", "s.e.irrad")]) # restore data consistency!
```

 Extract_mspct

Extract or replace members of a collection of spectra

Description

Just like extraction and replacement with indexes for base R lists, but preserving the special attributes used in spectral classes.

Usage

```
## S3 method for class 'generic_mspct'
x[i, drop = NULL]

## S3 replacement method for class 'generic_mspct'
x[i] <- value

## S3 replacement method for class 'generic_mspct'
x$name <- value

## S3 replacement method for class 'generic_mspct'
x[[name]] <- value
```

Arguments

x	Collection of spectra object from which to extract member(s) or in which to replace member(s)
i	Index specifying elements to extract or replace. Indices are numeric or character vectors. Please, see Extract for more details.
drop	If TRUE the result is coerced to the lowest possible dimension (see the examples). This only works for extracting elements, not for the replacement.
value	A suitable replacement value: it will be repeated a whole number of times if necessary and it may be coerced: see the Coercion section. If NULL, deletes the column if a single column is selected.
name	A literal character string or a name (possibly backtick quoted). For extraction, this is normally (see under 'Environments') partially matched to the names of the object.

Details

This method is a wrapper on base R's extract method for lists that sets additional attributes used by these classes.

Value

An object of the same class as x but containing only the subset of members that are selected.

e_fluence	<i>Energy fluence</i>
-----------	-----------------------

Description

Energy fluence for one or more wavebands of a light source spectrum and a duration of the exposure.

Usage

```
e_fluence(  
  spct,  
  w.band,  
  exposure.time,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  allow.scaled,  
  ...  
)  
  
## Default S3 method:  
e_fluence(  
  spct,  
  w.band,  
  exposure.time,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  allow.scaled,  
  ...  
)  
  
## S3 method for class 'source_spct'  
e_fluence(  
  spct,  
  w.band = NULL,  
  exposure.time,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),  
  use.hinges = NULL,  
  allow.scaled = FALSE,  
  naming = "default",  
  ...  
)
```

```
## S3 method for class 'source_mspct'
e_fluence(
  spct,
  w.band = NULL,
  exposure.time,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
  use.hinges = NULL,
  allow.scaled = FALSE,
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

spct	an R object
w.band	a list of waveband objects or a waveband object
exposure.time	lubridate::duration object.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
use.cached.mult	logical indicating whether multiplier values should be cached between calls
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
allow.scaled	logical indicating whether scaled or normalized spectra as argument to spct are flagged as an error
...	other arguments (possibly ignored)
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

One numeric value for each waveband with no change in scale factor, with name attribute set to the name of each waveband unless a named list is supplied in which case the names of the list elements are used. The exposure.time is copied to the output as an attribute. Units are as follows: (J) joules per exposure.

Methods (by class)

- `e_fluence(default)`: Default for generic function
- `e_fluence(source_spct)`: Calculate energy fluence from a `source_spct` object and the duration of the exposure.
- `e_fluence(source_mspct)`: Calculates energy fluence from a `source_mspct` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use_cached_mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other irradiance functions: [e_irrad\(\)](#), [fluence\(\)](#), [irrad\(\)](#), [q_fluence\(\)](#), [q_irrad\(\)](#)

Examples

```
library(lubridate)
e_fluence(sun.spct, w.band = waveband(c(400,700)),
          exposure.time = lubridate::duration(3, "minutes") )
```

e_fraction

Energy:energy fraction

Description

This function returns the energy fraction for a given pair of wavebands of a light source spectrum.

Usage

```
e_fraction(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
```

```
    use.cached.mult,  
    use.hinges,  
    ...  
  )  
  
## Default S3 method:  
e_fraction(  
  spct,  
  w.band.num,  
  w.band.denom,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  ...  
)  
  
## S3 method for class 'source_spct'  
e_fraction(  
  spct,  
  w.band.num = NULL,  
  w.band.denom = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = FALSE,  
  use.hinges = NULL,  
  quantity = "total",  
  naming = "short",  
  name.tag = NULL,  
  ...  
)  
  
## S3 method for class 'source_mspct'  
e_fraction(  
  spct,  
  w.band.num = NULL,  
  w.band.denom = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = FALSE,  
  use.hinges = NULL,  
  quantity = "total",  
  naming = "short",  
  name.tag = ifelse(naming != "none", "[e:e]", ""),  
  ...,  
  attr2tb = NULL,  
  idx = "spct.idx",  
  .parallel = FALSE,  
)
```

```

    .paropts = NULL
  )

```

Arguments

spct	source_spct
w.band.num	waveband object or a list of waveband objects used to compute the numerator(s) and denominator(s) of the fraction(s).
w.band.denom	waveband object or a list of waveband objects used to compute the denominator(s) of the fraction(s).
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
use.cached.mult	logical Flag telling whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly used by derived methods).
quantity	character One of "total", "average" or "mean".
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach.
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default quantity = "total" the fraction is based on two **energy irradiances**, one computed for each waveband.

$$\frac{E(s, wb_{\text{num}})}{E(s, wb_{\text{denom}}) + E(s, wb_{\text{num}})}$$

If the argument is set to quantity = "mean" or quantity = "average" the ratio is based on two **mean spectral energy irradiances**, one computed for each waveband.

$$\frac{\overline{Q_\lambda}(s, wb_{\text{num}})}{\overline{Q_\lambda}(s, wb_{\text{denom}}) + \overline{Q_\lambda}(s, wb_{\text{num}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[e:e]" is appended if quantity = "total" and "[e(wl):e(wl)]" if quantity = "mean" or quantity = "average".

A data.frame is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to w.band.num and w.band.denom. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- e_fraction(default): Default for generic function
- e_fraction(source_spct): Method for source_spct objects
- e_fraction(source_mspct): Calculates energy:energy fraction from a source_mspct object.

Note

Recycling for wavebands takes place when the number of denominator and denominator wavebands differ. The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting use.cached.mult=TRUE. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the w.length vector.

See Also

Other photon and energy ratio functions: [e_ratio\(\)](#), [eq_ratio\(\)](#), [q_fraction\(\)](#), [q_ratio\(\)](#), [qe_ratio\(\)](#)

Examples

```
e_fraction(sun.spct, new_waveband(400,700), new_waveband(400,500))
```

e_irrad	<i>Energy irradiance</i>
---------	--------------------------

Description

Energy irradiance for one or more wavebands of a light source spectrum.

Usage

```
e_irrad(  
  spct,  
  w.band,  
  quantity,  
  time.unit,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  allow.scaled,  
  ...  
)  
  
## Default S3 method:  
e_irrad(  
  spct,  
  w.band,  
  quantity,  
  time.unit,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  allow.scaled,  
  ...  
)  
  
## S3 method for class 'source_spct'  
e_irrad(  
  spct,  
  w.band = NULL,  
  quantity = "total",  
  time.unit = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),  
  use.hinges = NULL,  
  allow.scaled = !quantity %in% c("average", "mean", "total"),
```

```

    naming = "default",
    return.tb = FALSE,
    ...
)

## S3 method for class 'source_mspct'
e_irrad(
  spct,
  w.band = NULL,
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
  use.hinges = NULL,
  allow.scaled = !quantity %in% c("average", "mean", "total"),
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

spct	an R object.
w.band	a list of waveband objects or a waveband object.
quantity	character string One of "total", "average" or "mean", "contribution", "contribution.pc", "relative" or "relative.pc".
time.unit	character or lubridate::duration object.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.cached.mult	logical indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
allow.scaled	logical indicating whether scaled or normalized spectra as argument to spct are flagged as an error.
...	other arguments (possibly used by derived methods).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.

return.tb	logical Flag forcing a tibble to be always returned, even for a single spectrum as argument to spct. The default is FALSE for backwards compatibility.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of a `_spct` object containing a single spectrum and `return.tb = FALSE`. The vector has one member one value for each waveband passed to parameter `w.band`. In all other cases a tibble, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used. The `time.unit` attribute is copied from the spectrum object to the output. Units are as follows: If units are absolute and `time.unit` is second, $[W\ m^{-2}\ nm^{-1}] \rightarrow [W\ m^{-2}]$ If `time.unit` is day, $[J\ d^{-1}\ m^{-2}\ nm^{-1}] \rightarrow [J\ m^{-2}]$; if units are relative, fraction of one or percent.

Methods (by class)

- `e_irrad(default)`: Default for generic function
- `e_irrad(source_spct)`: Calculates energy irradiance from a `source_spct` object.
- `e_irrad(source_mspect)`: Calculates energy irradiance from a `source_mspect` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other irradiance functions: [e_fluence\(\)](#), [fluence\(\)](#), [irrad\(\)](#), [q_fluence\(\)](#), [q_irrad\(\)](#)

Examples

```

e_irrad(sun.spct, waveband(c(400,700)))
e_irrad(sun.spct, split_bands(c(400,700), length.out = 3))
e_irrad(sun.spct, split_bands(c(400,700), length.out = 3),
        quantity = "total")
e_irrad(sun.spct, split_bands(c(400,700), length.out = 3),
        quantity = "average")
e_irrad(sun.spct, split_bands(c(400,700), length.out = 3),
        quantity = "relative")
e_irrad(sun.spct, split_bands(c(400,700), length.out = 3),
        quantity = "relative.pc")
e_irrad(sun.spct, split_bands(c(400,700), length.out = 3),
        quantity = "contribution")
e_irrad(sun.spct, split_bands(c(400,700), length.out = 3),
        quantity = "contribution.pc")

```

e_ratio

Energy:energy ratio

Description

This function returns the photon ratio for a given pair of wavebands of a light source spectrum.

Usage

```

e_ratio(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## Default S3 method:
e_ratio(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

```

```

## S3 method for class 'source_spct'
e_ratio(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "total",
  naming = "short",
  name.tag = NULL,
  ...
)

## S3 method for class 'source_mspct'
e_ratio(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "total",
  naming = "short",
  name.tag = ifelse(naming != "none", "[e:e]", ""),
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

spct	source_spct
w.band.num	waveband object or a list of waveband objects used to compute the numerator(s) of the ratio(s).
w.band.denom	waveband object or a list of waveband objects used to compute the denominator(s) of the ratio(s).
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
use.cached.mult	logical Flag telling whether multiplier values should be cached between calls.

use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly used by derived methods).
quantity	character One of "total", "average" or "mean".
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach.
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default quantity = "total" the ratio is based on two energy irradiances, one computed for each waveband.

$$\frac{I(s, wb_{\text{num}})}{I(s, wb_{\text{denom}})}$$

If the argument is set to quantity = "mean" or quantity = "average" the ratio is based on two mean spectral photon irradiances, one computed for each waveband.

$$\frac{\overline{I}_{\lambda}(s, wb_{\text{num}})}{\overline{I}_{\lambda}(s, wb_{\text{denom}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Fraction definitions are "assembled" from the arguments passed to w.band.num and w.band.denom. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting use.cached.mult=TRUE. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the w.length vector.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[e:e]" is appended if quantity = "total" and "[e(wl):e(wl)]" if quantity = "mean" or quantity = "average".

A data.frame is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Methods (by class)

- `e_ratio(default)`: Default for generic function
- `e_ratio(source_spct)`: Method for `source_spct` objects
- `e_ratio(source_mspct)`: Calculates energy:energy ratio from a `source_mspct` object.

Performance

As this method accepts spectra as its input, it computes irradiances before computing the ratios. If you need to compute both ratios and irradiances from several hundreds or thousands of spectra, computing the ratios from previously computed irradiances avoids their repeated computation. A less dramatic, but still important, increase in performance is available when computing in the same function call ratios that share the same denominator.

See Also

Other photon and energy ratio functions: [e_fraction\(\)](#), [eq_ratio\(\)](#), [q_fraction\(\)](#), [q_ratio\(\)](#), [qe_ratio\(\)](#)

Examples

```
e_ratio(sun.spct,  
        waveband(c(400,500), wb.name = "Blue"),  
        waveband(c(400,700), wb.name = "White"))
```

e_response

Energy-based photo-response

Description

This function returns the mean, total, or contribution of response for each waveband and a response spectrum.

Usage

```
e_response(  
  spct,  
  w.band,  
  quantity,  
  time.unit,  
  scale.factor,  
  wb.trim,  
  use.hinges,  
  ...  
)  
  
## Default S3 method:  
e_response(  
  spct,  
  w.band,  
  quantity,  
  time.unit,  
  scale.factor,  
  wb.trim,  
  use.hinges,  
  ...  
)  
  
## S3 method for class 'response_spct'  
e_response(  
  spct,  
  w.band = NULL,  
  quantity = "total",  
  time.unit = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.hinges = getOption("photobiology.use.hinges", default = NULL),  
  naming = "default",  
  ...  
)  
  
## S3 method for class 'response_mspct'  
e_response(  
  spct,  
  w.band = NULL,  
  quantity = "total",  
  time.unit = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.hinges = getOption("photobiology.use.hinges", default = NULL),  
  naming = "default",  
  ...,
```

```

    attr2tb = NULL,
    idx = "spct.idx",
    .parallel = FALSE,
    .paropts = NULL
  )

```

Arguments

spct	an R object.
w.band	waveband or list of waveband objects or a numeric vector of length two. The waveband(s) determine the region(s) of the spectrum that are summarized. If a numeric range is supplied a waveband object is constructed on the fly from it.
quantity	character string One of "total", "average" or "mean", "contribution", "contribution.pc", "relative" or "relative.pc".
time.unit	character or lubridate::duration object.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly used by derived methods).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter w.band. A data.frame in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter quantity they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used.

Methods (by class)

- `e_response(default)`: Default method for generic function
- `e_response(response_spct)`: Method for response spectra.
- `e_response(response_mspct)`: Calculates energy response from a `response_mspct`

Note

The parameter `use.hinges` controls speed optimization. The defaults should be suitable in most cases. Only the range of wavelengths in the wavebands is used and all BSWFs are ignored.

See Also

Other response functions: [q_response\(\)](#), [response\(\)](#)

Examples

```
e_response(ccd.spct, new_waveband(200,300))
e_response(photodiode.spct)
```

FEL_spectrum

Incandescent "FEL" lamp emission spectrum

Description

Calculate values by means of a nth degree polynomial from user-supplied constants (for example from a lamp calibration certificate).

Usage

```
FEL_spectrum(w.length, k = photobiology::FEL.BN.9101.165, fill = NA_real_)
```

Arguments

<code>w.length</code>	numeric vector of wavelengths (nm) for output
<code>k</code>	a numeric vector with n constants for the function
<code>fill</code>	if NA, no extrapolation is done, and NA is returned for wavelengths outside the range 250 nm to 900 nm. If NULL then the tails are deleted. If 0 then the tails are set to zero, etc. NA is default.

Value

a dataframe with four numeric vectors with wavelength values (`w.length`), energy and photon irradiance (`s.e.irrad`, `s.q.irrad`) depending on the argument passed to `unit.out` (`s.irrad`).

Note

This function is valid for wavelengths in the range 250 nm to 900 nm, for wavelengths outside this range NAs are returned.

Examples

```
FEL_spectrum(400)
FEL_spectrum(250:900)
```

findMultipleWl	<i>Find repeated w.length values</i>
----------------	--------------------------------------

Description

Find repeated w.length values

Usage

```
findMultipleWl(x, same.wls = TRUE)
```

Arguments

x	a generic_spct object
same.wls	logical If TRUE all spectra expected to share same w.length values.

Value

integer Number of spectra, guessed from the number of copies of each individual w.length value.

find_peaks	<i>Find peaks in a spectrum</i>
------------	---------------------------------

Description

This function finds all peaks (local maxima) in a spectrum, using a user provided size threshold relative to the tallest peak (global maximum) below which found peaks are ignored—i.e., not included in the returned value. This is a wrapper built on top of function peaks() from package 'splus2R'.

Usage

```
find_peaks(x, ignore_threshold = 0, span = 3, strict = TRUE, na.rm = FALSE)
```

Arguments

x	numeric vector
ignore_threshold	numeric Value between 0.0 and 1.0 indicating the relative size compared to tallest peak threshold below which peaks will be ignored. Negative values set a threshold so that the tallest peaks are ignored, instead of the shortest.
span	integer A peak is defined as an element in a sequence which is greater than all other elements within a window of width span centered at that element. Use NULL for the global peak.
strict	logical If TRUE, an element must be strictly greater than all other values in its window to be considered a peak.
na.rm	logical indicating whether NA values should be stripped before searching for peaks.

Value

A logical vector of the same length as x. Values that are TRUE correspond to local peaks in the data.

Note

This function is a wrapper built on function [peaks](#) from **splus2R** and handles non-finite (including NA) values differently than `splus2R::peaks`, instead of giving an error they are replaced with the smallest finite value in x.

See Also

[peaks](#)

Other peaks and valleys functions: [find_spikes\(\)](#), [get_peaks\(\)](#), [peaks\(\)](#), [replace_bad_pixs\(\)](#), [spikes\(\)](#), [valleys\(\)](#), [wls_at_target\(\)](#)

Examples

```
with(sun.data, w.length[find_peaks(s.e.irrad)])
```

find_spikes

Find spikes

Description

This function finds spikes in a numeric vector using the algorithm of Whitaker and Hayes (2018). Spikes are values in spectra that are unusually high or low compared to neighbors. They are usually individual values or very short runs of similar "unusual" values. Spikes caused by cosmic radiation are a frequent problem in Raman spectra. Another source of spikes are "hot pixels" in CCD and diode arrays. Other kinds of accidental "outliers" will be also detected.

Usage

```
find_spikes(  
  x,  
  x.is.delta = FALSE,  
  z.threshold = 9,  
  max.spike.width = 8,  
  na.rm = FALSE  
)
```

Arguments

x	numeric vector containing spectral data.
x.is.delta	logical Flag indicating if x contains already differences.
z.threshold	numeric Modified Z values larger than z.threshold are considered to be spikes.
max.spike.width	integer Wider regions with high Z values are not detected as spikes.
na.rm	logical indicating whether NA values should be stripped before searching for spikes.

Details

Spikes are detected based on a modified Z score calculated from the differenced spectrum. The Z threshold used should be adjusted to the characteristics of the input and desired sensitivity. The lower the threshold the more stringent the test becomes, resulting in most cases in more spikes being detected. A modified version of the algorithm is used if a value different from NULL is passed as argument to `max.spike.width`. In such a case, an additional step filters out broader spikes (or falsely detected steep slopes) from the returned values.

Value

A logical vector of the same length as x. Values that are TRUE correspond to local spikes in the data.

References

Whitaker, D. A.; Hayes, K. (2018) A simple algorithm for despiking Raman spectra. *Chemometrics and Intelligent Laboratory Systems*, 179, 82-84.

See Also

Other peaks and valleys functions: [find_peaks\(\)](#), [get_peaks\(\)](#), [peaks\(\)](#), [replace_bad_pixs\(\)](#), [spikes\(\)](#), [valleys\(\)](#), [wls_at_target\(\)](#)

Examples

```
with(white_led.raw_spct,  
     which(find_spikes(counts_3, z.threshold = 30)))
```

find_wls

*Find wavelength values in a spectrum***Description**

Find wavelength values corresponding to a target y value in any spectrum. The name of the column of the spectral data to be used to match the target needs to be passed as argument unless the spectrum contains a single numerical variable in addition to "w.length".

Usage

```
find_wls(
  x,
  target = NULL,
  col.name.x = NULL,
  col.name = NULL,
  .fun = `<=` ,
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE
)
```

Arguments

x	an R object
target	numeric or character. A numeric value indicates the spectral quantity value for which wavelengths are to be searched. A character representing a number is converted to a number. A character value representing a number followed by a function name, will be also accepted and decoded, such that "0.1max" is interpreted as targetting one tenth of the maximum value in a column. The character strings "half.maximum" and "HM" are synonyms for "0.5max" while "half.range" and "HR" are synonyms for "0.5range". These synonyms are converted to the canonical form before saving them to the returned value.
col.name.x	character The name of the column in which the independent variable is stored. Defaults to "w.length" for objects of class "generic_spct" or derived.
col.name	character The name of the column in which to search for the target value.
.fun	function A binary comparison function or operator.
interpolate	logical Indicating whether the nearest wavelength value in x should be returned or a value calculated by linear interpolation between wavelength values straddling the target.
idfactor	logical or character Generates an index column of factor type. If idfactor = TRUE then the column is auto named target.idx. Alternatively the column name can be directly passed as argument to idfactor as a character string.
na.rm	logical indicating whether NA values should be stripped before searching for the target.

Value

A spectrum object of the same class as `x` with fewer rows, possibly even no rows. If `FALSE` is passed to `interpolate` a subset of `x` is returned, otherwise a new object of the same class containing interpolated wavelenths for the target value is returned.

Note

This function is used internally by method `wls_at_target()`, and these methods should be preferred in user code and scripts.

Examples

```
find_wls(white_led.source_spct)
find_wls(white_led.source_spct, target = "0.5max")
find_wls(white_led.source_spct, target = 0.4)
find_wls(white_led.source_spct, target = 0.4, interpolate = TRUE)
find_wls(white_led.source_spct, target = c(0.3, 0.4))
find_wls(white_led.source_spct, target = c(0.3, 0.4), idfactor = "target")
find_wls(white_led.source_spct, target = c(0.3, 0.4), idfactor = TRUE)
find_wls(white_led.source_spct, target = "0.5max")
find_wls(white_led.source_spct, target = "0.05max")
find_wls(white_led.source_spct, target = "0.5range")

led.df <- as.data.frame(white_led.source_spct)
find_wls(led.df)
find_wls(led.df, col.name = "s.e.irrad", col.name.x = "w.length")
find_wls(led.df, col.name = "s.e.irrad", col.name.x = "w.length",
        target = 0.4)
find_wls(led.df, col.name = "s.e.irrad", col.name.x = "w.length",
        target = c(0.3, 0.4))
find_wls(led.df, col.name = "s.e.irrad", col.name.x = "w.length",
        target = 0.4, idfactor = "target")
```

fit_peaks

Refine position and value of extremes by fitting

Description

Functions implementing fitting of peaks in a class-agnostic way. The fitting refines the location of peaks and value of peaks based on the location of maxima and minima supplied. This function is to be used together with `find_peaks()` or `find_valleys()`.

Usage

```
fit_peaks(
  x,
  peaks.idx,
```

```

    span,
    x.col.name = NULL,
    y.col.name,
    method,
    max.span = 5L,
    maximum = TRUE,
    keep.cols = NULL
)

fit_valleys(
  x,
  valleys.idx,
  span,
  x.col.name = NULL,
  y.col.name,
  method,
  max.span = 5L,
  maximum = FALSE,
  keep.cols = NULL
)

```

Arguments

<code>x</code>	generic_spect or data.frame object.
<code>peaks.idx, valleys.idx</code>	logical or integer Indexes into <code>x</code> selecting global or local extremes.
<code>span</code>	odd integer The span used when refining the location of maxima or minima of <code>x</code> .
<code>x.col.name, y.col.name</code>	character Name of the column of <code>x</code> on which to operate.
<code>method</code>	character The method to use for the fit.
<code>max.span</code>	odd integer The maximum number of data points used when when refining the location of maxima and minima.
<code>maximum</code>	logical A flag indicating whether to search for maxima or minima.
<code>keep.cols</code>	logical Keep unrecognized columns in data frames

Value

An R object of the same class as `x` containing the fitted values for the peaks, and optionally the values for at `peaks.idx` or `valleys.idx` for other retained columns.

Note

These functions are not meant for everyday use. Use option `refine.wl = TRUE` of methods `peaks()` and `valleys()` instead.

Examples

```
peaks <- find_peaks(sun.spct[["s.e.irrad"]], span = 31)
fit_peaks(sun.spct, peaks, span = 31,
          y.col.name = "s.e.irrad", method = "spline")
```

fluence

Fluence

Description

Energy or photon fluence for one or more wavebands of a light source spectrum and a duration of exposure.

Usage

```
fluence(
  spct,
  w.band,
  unit.out,
  exposure.time,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  allow.scaled,
  ...
)

## Default S3 method:
fluence(
  spct,
  w.band,
  unit.out,
  exposure.time,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  allow.scaled,
  ...
)

## S3 method for class 'source_spct'
fluence(
  spct,
  w.band = NULL,
```

```

    unit.out = getOption("photobiology.radiation.unit", default = "energy"),
    exposure.time,
    scale.factor = 1,
    wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
    use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
    use.hinges = NULL,
    allow.scaled = FALSE,
    naming = "default",
    ...
)

## S3 method for class 'source_mspct'
fluence(
  spct,
  w.band = NULL,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  exposure.time,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
  use.hinges = NULL,
  allow.scaled = FALSE,
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>spct</code>	an R object.
<code>w.band</code>	a list of waveband objects or a waveband object.
<code>unit.out</code>	character string with allowed values "energy", and "photon", or its alias "quantum".
<code>exposure.time</code>	lubridate::duration object.
<code>scale.factor</code>	numeric vector of length 1, or length equal to that of <code>w.band</code> . Numeric multiplier applied to returned values.
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
<code>use.cached.mult</code>	logical indicating whether multiplier values should be cached between calls.
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

<code>allow.scaled</code>	logical indicating whether scaled or normalized spectra as argument to <code>spct</code> are flagged as an error.
<code>...</code>	other arguments (possibly used by derived methods).
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>attr2tb</code>	character vector, see add_attr2tb for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

One numeric value for each waveband with no change in scale factor, with name attribute set to the name of each waveband unless a named list is supplied in which case the names of the list elements are used. The `time.unit` attribute is copied from the spectrum object to the output. Units are as follows: If `time.unit` is second, $[W\ m^{-2}\ nm^{-1}] \rightarrow [mol\ s^{-1}\ m^{-2}]$ If `time.unit` is day, $[J\ d^{-1}\ m^{-2}\ nm^{-1}] \rightarrow [mol\ d^{-1}\ m^{-2}]$

Methods (by class)

- `fluence(default)`: Default for generic function
- `fluence(source_spct)`: Calculate photon fluence from a `source_spct` object and the duration of the exposure
- `fluence(source_mspct)`: Calculates fluence from a `source_mspct` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other irradiance functions: [e_fluence\(\)](#), [e_irrad\(\)](#), [irrad\(\)](#), [q_fluence\(\)](#), [q_irrad\(\)](#)

Examples

```
library(lubridate)
fluence(sun.spct,
        w.band = waveband(c(400,700)),
        exposure.time = lubridate::duration(3, "minutes") )
```

format.solar_time *Encode in a Common Format*

Description

Format a solar_time object for pretty printing

Usage

```
## S3 method for class 'solar_time'  
format(x, ..., sep = ":")
```

Arguments

x	an R object
...	ignored
sep	character used as separator

See Also

Other astronomy related functions: [day_night\(\)](#), [sun_angles\(\)](#)

format.tod_time *Encode in a Common Format*

Description

Format a tod_time object for pretty printing

Usage

```
## S3 method for class 'tod_time'  
format(x, ..., sep = ":")
```

Arguments

x	an R object
...	ignored
sep	character used as separator

See Also

Other Time of day functions: [as_tod\(\)](#), [print.tod_time\(\)](#)

formatted_range	<i>Compute range and format it</i>
-----------------	------------------------------------

Description

Compute the range of an R object, and format it as string suitable for printing.

Usage

```
formatted_range(x, na.rm = TRUE, digits = 3, nsmall = 2, collapse = "..")
```

Arguments

x	an R object
na.rm	logical, indicating if NA's should be omitted.
digits, nsmall	numeric, passed to same name parameters of <code>format()</code> .
collapse	character, passed to same name parameter of <code>paste()</code> .

See Also

[range](#), [format](#) and [paste](#).

Examples

```
formatted_range(c(1, 3.5, -0.01))
```

fscale	<i>Rescale a spectrum using a summary function</i>
--------	--

Description

These methods return a spectral object of the same class as the one supplied as argument but with the spectral data rescaled based on a summary function `f` applied over a specific range of wavelengths and a target value for the summary value. When the object contains multiple spectra, the rescaling is applied separately to each spectrum.

Usage

```
fscale(x, ...)  
  
## Default S3 method:  
fscale(x, ...)  
  
## S3 method for class 'source_spct'  
fscale(  
  x,  
  range = NULL,  
  f = "mean",  
  target = 1,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  set.scaled = target == 1,  
  ...  
)  
  
## S3 method for class 'response_spct'  
fscale(  
  x,  
  range = NULL,  
  f = "mean",  
  target = 1,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  set.scaled = target == 1,  
  ...  
)  
  
## S3 method for class 'filter_spct'  
fscale(  
  x,  
  range = NULL,  
  f = "mean",  
  target = 1,  
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),  
  set.scaled = target == 1,  
  ...  
)  
  
## S3 method for class 'reflector_spct'  
fscale(  
  x,  
  range = NULL,  
  f = "mean",  
  target = 1,  
  qty.out = NULL,  
  set.scaled = target == 1,  
  ...  
)
```

```
)

## S3 method for class 'solute_spct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  qty.out = NULL,
  set.scaled = target == 1,
  ...
)

## S3 method for class 'raw_spct'
fscale(x, range = NULL, f = "mean", target = 1, set.scaled = target == 1, ...)

## S3 method for class 'cps_spct'
fscale(x, range = NULL, f = "mean", target = 1, set.scaled = target == 1, ...)

## S3 method for class 'generic_spct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  set.scaled = target == 1,
  col.names,
  ...
)

## S3 method for class 'source_mspct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  set.scaled = target == 1,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'response_mspct'
fscale(
  x,
  range = NULL,
  f = "mean",
```

```
target = 1,
unit.out = getOption("photobiology.radiation.unit", default = "energy"),
set.scaled = target == 1,
...,
.parallel = FALSE,
.paropts = NULL
)

## S3 method for class 'filter_mspct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),
  set.scaled = target == 1,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'reflector_mspct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  qty.out = NULL,
  set.scaled = target == 1,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'solute_mspct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  set.scaled = target == 1,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'raw_mspct'
fscale(
```

```

    x,
    range = NULL,
    f = "mean",
    target = 1,
    set.scaled = target == 1,
    ...,
    .parallel = FALSE,
    .paropts = NULL
)

## S3 method for class 'cps_mspct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  set.scaled = target == 1,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'generic_mspct'
fscale(
  x,
  range = NULL,
  f = "mean",
  target = 1,
  set.scaled = target == 1,
  col.names,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

x	An R object
...	additional named arguments passed down to f.
range	numeric. An R object on which range() returns a numeric vector of length 2 with the limits of a range of wavelengths in nm, with min and max wavelengths (nm)
f	character string. "mean" or "total" for scaling so that this summary value becomes 1 for the returned object, or the name of a function taking x as first argument and returning a numeric value.
target	numeric A constant used as target value for scaling.
unit.out	character. Allowed values "energy", and "photon", or its alias "quantum".

<code>set.scaled</code>	logical or NULL Flag indicating if the data is to be marked as "scaled" or not.
<code>qty.out</code>	character. Allowed values "transmittance", and "absorbance".
<code>col.names</code>	character vector containing the names of columns or variables to which to apply the scaling.
<code>.parallel</code>	logical if TRUE, apply function in parallel, using parallel backend provided by foreach.
<code>.paropts</code>	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

After scaling, calling the function passed as argument to `f` with the scaled spectrum as argument, will return the value passed as argument to `target`. **The default for `set.scaled` depends dynamically on the value passed to `target`.** Sometimes we rescale a spectrum to a "theoretical" value for the summary, while in other cases we rescale the spectrum to a real-world target value of, e.g., a reference energy irradiance. In the first case we say that the data are expressed in relative units, while in the second case we retain actual physical units. To indicate this, the default argument for `'set.scaled'` is TRUE when `target == 1`, assuming the first of these two situations, and false otherwise, assuming the second situation. These defaults can be overridden with an explicit logical argument passed to `set.scaled`. Scaling overrides any previous normalization with the spectrum tagged as not normalized.

Method `fscale` is implemented for `solute_spct` objects but as the spectral data stored in them are a description of an intensive property of a substance, scaling is unlikely to be useful. To represent solutions of specific concentrations of solutes, `filter_spct` objects should be used instead.

Value

A copy of the object passed as argument to `x` with the original spectral data values replaced with rescaled values, and the "scaled" attribute set to a list describing the scaling applied.

a new object of the same class as `x`.

Methods (by class)

- `fscale(default)`: Default for generic function
- `fscale(source_spct)`:
- `fscale(response_spct)`:
- `fscale(filter_spct)`:
- `fscale(reflector_spct)`:
- `fscale(solute_spct)`:
- `fscale(raw_spct)`:
- `fscale(cps_spct)`:
- `fscale(generic_spct)`:
- `fscale(source_mspct)`:

- `fscale(response_mspct)`:
- `fscale(filter_mspct)`:
- `fscale(reflector_mspct)`:
- `fscale(solute_mspct)`:
- `fscale(raw_mspct)`:
- `fscale(cps_mspct)`:
- `fscale(generic_mspct)`:

Important changes

Metadata describing the rescaling operation are stored in an attribute only if `set.scaled = TRUE` is passed to the call. The exact format and data stored in the attribute "scaled" has changed during the development history of the package. Spectra re-scaled with earlier versions will lack some information. To obtain the metadata in a consistent format irrespective of this variation use accessor `getScaling()`, which fills missing fields with NA.

See Also

Other rescaling functions: `fshift()`, `getNormalized()`, `getScaled()`, `is_normalized()`, `is_scaled()`, `normalize()`, `setNormalized()`, `setScaled()`

Examples

```
fscale(sun.spct)
fscale(sun.spct, f = "mean") # same as default
fscale(sun.spct, f = "mean", na.rm = TRUE)
fscale(sun.spct, range = c(400, 700)) # default is whole spectrum
fscale(sun.spct, f = "e_irrad", range = c(400, 700))
s400.spct <- fscale(sun.spct,
  f = e_irrad,
  range = c(400, 700),
  target = 400) # a target in W m-2

s400.spct
e_irrad(s400.spct, c(400, 700))
```

fshift

Shift the scale of a spectrum using a summary function

Description

The `fshift()` methods return a spectral object of the same class as the one supplied as argument but with the spectral data on a zero-shifted scale. A range of wavelengths is taken as a zero reference and the summary calculated with `f` for this waveband is subtracted. This results in a zero shift (= additive correction) to the values in the returned object. Metadata attributes are retained unchanged.

Usage

```

fshift(x, ...)

## Default S3 method:
fshift(x, ...)

## S3 method for class 'source_spct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "mean",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'response_spct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "mean",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'filter_spct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "min",
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),
  ...
)

## S3 method for class 'reflector_spct'
fshift(x, range = c(wl_min(x), wl_min(x) + 10), f = "min", qty.out = NULL, ...)

## S3 method for class 'source_mspct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "mean",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'raw_spct'
fshift(
  x,

```

```
    range = c(wl_min(x), wl_min(x) + 10),
    f = "mean",
    qty.out = NULL,
    ...
)

## S3 method for class 'cps_spct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "mean",
  qty.out = NULL,
  ...
)

## S3 method for class 'generic_spct'
fshift(x, range = c(wl_min(x), wl_min(x) + 10), f = "mean", col.names, ...)

## S3 method for class 'response_mspct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "mean",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'filter_mspct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "min",
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'reflector_mspct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "min",
  qty.out = NULL,
  ...,
  .parallel = FALSE,
```

```

    .paropts = NULL
  )

## S3 method for class 'raw_mspct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "min",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'cps_mspct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "min",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'generic_mspct'
fshift(
  x,
  range = c(wl_min(x), wl_min(x) + 10),
  f = "min",
  col.names,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

x	An R object
...	additional named arguments passed down to f.
range	An R object on which range() returns a numeric vector of length 2 with the limits of a range of wavelengths in nm, with min and max wavelengths (nm)
f	character string "mean", "min" or "max" for scaling so that this summary value becomes the origin of the spectral data scale in the returned object, or the name of a function taking x as first argument and returning a numeric value.
unit.out	character Allowed values "energy", and "photon", or its alias "quantum"
qty.out	character Allowed values "transmittance", and "absorbance"
col.names	character vector containing the names of columns or variables to which to apply the scale shift.

<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by foreach
<code>.paropts</code>	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A copy of `x` with the spectral data values replaced with values zero-shifted.
a new object of the same class as `x`.

Methods (by class)

- `fshift(default)`: Default for generic function
- `fshift(source_spct)`:
- `fshift(response_spct)`:
- `fshift(filter_spct)`:
- `fshift(reflector_spct)`:
- `fshift(source_mspct)`:
- `fshift(raw_spct)`:
- `fshift(cps_spct)`:
- `fshift(generic_spct)`:
- `fshift(response_mspct)`:
- `fshift(filter_mspct)`:
- `fshift(reflector_mspct)`:
- `fshift(raw_mspct)`:
- `fshift(cps_mspct)`:
- `fshift(generic_mspct)`:

Note

Method `fshift` is not implemented for `solute_spct` objects as the spectral data stored in them are a description of an intensive property of a substance. To represent solutions of specific concentrations of solutes, `filter_spct` objects can be used.

See Also

Other rescaling functions: [fscale\(\)](#), [getNormalized\(\)](#), [getScaled\(\)](#), [is_normalized\(\)](#), [is_scaled\(\)](#), [normalize\(\)](#), [setNormalized\(\)](#), [setScaled\(\)](#)

generic_mspct	<i>Collection-of-spectra constructor</i>
---------------	--

Description

Converts a list of spectral objects into a "multi spectrum" object by setting the class attribute of the list of spectra to the corresponding multi-spect class, check that components of the list belong to the expected class.

Usage

```
generic_mspct(
  l = NULL,
  class = "generic_spct",
  ncol = 1,
  byrow = FALSE,
  dim = c(length(l)%/%ncol, ncol)
)

calibration_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
raw_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
cps_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
source_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
filter_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
reflector_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
object_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
solute_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
response_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
chroma_mspct(l = NULL, ncol = 1, byrow = FALSE, ...)
```

Arguments

<code>l</code>	list of <code>generic_spct</code> or derived classes
<code>class</code>	character The multi spectrum object class or the expected class for the elements of <code>l</code>
<code>ncol</code>	integer Number of 'virtual' columns in data
<code>byrow</code>	logical If <code>ncol > 1</code> how to read in the data

dim	integer vector of dimensions
...	ignored

Functions

- `calibration_mspct()`: Specialization for collections of `calibration_spct` objects.
- `raw_mspct()`: Specialization for collections of `raw_spct` objects.
- `cps_mspct()`: Specialization for collections of `cps_spct` objects.
- `source_mspct()`: Specialization for collections of `source_spct` objects.
- `filter_mspct()`: Specialization for collections of `filter_spct` objects.
- `reflector_mspct()`: Specialization for collections of `reflector_spct` objects.
- `object_mspct()`: Specialization for collections of `object_spct` objects.
- `solute_mspct()`: Specialization for collections of `solute_spct` objects.
- `response_mspct()`: Specialization for collections of `response_spct` objects.
- `chroma_mspct()`: Specialization for collections of `chroma_spct` objects.

Note

Setting `class = source_spct` or `class = source_mspct` makes no difference

Examples

```
filter_mspct(list(polyester.spct, yellow_gel.spct))
```

`getFilterProperties` *Get the "filter.properties" attribute*

Description

Function to read the "filter.properties" attribute of an existing `filter_spct` or a `filter_mspct`.

Usage

```
getFilterProperties(x, return.null, ...)

filter_properties(x, return.null, ...)

## Default S3 method:
getFilterProperties(x, return.null = FALSE, ...)

## S3 method for class 'filter_spct'
getFilterProperties(x, return.null = FALSE, ...)

## S3 method for class 'summary_filter_spct'
```

```
getFilterProperties(x, return.null = FALSE, ...)

## S3 method for class 'generic_mspct'
getFilterProperties(x, return.null = FALSE, ..., idx = "spct.idx")
```

Arguments

x	a filter_spct object
return.null	logical If true, NULL is returned if the attribute is not set, otherwise the expected list is returned with all fields set to NA.
...	Allows use of additional arguments in methods for other classes.
idx	character Name of the column with the names of the members of the collection of spectra.

Value

a list with fields named "Rfr.constant" [1], "thickness" [m] and "attenuation.mode". If the attribute is not set, and return.null is FALSE, a list with fields set to NA is returned, otherwise, NULL.

Methods (by class)

- getFilterProperties(default): default
- getFilterProperties(filter_spct): generic_spct
- getFilterProperties(summary_filter_spct): summary_generic_spct
- getFilterProperties(generic_mspct): filter_mspct

Note

The method for collections of spectra returns the a tibble with a column of lists.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
filter_properties(polyester.spct)
```

getHowMeasured	<i>Get the "how.measured" attribute</i>
----------------	---

Description

Function to read the "how.measured" attribute of an existing generic_spct or a generic_mspct.

Usage

```
getHowMeasured(x, ...)  
  
how_measured(x, ...)  
  
## Default S3 method:  
getHowMeasured(x, ...)  
  
## S3 method for class 'generic_spct'  
getHowMeasured(x, ...)  
  
## S3 method for class 'summary_generic_spct'  
getHowMeasured(x, ...)  
  
## S3 method for class 'generic_mspct'  
getHowMeasured(x, ..., idx = "spct.idx")
```

Arguments

x	a generic_spct object
...	Allows use of additional arguments in methods for other classes.
idx	character Name of the column with the names of the members of the collection of spectra.

Value

character vector An object containing a description of the data.

Methods (by class)

- getHowMeasured(default): default
- getHowMeasured(generic_spct): generic_spct
- getHowMeasured(summary_generic_spct): summary_generic_spct
- getHowMeasured(generic_mspct): generic_mspct

Note

The method for collections of spectra returns the a tibble with a column of character strings.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
how_measured(sun.spct)
```

getIdFactor

Get the "idfactor" attribute

Description

Function to read the idfactor attribute of an existing generic_spct.

Usage

```
getIdFactor(x)
```

```
id_factor(x)
```

Arguments

x a generic_spct object

Value

character

Note

If x is not a generic_spct or an object of a derived class NA is returned.

See Also

Other idfactor attribute functions: [setIdFactor\(\)](#)

Examples

```
id_factor(sun_evening.spct)
```

getInstrDesc	<i>Get the "instr.desc" attribute</i>
--------------	---------------------------------------

Description

Function to read the "instr.desc" attribute of an existing generic_spct object.

Usage

```
getInstrDesc(x)
instr_descriptor(x)
```

Arguments

x a generic_spct object

Value

list (depends on instrument type)

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

getInstrSettings	<i>Get the "instr.settings" attribute</i>
------------------	---

Description

Function to read the "instr.settings" attribute of an existing generic_spct object.

Usage

```
getInstrSettings(x)
instr_settings(x)
```

Arguments

x a generic_spct object

Value

list

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

getKType

Get the "K.type" attribute

Description

Function to read the "K.type" attribute of an existing solute_spct object.

Usage

```
getKType(x)
```

Arguments

x a solute_spct object

Value

character string

Note

If x is not a solute_spct or a summary_solute_spct object, NA is returned.

See Also

Other K attribute functions: [setKType\(\)](#)

Examples

```
print("missing example")
```

getMspctVersion	<i>Get the "mspct.version" attribute</i>
-----------------	--

Description

Function to read the "mspct.version" attribute of an existing generic_mspct object.

Usage

```
getMspctVersion(x)
```

Arguments

x a generic_mspct object

Value

numeric value

Note

if x is not a generic_mspct object, NA is returned, and if the attribute is missing, zero is returned with a warning.

getMultipleWl	<i>Get the "multiple.wl" attribute</i>
---------------	--

Description

Function to query the value of the multiple.wl attribute of an existing generic_spct.

Usage

```
getMultipleWl(x)
```

```
multiple_wl(x)
```

Arguments

x a generic_spct object

Value

integer value, the value of attribute multiple.wl, or NA if the attribute is not set, or if x is not a generic_spct object or an object of a derived class.

See Also

Other multiple.wl attribute functions: [setMultipleWl\(\)](#)

Examples

```
multiple_wl(sun.spct)
multiple_wl(sun_evening.spct)
```

getNormalized

Query the "normalized" and "normalization" attributes

Description

Functions to read the "normalized" and "normalization" attributes of an existing generic_spct object.

Usage

```
getNormalized(x, .force.numeric = FALSE)
```

```
getNormalised(x, .force.numeric = FALSE)
```

```
getNormalization(x)
```

```
getNormalisation(x)
```

Arguments

`x` a generic_spct object.

`.force.numeric` logical If TRUE always silently return a numeric value, with FALSE encoded as zero, and character values as NA.

Details

Spectral data that has been normalized needs to be used differently in computations than data expressed in original units. These two functions make it possible to query if data stored in an object of class generic_spct or of a derived class contains data expressed in physical units or normalized. In the later case, it is possible to also query how the normalization was done.

Value

getNormalized() returns numeric or logical (possibly character for objects created with earlier versions); for collections of spectra, a named list, with one member for each spectrum. If x is not a generic_spct object, NA or a list with fields set to NAs is returned. Objects created with versions of package 'photobiology' earlier than 0.10.8 are lacking the detailed normalization metadata.

getNormalization() returns a list with five fields: norm.type, norm.wl, norm.factors, norm.cols, norm.range. For collections of spectra, a named list of lists, with one member list for each member of the collection of spectra. See [setNormalized\(\)](#) for the values stored in the fields.

Note

getNormalised() is a synonym for this getNormalized() method.

See Also

Other rescaling functions: [fscale\(\)](#), [fshift\(\)](#), [getScaled\(\)](#), [is_normalized\(\)](#), [is_scaled\(\)](#), [normalize\(\)](#), [setNormalized\(\)](#), [setScaled\(\)](#)

Examples

```
getNormalized(sun.spct)
getNormalization(sun.spct)

sun_norm.spct <- normalize(sun.spct)

getNormalized(sun_norm.spct)
getNormalization(sun_norm.spct)

getNormalization(e2q(sun_norm.spct))

gel_norm.spct <- normalize(yellow_gel.spct)

getNormalized(gel_norm.spct)
getNormalization(gel_norm.spct)

getNormalization(T2Afr(gel_norm.spct))
getNormalization(any2A(gel_norm.spct))
```

getScaled

Get the "scaled" attribute

Description

Function to read the "scaled" attribute of an existing generic_spct object.

Usage

```
getScaled(x, .force.list = FALSE)

getScaling(x)
```

Arguments

x	a generic_spct object
.force.list	logical If TRUE always silently return a list, with FALSE encoded field multiplier = 1.

Value

logical

Note

if x is not a filter_spct object, NA is returned

See Also

Other rescaling functions: [fscale\(\)](#), [fshift\(\)](#), [getNormalized\(\)](#), [is_normalized\(\)](#), [is_scaled\(\)](#), [normalize\(\)](#), [setNormalized\(\)](#), [setScaled\(\)](#)

Examples

```
scaled.spct <- fscale(sun.spct)
getScaled(scaled.spct)
```

getSoluteProperties *Get the "solute.properties" attribute*

Description

Function to read the "solute.properties" attribute of an existing solute_spct or a solute_mspct objects.

Usage

```
getSoluteProperties(x, return.null, ...)

solute_properties(x, return.null, ...)

## Default S3 method:
getSoluteProperties(x, return.null = FALSE, ...)

## S3 method for class 'solute_spct'
getSoluteProperties(x, return.null = FALSE, ...)

## S3 method for class 'summary_solute_spct'
getSoluteProperties(x, return.null = FALSE, ...)

## S3 method for class 'solute_mspct'
getSoluteProperties(x, return.null = FALSE, ..., idx = "spct.idx")
```


Arguments

x	solute_spct	A spectrum of coefficients of attenuation.
return.null	logical	If true, NULL is returned if the attribute is not set, otherwise the expected list is returned with all fields set to NA.
...		Allows use of additional arguments in methods for other classes.
idx	character	Name of the column with the names of the members of the collection of spectra.

Value

a list with fields named "mass", "formula", "structure", "name" and "ID". If the attribute is not set, and return.null is FALSE, a list with fields set to NA is returned, otherwise, NULL.

Methods (by class)

- getSoluteProperties(default): default
- getSoluteProperties(solute_spct): solute_spct
- getSoluteProperties(summary_solute_spct): summary_solute_spct
- getSoluteProperties(solute_mspect): solute_mspect

Note

The method for collections of spectra returns the a tibble with a column of lists.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
solute_properties(water.spct)
```

getSpctVersion	<i>Get the "spct.version" attribute</i>
----------------	---

Description

Function to read the "spct.version" attribute of an existing generic_spct object.

Usage

```
getSpctVersion(x)
```

Arguments

x a generic_spct object

Value

integer value

Note

if x is not a generic_spct object, NA is returned, and if it the attribute is missing, zero is returned with a warning.

getTimeUnit	<i>Get the "time.unit" attribute of an existing source_spct object</i>
-------------	--

Description

Function to read the "time.unit" attribute

Usage

```
getTimeUnit(x, force.duration = FALSE)
```

Arguments

x a source_spct object
force.duration logical If TRUE a lubridate::duration is returned even if the object attribute is a character string, if no conversion is possible NA is returned.

Value

character string or a lubridate::duration

Note

if `x` is not a `source_spct` or a `response_spct` object, NA is returned

See Also

Other time attribute functions: [checkTimeUnit\(\)](#), [convertThickness\(\)](#), [convertTimeUnit\(\)](#), [setTimeUnit\(\)](#)

Examples

```
getTimeUnit(sun.spct)
```

getWhatMeasured	<i>Get the "what.measured" attribute</i>
-----------------	--

Description

Function to read the "what.measured" attribute of an existing `generic_spct` or a `generic_mspct`.

Usage

```
getWhatMeasured(x, ...)

what_measured(x, ...)

## Default S3 method:
getWhatMeasured(x, ...)

## S3 method for class 'generic_spct'
getWhatMeasured(x, ...)

## S3 method for class 'summary_generic_spct'
getWhatMeasured(x, ...)

## S3 method for class 'generic_mspct'
getWhatMeasured(x, ..., idx = "spct.idx")
```

Arguments

<code>x</code>	a <code>generic_spct</code> object
<code>...</code>	Allows use of additional arguments in methods for other classes.
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.

Value

character vector An object containing a description of the data.

Methods (by class)

- `getWhatMeasured(default)`: default
- `getWhatMeasured(generic_spct)`: generic_spct
- `getWhatMeasured(summary_generic_spct)`: summary_generic_spct
- `getWhatMeasured(generic_mspct)`: generic_mspct

Note

The method for collections of spectra returns the a tibble with a column of character strings.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
what_measured(sun.spct)
```

<code>getWhenMeasured</code>	<i>Get the "when.measured" attribute</i>
------------------------------	--

Description

Function to read the "when.measured" attribute of an existing generic_spct or a generic_mspct.

Usage

```
getWhenMeasured(x, ...)

when_measured(x, ...)

## Default S3 method:
getWhenMeasured(x, ...)

## S3 method for class 'generic_spct'
getWhenMeasured(x, as.df = FALSE, ...)

## S3 method for class 'summary_generic_spct'
getWhenMeasured(x, ...)

## S3 method for class 'generic_mspct'
getWhenMeasured(x, ..., idx = "spct.idx")
```

Arguments

<code>x</code>	a <code>generic_spct</code> object
<code>...</code>	Allows use of additional arguments in methods for other classes.
<code>as.df</code>	logical If TRUE return a data frame instead of a list, when the value stored in the attribute is a list.
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.

Value

POSIXct An object with date and time.

Methods (by class)

- `getWhenMeasured(default)`: default
- `getWhenMeasured(generic_spct)`: `generic_spct`
- `getWhenMeasured(summary_generic_spct)`: `summary_generic_spct`
- `getWhenMeasured(generic_mspct)`: `generic_mspct`

Note

If `x` is not a `generic_spct` or an object of a derived class NA is returned.

The method for collections of spectra returns the a tibble with the correct times in TZ = "UTC".

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
when_measured(sun.spct)
```

getWhereMeasured *Get the "where.measured" attribute*

Description

Function to read the "where.measured" attribute of an existing generic_spct.

Usage

```
getWhereMeasured(x, ...)

where_measured(x, ...)

## Default S3 method:
getWhereMeasured(x, ...)

## S3 method for class 'generic_spct'
getWhereMeasured(x, ...)

## S3 method for class 'summary_generic_spct'
getWhereMeasured(x, ...)

## S3 method for class 'generic_mspct'
getWhereMeasured(x, ..., idx = "spct.idx", .bind.geocodes = TRUE)
```

Arguments

x	a generic_spct object
...	Allows use of additional arguments in methods for other classes.
idx	character Name of the column with the names of the members of the collection of spectra.
.bind.geocodes	logical In the case of collections of spectra if .bind.geocodes = TRUE, the default, the returned value is a single geocode with one row for each member spectrum. Otherwise the individual geocode data frames are returned in a list column within a tibble.

Value

a data.frame with a single row and at least columns "lon" and "lat", unless expand is set to FALSE.

Methods (by class)

- getWhereMeasured(default): default
- getWhereMeasured(generic_spct): generic_spct
- getWhereMeasured(summary_generic_spct): summary_generic_spct
- getWhereMeasured(generic_mspct): generic_mspct

Note

If `x` is not a `generic_spct` or an object of a derived class NA is returned.

See Also

Other measurement metadata functions: `add_attr2tb()`, `getFilterProperties()`, `getHowMeasured()`, `getInstrDesc()`, `getInstrSettings()`, `getSoluteProperties()`, `getWhatMeasured()`, `getWhenMeasured()`, `get_attributes()`, `isValidInstrDesc()`, `isValidInstrSettings()`, `select_spct_attributes()`, `setFilterProperties()`, `setHowMeasured()`, `setInstrDesc()`, `setInstrSettings()`, `setSoluteProperties()`, `setWhatMeasured()`, `setWhenMeasured()`, `setWhereMeasured()`, `spct_attr2tb()`, `spct_metadata()`, `subset_attributes()`, `trimInstrDesc()`, `trimInstrSettings()`

Examples

```
where_measured(sun.spct)
```

<code>get_attributes</code>	<i>Get the metadata attributes</i>
-----------------------------	------------------------------------

Description

Method returning attributes of an object of class `generic_spct` or derived, or of class `waveband`. Only attributes defined and/or set by package 'photobiology' for objects of the corresponding class are returned. Parameter which can be used to subset the list of attributes.

Usage

```
get_attributes(x, which, ...)

## S3 method for class 'generic_spct'
get_attributes(x, which = NULL, allowed = all.attributes, ...)

## S3 method for class 'source_spct'
get_attributes(x, which = NULL, ...)

## S3 method for class 'filter_spct'
get_attributes(x, which = NULL, ...)

## S3 method for class 'reflector_spct'
get_attributes(x, which = NULL, ...)

## S3 method for class 'object_spct'
get_attributes(x, which = NULL, ...)

## S3 method for class 'solute_spct'
get_attributes(x, which = NULL, ...)
```

```
## S3 method for class 'waveband'
get_attributes(x, which = NULL, ...)
```

Arguments

x	a generic_spct object.
which	character vector Names of attributes to retrieve.
...	currently ignored
allowed	character vector Names of attributes accepted by which.

Details

Vectors of character strings passed as argument to which are parsed so that if the first member string is "-" the remaining members are removed from the allowed; and if it is "=" the remaining members are used if in allowed. If the first member is none of these three strings, the behaviour is the same as if the first string is "=". If which is NULL all the attributes in allowed are used. The string "" means no attributes, and has precedence over any other values in the character vector. The order of the names of annotations has no meaning: the vector is interpreted as a set except for the three possible "operators" at position 1.

Value

Named list of attribute values.

Methods (by class)

- get_attributes(generic_spct): generic_spct
- get_attributes(source_spct): source_spct
- get_attributes(filter_spct): filter_spct
- get_attributes(reflector_spct): reflector_spct
- get_attributes(object_spct): object_spct
- get_attributes(solute_spct): solute_spct
- get_attributes(waveband): waveband

See Also

[select_spct_attributes](#)

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

`get_peaks`*Get peaks and valleys in a spectrum*

Description

These functions find peaks (local maxima) or valleys (local minima) in a spectrum, using a user selectable size threshold relative to the tallest peak (global maximum). This a wrapper built on top of function `peaks` from package `splus2R`.

Usage

```
get_peaks(  
  x,  
  y,  
  ignore_threshold = 0,  
  span = 5,  
  strict = TRUE,  
  x_unit = "",  
  x_digits = 3,  
  na.rm = FALSE  
)
```

```
get_valleys(  
  x,  
  y,  
  ignore_threshold = 0,  
  span = 5,  
  strict = TRUE,  
  x_unit = "",  
  x_digits = 3,  
  na.rm = FALSE  
)
```

Arguments

<code>x</code>	numeric
<code>y</code>	numeric
<code>ignore_threshold</code>	numeric Value between 0.0 and 1.0 indicating the relative size compared to tallest peak threshold below which peaks will be ignored. Negative values set a threshold so that the tallest peaks are ignored, instead of the shortest.
<code>span</code>	integer A peak is defined as an element in a sequence which is greater than all other elements within a window of width <code>span</code> centered at that element. Use <code>NULL</code> for the global peak.
<code>strict</code>	logical If <code>TRUE</code> , an element must be strictly greater than all other values in its window to be considered a peak.

x_unit	character Vector of texts to be pasted at end of labels built from x value at peaks.
x_digits	numeric Number of significant digits in wavelength label.
na.rm	logical indicating whether NA values should be stripped before searching for peaks.

Value

A data frame with variables w.length and s.irrad with their values at the peaks or valleys plus a character variable of labels.

See Also

Other peaks and valleys functions: [find_peaks\(\)](#), [find_spikes\(\)](#), [peaks\(\)](#), [replace_bad_pixs\(\)](#), [spikes\(\)](#), [valleys\(\)](#), [wls_at_target\(\)](#)

Examples

```
with(sun.spct, get_peaks(w.length, s.e.irrad))
with(sun.spct, get_valleys(w.length, s.e.irrad))
```

green_leaf.spct *Green birch leaf reflectance.*

Description

A dataset of spectral reflectance expressed as a fraction of one.

Usage

```
green_leaf.spct
```

Format

A reflector_spct object with 226 rows and 2 variables

Details

- w.length (nm)
- Rfr (0..1)

References

Aphalo, P. J. & Lehto, T. Effects of light quality on growth and N accumulation in birch seedlings
Tree Physiology, 1997, 17, 125-132

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
green_leaf.spct
```

head_tail	<i>Return the First and Last Parts of an Object</i>
-----------	---

Description

Returns the first and last "parts" (rows or members) of a spectrum, dataframe, vector, function, table or ftable. In other words, the combined output from methods head and tail.

Usage

```
head_tail(x, n, ...)

## Default S3 method:
head_tail(x, n = 3L, ...)

## S3 method for class 'data.frame'
head_tail(x, n = 3L, ...)

## S3 method for class 'matrix'
head_tail(x, n = 3L, ...)

## S3 method for class '`function`'
head_tail(x, n = 6L, ...)

## S3 method for class 'table'
head_tail(x, n = 6L, ...)

## S3 method for class 'ftable'
head_tail(x, n = 6L, ...)
```

Arguments

x	an R object.
n	integer. If positive, n rows or members in the returned object are copied from each of "head" and "tail" of x. If negative, all except n elements of x from each of "head" and "tail" are returned.
...	arguments to be passed to or from other methods.

Details

The value returned by `head_tail()` is equivalent to row binding the the values returned by `head()` and `tail()`, although not implemented in this way. The same specializations as defined in package 'utils' for `head()` and `tail()` have been implemented.

Value

An object (usually) like `x` but smaller, except when `n = 0`. For `fable` objects `x`, a transformed `format(x)`.

Methods (by class)

- `head_tail(default)`:
- `head_tail(data.frame)`:
- `head_tail(matrix)`:
- `head_tail(`function`)`:
- `head_tail(table)`:
- `head_tail(fable)`:

Note

For some types of input, like functions, the output may be confusing, however, we have opted for consistency with existing functions. The code is in part a revision of that of `head()` and `tail()` from package 'utils'. This method is especially useful when checking spectral data, as both ends are of interest.

`head_tail()` methods for function, table and fable classes, are wrappers for `head()` method.

See Also

[head](#), and compare the examples and the values returned to the examples below.

Examples

```
head_tail(1:20)
head_tail(1:20, 12)
head_tail(1:20, -7)
head_tail(1:20, -10)
head_tail(letters)
head_tail(sun.spct)
head_tail(sun.spct, 6)
head_tail(sun.data)
head_tail(as.matrix(sun.data))
head_tail(sun_evening.spct)
head_tail(sun_evening.mspct, 1L)
```

illuminance

*Irradiance***Description**

Computes illuminance (lux), or the luminous flux incident on a surface, from spectral irradiance stored in a `source_spct` object.

Usage

```
illuminance(spct, std, scale.factor, allow.scaled, ...)
```

```
## Default S3 method:
```

```
illuminance(spct, std, scale.factor, allow.scaled, ...)
```

```
## S3 method for class 'source_spct'
```

```
illuminance(
  spct,
  std = "CIE2deg",
  scale.factor = 1,
  allow.scaled = FALSE,
  naming = "default",
  ...
)
```

```
## S3 method for class 'source_mspct'
```

```
illuminance(
  spct,
  std = "CIE2deg",
  scale.factor = 1,
  allow.scaled = FALSE,
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

<code>spct</code>	an R object.
<code>std</code>	character The luminous efficiency function to use, "CIE2deg" or "CIE10deg".
<code>scale.factor</code>	numeric vector of length 1, or the character string exposure.
<code>allow.scaled</code>	logical indicating whether scaled or normalized spectra as argument to <code>spct</code> are flagged as an error.

...	other arguments (possibly ignored)
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
attr2tb	character vector, see <code>add_attr2tb</code> for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code> .
.paropts	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector of length one in the case of methods for individual spectra. A `data.frame` in the case of collections of spectra, containing one column with illuminance, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

The `time.unit` attribute is always second. Units are as follows: if `time.unit` of the argument passed to `spct` is second, $[W\ m^{-2}\ nm^{-1}] \rightarrow [lx]$, otherwise average value $[lx]$ for the period unless `exposure = TRUE`.

Methods (by class)

- `illuminance(default)`: Default for generic function
- `illuminance(source_spct)`: Calculates illuminance from a `source_spct` object.
- `illuminance(source_mspct)`: Calculates illuminance from a `source_mspct` object.

Note

Formal parameter `allow.scaled` is used internally for calculation of ratios, as rescaling and normalization do not invalidate the calculation of ratios within one spectrum.

References

Stockman, A. (2019) Cone fundamentals and CIE standards. *Current Opinion in Behavioral Sciences*, 30, 87-93. [doi:10.1016/j.cobeha.2019.06.005](https://doi.org/10.1016/j.cobeha.2019.06.005)

Examples

```
illuminance(sun.spct)
illuminance(sun.daily.spct)
illuminance(sun.daily.spct, scale.factor = "exposure")
illuminance(sun.daily.spct, scale.factor = 1e-3)
```

insert_hinges	<i>Insert wavelength values into spectral data.</i>
---------------	---

Description

Inserting wavelengths values immediately before and after a discontinuity in the SWF, greatly reduces the errors caused by interpolating the weighted irradiance during integration of the effective spectral irradiance. This is specially true when data have a large wavelength step size.

Usage

```
insert_hinges(x, y, h)
```

Arguments

x	numeric vector (sorted in increasing order)
y	numeric vector
h	a numeric vector giving the wavelengths at which the y values should be inserted by interpolation, no interpolation is indicated by an empty vector (numeric(0))

Value

a data.frame with variables x and y. Unless the hinge values were already present in y, each inserted hinge, expands the vectors returned in the data frame by one value.

Note

Insertion is a costly operation but I have tried to optimize this function as much as possible by avoiding loops. Earlier this function was implemented in C++, but a bug was discovered and I have now rewritten it using R.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.data,
     insert_hinges(w.length, s.e.irrad,
                   c(399.99, 400.00, 699.99, 700.00)))
```

insert_spct_hinges *Insert new wavelength values into a spectrum*

Description

Insert new wavelength values into a spectrum interpolating the corresponding spectral data values.

Usage

```
insert_spct_hinges(spct, hinges = NULL, byref = FALSE)
```

Arguments

spct	an object of class "generic_spct"
hinges	numeric vector of wavelengths (nm) at which the s.irrad should be inserted by interpolation, no interpolation is indicated by an empty vector (numeric(0))
byref	logical indicating if new object will be created by reference or by copy of spct

Value

a generic_spct or a derived type with variables w. length and other numeric variables.

Note

Inserting wavelengths values "hinges" immediately before and after a discontinuity in the SWF, greatly reduces the errors caused by interpolating the weighted irradiance during integration of the effective spectral irradiance. This is specially true when data has a large wavelength step size.

Examples

```
insert_spct_hinges(sun.spct, c(399.99,400.00,699.99,700.00))
insert_spct_hinges(sun.spct,
                   c(199.99,200.00,399.50,399.99,400.00,699.99,
                     700.00,799.99,1000.00))
```

integrate_spct *Integrate spectral data.*

Description

This function gives the result of integrating spectral data over wavelengths.

Usage

```
integrate_spct(spct)
```


Arguments

spct generic_spct

Value

One or more numeric values with no change in scale factor: e.g. [W m-2 nm-1] -> [W m-2]. Each value in the returned vector corresponds to a variable in the spectral object, except for wavelength. For non-numeric variables the returned value is NA.

Examples

```
integrate_spct(sun.spct)
```

integrate_xy	<i>Gives irradiance from spectral irradiance.</i>
--------------	---

Description

This function gives the result of integrating spectral irradiance over wavelengths.

Usage

```
integrate_xy(x, y)
```

Arguments

x numeric vector.
y numeric vector.

Value

a single numeric value with no change in scale factor: e.g. [W m-2 nm-1] -> [W m-2]

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.data, integrate_xy(w.length, s.e.irrad))
```

interpolate_spct *Map a spectrum to new wavelength values.*

Description

This function gives the result of interpolating spectral data from the original set of wavelengths to a new one.

Usage

```
interpolate_spct(spct, w.length.out = NULL, fill = NA, length.out = NULL)
```

```
interpolate_mspct(
  mspct,
  w.length.out = NULL,
  fill = NA,
  length.out = NULL,
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

spct	generic_spct
w.length.out	numeric vector of wavelengths (nm)
fill	a value to be assigned to out of range wavelengths
length.out	numeric value
mspct	an object of class "generic_mspct"
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

If length.out it is a numeric value, then gives the number of rows in the output, if it is NULL, the values in the numeric vector w.length.out are used. If both are not NULL then the range of w.length.out and length.out are used to generate a vector of wavelength. A value of NULL for fill prevents extrapolation. If both w.length.out and length.out are NULL the input is returned as is. If w.length.out has length equal to zero, zero rows from the input are returned.

Value

A new spectral object of the same class as argument spct.

Note

The default `fill = NA` fills extrapolated values with NA. Giving `NULL` as argument for `fill` deletes wavelengths outside the input data range from the returned spectrum. A numerical value can be also provided as `fill`. This function calls `interpolate_spectrum` for each non-wavelength column in the input spectra object.

Examples

```
interpolate_spct(sun.spct, 400:500, NA)
interpolate_spct(sun.spct, 400:500, NULL)
interpolate_spct(sun.spct, seq(200, 1000, by=0.1), 0)
interpolate_spct(sun.spct, c(400,500), length.out=201)
```

`interpolate_spectrum` *Calculate spectral values at a different set of wavelengths*

Description

Interpolate/re-express spectral irradiance (or other spectral quantity) values at new wavelengths values. This is a low-level function operating on numeric vectors and called by higher level functions in the package, such as mathematical operators for classes for spectral data.

Usage

```
interpolate_spectrum(w.length.in, s.irrad, w.length.out, fill = NA, ...)
```

Arguments

<code>w.length.in</code>	numeric vector of wavelengths (nm).
<code>s.irrad</code>	a numeric vector of spectral values.
<code>w.length.out</code>	numeric vector of wavelengths (nm).
<code>fill</code>	a value to be assigned to out of range wavelengths.
<code>...</code>	additional arguments passed to <code>spline()</code> .

Value

a numeric vector of interpolated spectral values.

Note

The current version of `interpolate` uses `spline` if fewer than 25 data points are available. Otherwise it uses `approx`. In the first case a cubic spline is used, in the second case linear interpolation, which should be faster.

See Also

[splinefun](#).

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
my.w.length <- 300:700
with(sun.data, interpolate_spectrum(w.length, s.e.irrad, my.w.length))
```

interpolate_wl	<i>Map spectra to new wavelength values.</i>
----------------	--

Description

This function returns the result of interpolating spectral data from the original set of wavelengths to a new one.

Usage

```
interpolate_wl(x, w.length.out, fill, length.out, ...)

## Default S3 method:
interpolate_wl(x, w.length.out, fill, length.out, ...)

## S3 method for class 'generic_spct'
interpolate_wl(x, w.length.out = NULL, fill = NA, length.out = NULL, ...)

## S3 method for class 'generic_mspct'
interpolate_wl(
  x,
  w.length.out = NULL,
  fill = NA,
  length.out = NULL,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

<code>x</code>	an R object
<code>w.length.out</code>	numeric vector of wavelengths (nm)
<code>fill</code>	a value to be assigned to out of range wavelengths
<code>length.out</code>	numeric value
<code>...</code>	not used
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by foreach
<code>.paropts</code>	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

If `length.out` it is a numeric value, then gives the number of rows in the output, if it is NULL, the values in the numeric vector `w.length.out` are used. If both are not NULL then the range of `w.length.out` and `length.out` are used to generate a vector of wavelength. A value of NULL for `fill` prevents extrapolation.

Value

A new spectral object of the same class as argument `spct`.

Methods (by class)

- `interpolate_wl(default)`: Default for generic function
- `interpolate_wl(generic_spct)`: Interpolate wavelength in an object of class "generic_spct" or derived.
- `interpolate_wl(generic_mspct)`: Interpolate wavelength in an object of class "generic_mspct" or derived.

Note

The default `fill = NA` fills extrapolated values with NA. Giving NULL as argument for `fill` deletes wavelengths outside the input data range from the returned spectrum. A numerical value can be also be provided as `fill`. This function calls `interpolate_spectrum` for each non-wavelength column in the input spectra object.

Examples

```
interpolate_wl(sun.spct, 400:500, NA)
interpolate_wl(sun.spct, 400:500, NULL)
interpolate_wl(sun.spct, seq(200, 1000, by=0.1), 0)
interpolate_wl(sun.spct, c(400,500), length.out=201)
```

`irrad`*Irradiance*

Description

This function returns the irradiance for a given waveband of a light source spectrum.

Usage

```
irrad(  
  spct,  
  w.band,  
  unit.out,  
  quantity,  
  time.unit,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  allow.scaled,  
  ...  
)
```

```
## Default S3 method:
```

```
irrad(  
  spct,  
  w.band,  
  unit.out,  
  quantity,  
  time.unit,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  allow.scaled,  
  ...  
)
```

```
## S3 method for class 'source_spct'
```

```
irrad(  
  spct,  
  w.band = NULL,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  quantity = "total",  
  time.unit = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
```

```

    use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
    use.hinges = NULL,
    allow.scaled = !quantity %in% c("average", "mean", "total"),
    naming = "default",
    return.tb = FALSE,
    ...
)

## S3 method for class 'source_mspct'
irrad(
  spct,
  w.band = NULL,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
  use.hinges = NULL,
  allow.scaled = !quantity %in% c("average", "mean", "total"),
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>spct</code>	an R object.
<code>w.band</code>	waveband or list of waveband objects The waveband(s) determine the region(s) of the spectrum that are summarized.
<code>unit.out</code>	character Allowed values "energy", and "photon", or its alias "quantum".
<code>quantity</code>	character string One of "total", "average" or "mean", "contribution", "contribution.pc", "relative" or "relative.pc".
<code>time.unit</code>	character or lubridate::duration object.
<code>scale.factor</code>	numeric vector of length 1, or length equal to that of <code>w.band</code> . Numeric multiplier applied to returned values.
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
<code>use.cached.mult</code>	logical indicating whether multiplier values should be cached between calls.
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands. If NULL, default is chosen based on data.

<code>allow.scaled</code>	logical indicating whether scaled or normalized spectra as argument to <code>spct</code> are flagged as an error.
<code>...</code>	other arguments (possibly ignored)
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>return.tb</code>	logical Flag forcing a tibble to be always returned, even for a single spectrum as argument to <code>spct</code> . The default is FALSE for backwards compatibility.
<code>attr2tb</code>	character vector, see add_attr2tb for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code> .
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of a `_spct` object containing a single spectrum and `return.tb = FALSE`. The vector has one member one value for each waveband passed to parameter `w.band`. In all other cases a tibble, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

If `naming = "long"` the names generated reflect both quantity and waveband, if `naming = "short"`, names are based only on the wavebands, and if `naming = "none"` the returned vector has no names.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used. The `time.unit` attribute is copied from the spectrum object to the output. Units are as follows: If `time.unit` is second, $[W\ m^{-2}\ nm^{-1}] \rightarrow [mol\ s^{-1}\ m^{-2}]$ or $[W\ m^{-2}\ nm^{-1}] \rightarrow [W\ m^{-2}]$ If `time.unit` is day, $[J\ d^{-1}\ m^{-2}\ nm^{-1}] \rightarrow [mol\ d^{-1}\ m^{-2}]$ or $[J\ d^{-1}\ m^{-2}\ nm^{-1}] \rightarrow [J\ m^{-2}]$

Methods (by class)

- `irrad(default)`: Default for generic function
- `irrad(source_spct)`: Calculates irradiance from a `source_spct` object.
- `irrad(source_mspct)`: Calculates irradiance from a `source_mspct` object.

Note

Formal parameter `allow.scaled` is used internally for calculation of ratios, as rescaling and normalization do not invalidate the calculation of ratios.

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other irradiance functions: [e_fluence\(\)](#), [e_irrad\(\)](#), [fluence\(\)](#), [q_fluence\(\)](#), [q_irrad\(\)](#)

Examples

```
irrad(sun.spct, waveband(c(400,700)))
irrad(sun.spct, waveband(c(400,700)), "energy")
irrad(sun.spct, waveband(c(400,700)), "photon")
irrad(sun.spct, split_bands(c(400,700), length.out = 3))
irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "total")
irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "average")
irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "relative")
irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "relative.pc")
irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "contribution")
irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "contribution.pc")
```

irradiance	<i>Photon or energy irradiance from spectral energy or photon irradiance.</i>
------------	---

Description

Energy or photon irradiance for one or more wavebands of a radiation spectrum.

Usage

```
irradiance(
  w.length,
  s.irrad,
  w.band = NULL,
  unit.out = NULL,
  unit.in = "energy",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)
```

Arguments

<code>w.length</code>	numeric Vector of wavelength [<i>nm</i>].
<code>s.irrad</code>	numeric vector of spectral (energy) irradiances [$W m^{-2} nm^{-1}$].
<code>w.band</code>	waveband or list of waveband objects The waveband(s) determine the region(s) of the spectrum that are summarized.
<code>unit.out, unit.in</code>	character Allowed values "energy", and "photon", or its alias "quantum".
<code>check.spectrum</code>	logical Flag indicating whether to sanity check input data, default is TRUE.
<code>use.cached.mult</code>	logical Flag indicating whether multiplier values should be cached between calls.
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

A single numeric value or a vector of numeric values with no change in scale factor: [$mol s^{-1} sm^{-2} nm^{-1}$] yields [$mol s^{-1} sm^{-2}$]

Note

The last three parameters control speed optimizations. The defaults should be suitable in most cases. If you set `check.spectrum=FALSE` then you should call `check_spectrum()` at least once for your spectrum before using any of the other functions. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector. There is no reason for setting `use.cpp.code=FALSE` other than for testing the improvement in speed, or in cases where there is no suitable C++ compiler for building the package.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.data, irradiance(w.length, s.e.irrad, new_waveband(400,700), "photon"))
```

irrad_extraterrestrial
Extraterrestrial irradiance

Description

Estimate of down-welling solar (short wave) irradiance at the top of the atmosphere above a location on Earth, computed based on angles, Sun-Earth distance and the solar constant. Astronomical computations are done with function `sun_angles()`.

Usage

```
irrad_extraterrestrial(  
  time = lubridate::now(tzone = "UTC"),  
  tz = lubridate::tz(time),  
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),  
  solar.constant = "NASA"  
)
```

Arguments

<code>time</code>	A "vector" of POSIXct Time, with any valid time zone (TZ) is allowed, default is current time.
<code>tz</code>	character string indicating time zone to be used in output.
<code>geocode</code>	data frame with variables <code>lon</code> and <code>lat</code> as numeric values (degrees), <code>nrow > 1</code> , allowed.
<code>solar.constant</code>	numeric or character If character, "WMO" or "NASA", if numeric, an irradiance value in the same units as the value to be returned.

Value

Numeric vector of extraterrestrial irradiance (in W / m² if solar constant is a character value).

See Also

Function [sun_angles](#).

Examples

```
library(lubridate)  
  
irrad_extraterrestrial(ymd_hm("2021-06-21 12:00", tz = "UTC"))  
  
irrad_extraterrestrial(ymd_hm("2021-12-21 20:00", tz = "UTC"))  
  
irrad_extraterrestrial(ymd_hm("2021-06-21 00:00", tz = "UTC") + hours(1:23))
```

is.generic_mspct *Query class of spectrum objects*

Description

Functions to check if an object is of a given type of spectrum, or coerce it if possible.

Usage

is.generic_mspct(x)

is.calibration_mspct(x)

is.raw_mspct(x)

is.cps_mspct(x)

is.source_mspct(x)

is.response_mspct(x)

is.filter_mspct(x)

is.reflector_mspct(x)

is.object_mspct(x)

is.solute_mspct(x)

is.chroma_mspct(x)

is.any_mspct(x)

Arguments

x an R object.

Value

These functions return TRUE if its argument is a of the queried type of spectrum and FALSE otherwise.

Note

Derived types also return TRUE for a query for a base type such as generic_mspct.

Examples

```
my.mspect <- filter_mspect(list(polyester.spct, yellow_gel.spct))
is.any_mspect(my.mspect)
is.filter_mspect(my.mspect)
is.source_mspect(my.mspect)
```

is.generic_spct	<i>Query class of spectrum objects</i>
-----------------	--

Description

Functions to query whether an object is of a given type of spectrum.

Usage

```
is.generic_spct(x)
is.raw_spct(x)
is.calibration_spct(x)
is.cps_spct(x)
is.source_spct(x)
is.response_spct(x)
is.filter_spct(x)
is.reflector_spct(x)
is.object_spct(x)
is.solute_spct(x)
is.chroma_spct(x)
is.any_spct(x)
```

Arguments

x an R object.

Value

A logical value, TRUE if the argument passed to x is an object of the queried type of spectrum and FALSE otherwise.

Note

Derived types also return TRUE for a query for a base type such as generic_spct, following R's practice.

Examples

```
is.source_spct(sun.spct)
is.filter_spct(sun.spct)
is.generic_spct(sun.spct)
is.generic_spct(sun.spct)
```

```
is.source_spct(sun.spct)
is.filter_spct(sun.spct)
is.generic_spct(sun.spct)
is.generic_spct(sun.spct)
```

is.old_spct

Query if an object has old class names

Description

Query if an object has old class names Query if an object has old class names as used in photobiology ($\geq 0.6.0$).

Usage

```
is.old_spct(object)
```

Arguments

object an R object

Value

logical

See Also

Other upgrade from earlier versions: [upgrade_spct\(\)](#), [upgrade_spectra\(\)](#)

is.solar_time	<i>Query class</i>
---------------	--------------------

Description

Query class

Usage

```
is.solar_time(x)
```

```
is.solar_date(x)
```

Arguments

x an R object.

See Also

Other Local solar time functions: [as.solar_date\(\)](#), [print.solar_time\(\)](#), [solar_time\(\)](#)

is.summary_generic_spct	<i>Query class of spectrum summary objects</i>
-------------------------	--

Description

Functions to check if an object is of a given type of spectrum, or coerce it if possible.

Usage

```
is.summary_generic_spct(x)
```

```
is.summary_raw_spct(x)
```

```
is.summary_cps_spct(x)
```

```
is.summary_source_spct(x)
```

```
is.summary_response_spct(x)
```

```
is.summary_filter_spct(x)
```

```
is.summary_reflector_spct(x)
```

```
is.summary_object_spct(x)
```

```
is.summary_solute_spct(x)
```

```
is.summary_chroma_spct(x)
```

```
is.any_summary_spct(x)
```

Arguments

x an R object.

Value

These functions return TRUE if its argument is a of the queried type of spectrum and FALSE otherwise.

Note

Derived types also return TRUE for a query for a base type such as generic_spct.

Examples

```
sm <- summary(sun.spct)
is.summary_source_spct(sm)
```

is.waveband	<i>Query if it is a waveband</i>
-------------	----------------------------------

Description

Functions to check if an object is waveband.

Usage

```
is.waveband(x)
```

Arguments

x any R object

Value

is.waveband returns TRUE if its argument is a waveband and FALSE otherwise.

isValidInstrDesc *Check the "instr.desc" attribute*

Description

Function to validate the "instr.settings" attribute of an existing generic_spct object.

Usage

```
isValidInstrDesc(x)
```

Arguments

x a generic_spct object

Value

logical TRUE if at least instrument name and serial number is found.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

isValidInstrSettings *Check the "instr.settings" attribute*

Description

Function to validate the "instr.settings" attribute of an existing generic_spct object.

Usage

```
isValidInstrSettings(x)
```

Arguments

x a generic_spct object

Value

logical TRUE if at least integration time data is found.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

is_absorbance_based *Query if a spectrum contains absorbance or transmittance data*

Description

Functions to query if an filter spectrum contains spectral absorbance data or spectral transmittance data.

Usage

```
is_absorbance_based(x)
```

```
is_absorptance_based(x)
```

```
is_transmittance_based(x)
```

Arguments

x an R object

Value

`is_absorbance_based` returns a logical value, TRUE if its argument is a `filter_spct` object that contains spectral absorbance data and FALSE otherwise, but returns NA for any other R object, including those belonging other `generic_spct`-derived classes.

`is_absorptance_based` returns a logical value, if its argument is a `filter_spct` object, TRUE if it contains data as spectral absorptance and FALSE otherwise, but returns NA for any other R object, including those belonging other `generic_spct`-derived classes.

`is_transmittance_based` returns TRUE if its argument is a `filter_spct` object that contains spectral transmittance data and FALSE if it does not contain such data, but returns NA for any other R object, including those belonging other `generic_spct`-derived classes.

See Also

Other query units functions: [is_mole_based\(\)](#), [is_photon_based\(\)](#)

Examples

```
is_absorbance_based(polyester.spct)
my.spct <- T2A(polyester.spct)
is_filter_spct(my.spct)
is_absorbance_based(my.spct)

is_absorptance_based(polyester.spct)

is_transmittance_based(polyester.spct)
```

is_effective	<i>Is an R object "effective"</i>
--------------	-----------------------------------

Description

A generic function for querying if a biological spectral weighting function (BSWF) has been applied to an object or is included in its definition.

Usage

```
is_effective(x)

## Default S3 method:
is_effective(x)

## S3 method for class 'waveband'
is_effective(x)

## S3 method for class 'generic_spct'
is_effective(x)

## S3 method for class 'source_spct'
is_effective(x)

## S3 method for class 'summary_generic_spct'
is_effective(x)

## S3 method for class 'summary_source_spct'
is_effective(x)
```

Arguments

x an R object

Value

A logical.

Methods (by class)

- `is_effective(default)`: Default method.
- `is_effective(waveband)`: Is a waveband object defining a method for calculating effective irradiance.
- `is_effective(generic_spct)`: Does a source_spct object contain effective spectral irradiance values.
- `is_effective(source_spct)`: Does a source_spct object contain effective spectral irradiance values.
- `is_effective(summary_generic_spct)`: Method for "summary_generic_spct".
- `is_effective(summary_source_spct)`: Method for "summary_source_spct".

See Also

Other waveband attributes: [labels\(\)](#), [normalization\(\)](#)

Examples

```
is_effective(summary(sun.spct))
```

is_mole_based

Query if a spectrum contains mole or mass based data

Description

Functions to check if an solute attenuation spectrum contains coefficients on expressed on mole of mass base.

Usage

```
is_mole_based(x)
```

```
is_mass_based(x)
```

Arguments

x an R object

Value

`is_mole_based` returns TRUE if its argument is a `solute_spct` object that contains spectral `K.mole` data and FALSE if it contains `K.mass` data, but returns NA for any other R object, including those belonging other `generic_spct`-derived classes. `is_mass_based` returns the complement of `is_mole_based`.

See Also

Other query units functions: [is_absorbance_based\(\)](#), [is_photon_based\(\)](#)

Examples

```
print("missing example")
```

is_normalized	<i>Query whether a generic spectrum has been normalized.</i>
---------------	--

Description

This function tests a `generic_spct` object for an attribute that signals whether the spectral data has been normalized or not after the object was created.

Usage

```
is_normalized(x)
```

```
is_normalised(x)
```

Arguments

`x` An R object.

Value

A logical value indicating if `x` is normalized or not, for collections of spectra, a named list with logicals as members. If `x` is not a `generic_spct` or `generic_mspect` object the value returned is `NA`.

Note

`is_normalised()` is a synonym for this `is_normalized()` method.

See Also

Other rescaling functions: [fscale\(\)](#), [fshift\(\)](#), [getNormalized\(\)](#), [getScaled\(\)](#), [is_scaled\(\)](#), [normalize\(\)](#), [setNormalized\(\)](#), [setScaled\(\)](#)

is_photon_based	<i>Query if a spectrum contains photon- or energy-based data.</i>
-----------------	---

Description

Functions to query if source_spct and response_spct objects contain photon-based or energy-based data.

Usage

```
is_photon_based(x)
```

```
is_energy_based(x)
```

Arguments

x any R object

Value

is_photon_based returns a logical value, TRUE if its argument is a source_spct or a response_spct object that contains photon base data and FALSE otherwise, but returns NA for any other R object, including those belonging other generic_spct-derived classes.

is_energy_based returns a logical value, TRUE if its argument is a source_spct or a response_spct object that contains energy base data and FALSE otherwise, but returns NA for any other R object, including those belonging other generic_spct-derived classes

See Also

Other query units functions: [is_absorbance_based\(\)](#), [is_mole_based\(\)](#)

Examples

```
colnames(sun.spct)
is_photon_based(sun.spct)
my.spct <- sun.spct[ , c("w.length", "s.e.irrad")]
is.source_spct(my.spct)
is_photon_based(my.spct)

colnames(sun.spct)
is_energy_based(sun.spct)
my.spct <- sun.spct[ , c("w.length", "s.q.irrad")]
is.source_spct(my.spct)
is_energy_based(my.spct)
```

`is_scaled`*Query whether a generic spectrum has been scaled*

Description

This function tests a `generic_spect` object for an attribute that signals whether the spectral data has been rescaled or not after the object was created.

Usage

```
is_scaled(x)
```

Arguments

`x` An R object.

Value

A logical value. If `x` is not scaled or `x` is not a `generic_spect` object the value returned is `FALSE`.

See Also

Other rescaling functions: [fscale\(\)](#), [fshift\(\)](#), [getNormalized\(\)](#), [getScaled\(\)](#), [is_normalized\(\)](#), [normalize\(\)](#), [setNormalized\(\)](#), [setScaled\(\)](#)

Examples

```
scaled.spect <- fscale(sun.spect)
is_scaled(sun.spect)
is_scaled(scaled.spect)
```

`is_tagged`*Query if a spectrum is tagged*

Description

Functions to check if an `spect` object contains tags.

Usage

```
is_tagged(x)
```

Arguments

`x` any R object

Value

is_tagged returns a logical value, TRUE if its argument is a spectrum that contains tags and FALSE if it is an untagged spectrum, but returns NA for any other R object.

See Also

Other tagging and related functions: [tag\(\)](#), [untag\(\)](#), [wb2rect_spect\(\)](#), [wb2spect\(\)](#), [wb2tagged_spect\(\)](#)

Examples

```
is_tagged(sun.spect)
```

join_mspct	<i>Join all spectra in a collection</i>
------------	---

Description

Join all the spectra contained in a homogeneous collection, returning a data frame with spectral-data columns named according to the names of the spectra in the collection. By default a full join is done within the overlapping range of wavelengths, after interpolating the spectra to a shared set of wavelength values, and discarding data for wavelength not shared. Alternatively, filling the spectral data for wavelengths outside the overlapping range with NA when data is not available.

Usage

```
join_mspct(x, type, ...)

## Default S3 method:
join_mspct(x, type = "full", ...)

## S3 method for class 'generic_mspct'
join_mspct(x, type = "full", col.name, validate.names = TRUE, ...)

## S3 method for class 'source_mspct'
join_mspct(x, type = "full", unit.out = "energy", validate.names = TRUE, ...)

## S3 method for class 'response_mspct'
join_mspct(x, type = "full", unit.out = "energy", validate.names = TRUE, ...)

## S3 method for class 'filter_mspct'
join_mspct(
  x,
  type = "full",
  qty.out = "transmittance",
  validate.names = TRUE,
  ...
)
```



```

)

## S3 method for class 'reflector_mspct'
join_mspct(x, type = "full", validate.names = TRUE, ...)

## S3 method for class 'object_mspct'
join_mspct(x, type = "full", qty.out, validate.names = TRUE, ...)

## S3 method for class 'solute_mspct'
join_mspct(x, type = "full", validate.names = TRUE, ...)

```

Arguments

x	generic_mspct object, or an object of a class derived from generic_mspct.
type	character Type of join: "inner" (default) or "full". See details for more information.
...	ignored (possibly used by derived methods).
col.name	character, name of the column in the spectra to be preserved, in addition to "w.length".
validate.names	logical A flag to enable (default) or disable validation of column names with make.names .
unit.out	character Allowed values "energy", and "photon", or its alias "quantum".
qty.out	character Allowed values "transmittance", "absorptance", and "absorbance" and in the method for object_spct, also "reflectance" (.).

Value

A data.frame with the spectra joined by, possibly interpolated, wavelength, with rows sorted by wavelength (variable w.length) and data columns named according to the names of members in x, by default made unique and valid.

Methods (by class)

- join_mspct(default):
- join_mspct(generic_mspct):
- join_mspct(source_mspct):
- join_mspct(response_mspct):
- join_mspct(filter_mspct):
- join_mspct(reflector_mspct):
- join_mspct(object_mspct):
- join_mspct(solute_mspct):

Note

Currently only generic_spct, source_mspct, response_mspct, filter_mspct, reflector_mspct, object_mspct and solute_mspct classes have this method implemented.

Examples

```
my.mspect <- solute_mspect(list(water = water.spct, pha = phenylalanine.spct))
join_mspect(my.mspect, type = "inner")
join_mspect(my.mspect, type = "full")
```

labels

Find labels from "waveband" object

Description

A method specialization that extracts the name and label of objects of class waveband.

Usage

```
## S3 method for class 'waveband'
labels(object, ...)

## S3 method for class 'generic_spct'
labels(object, ...)
```

Arguments

object	an object of class "waveband"
...	not used in current version

Methods (by class)

- labels(generic_spct):

See Also

Other waveband attributes: [is_effective\(\)](#), [normalization\(\)](#)

Examples

```
labels(sun.spct)
```

`Ler_leaf.spct`*Green Arabidopsis leaf reflectance and transmittance.*

Description

A dataset of total spectral reflectance and total spectral transmittance expressed as fractions of one from the upper surface of a leaf of an Arabidopsis thaliana 'Ler' rosette.

Usage`Ler_leaf.spct``Ler_leaf_rflt.spct``Ler_leaf_trns.spct``Ler_leaf_trns_i.spct`**Format**

Datasets stored as `object_spct`, `reflector_spct` and `filter_spct` objects, containing transmittance and reflectance data.

An object of class `reflector_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 1750 rows and 2 columns.

An object of class `filter_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 1753 rows and 2 columns.

An object of class `filter_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 2401 rows and 3 columns.

Details

- `w.length` (nm)
- `Rfr` (0..1)
- `Tfr` (0..1)

Note

Measured with a Jaz spectrometer from Ocean Optics (USA) configured with a PX Xenon lamp module and Spectroclip double integrating spheres.

Author(s)

Aphalo, P. J. & Wang, F (unpublished data)

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
Ler_leaf.spct
Ler_leaf_rflt.spct
```

 log

Logarithms and Exponentials

Description

Logarithms and Exponentials for Spectra. The functions are applied to the spectral data, not the wavelengths. The quantity in the spectrum to which the function is applied depends on the class of x and the current value of output options

Usage

```
## S3 method for class 'generic_spct'
log(x, base = exp(1))

## S3 method for class 'generic_spct'
log2(x)

## S3 method for class 'generic_spct'
log10(x)

## S3 method for class 'generic_spct'
exp(x)
```

Arguments

x	an object of class "generic_spct"
base	a positive number: the base with respect to which logarithms are computed. Defaults to $e=\exp(1)$.

Value

An object of the same class as x .

Note

In most cases a logarithm of an spectral quantity will yield off-range values. For this reason unless x is an object of base class `generic_spct`, checks will not be passed, resulting in warnings or errors.

See Also

Other math operators and functions: `MathFun`, `^.generic_spct()`, `convolve_each()`, `div-.generic_spct`, `minus-.generic_spct`, `mod-.generic_spct`, `plus-.generic_spct`, `round()`, `sign()`, `slash-.generic_spct`, `times-.generic_spct`

make_var_labels	<i>Column or variable labels</i>
-----------------	----------------------------------

Description

Create a named list of character strings describing the variables contained in a spectrum object.

Usage

```
make_var_labels(x, ...)  
  
## Default S3 method:  
make_var_labels(x, ...)  
  
## S3 method for class 'source_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'response_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'filter_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'reflector_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'object_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'solute_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'chroma_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'calibration_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'raw_spct'  
make_var_labels(x, ...)  
  
## S3 method for class 'cps_spct'  
make_var_labels(x, ...)
```

Arguments

x	An object of a class derived from <code>generic_spct</code> .
...	Currently ignored.

Details

Objects of classes derived from `generic_spct` are used to store different types of spectral data. The data stored in some of the classes needs to be interpreted differently depending on how they were measured or are expressed and this information is stored in attributes of the objects. In other cases, even if consistent across different objects, the units of expression may not be obvious to users. The names of the variables are concise, thus using variable labels makes it possible to make these features visible when exploring the data. The methods provided do not add the labels, only supply the character strings. Variable labels are implemented in packages 'labelled' by setting the `label` attribute in each variable (= column) of a data frame or tibble. This is compatible with the approach used by package 'haven'.

Value

A named list of character strings with one member for each recognized column in `x`. This list can be used to set variable labels with methods from package 'labelled'. However, package 'photobiology' does not natively support variable labels stored in attribute `label`.

Methods (by class)

- `make_var_labels(default):`
- `make_var_labels(source_spct):`
- `make_var_labels(response_spct):`
- `make_var_labels(filter_spct):`
- `make_var_labels(reflector_spct):`
- `make_var_labels(object_spct):`
- `make_var_labels(solute_spct):`
- `make_var_labels(chroma_spct):`
- `make_var_labels(calibration_spct):`
- `make_var_labels(raw_spct):`
- `make_var_labels(cps_spct):`

Note

These methods are still under development and the text of the labels may change. Not all classes derived from `generic_spct` are yet supported.

Examples

```

make_var_labels(sun.spct)
# str() prints more compactly than print()
str(make_var_labels(sun.spct))
str(make_var_labels(normalize(sun.spct)))
str(make_var_labels(fscale(sun.spct)))

str(make_var_labels(sun_daily.spct))

str(make_var_labels(polyester.spct))
str(make_var_labels(normalize(polyester.spct)))
str(make_var_labels(fscale(polyester.spct)))

str(make_var_labels(white_led.cps_spct))
str(make_var_labels(white_led.raw_spct))

```

MathFun

Miscellaneous Mathematical Functions

Description

`abs(x)` computes the absolute value of `x`, `sqrt(x)` computes the (principal) square root of `x`. The functions are applied to the spectral data, not the wavelengths. The quantity in the spectrum to which the function is applied depends on the class of `x` and the current value of output options.

Usage

```
## S3 method for class 'generic_spct'
sqrt(x)
```

```
## S3 method for class 'generic_spct'
abs(x)
```

Arguments

`x` an object of class "generic_spct"

See Also

Other math operators and functions: `^.generic_spct()`, `convolve_each()`, `div-.generic_spct`, `log()`, `minus-.generic_spct`, `mod-.generic_spct`, `plus-.generic_spct`, `round()`, `sign()`, `slash-.generic_spct`, `times-.generic_spct`

merge2object_spct *Merge into object_spct*

Description

Merge a `filter_spct` with a `reflector_spct` returning an `object_spct` object, even if wavelength values are mismatched.

Usage

```
merge2object_spct(  
  x,  
  y,  
  by = "w.length",  
  ...,  
  w.length.out = x[["w.length"]],  
  Tfr.type.out = "total"  
)
```

Arguments

<code>x, y</code>	a <code>filter_spct</code> object and a <code>reflector_spct</code> object.
<code>by</code>	a vector of shared column names in <code>x</code> and <code>y</code> to merge on; by defaults to <code>w.length</code> .
<code>...</code>	other arguments passed to <code>dplyr::inner_join()</code> .
<code>w.length.out</code>	numeric vector of wavelengths to be used for the returned object (<i>nm</i>).
<code>Tfr.type.out</code>	character string indicating whether transmittance values in the returned object should be expressed as "total" or "internal". This applies only to the case when an <code>object_spct</code> is returned.

Value

An `object_spct` is returned as the result of merging a `filter_spct` and a `reflector_spct` object.

Note

If a numeric vector is supplied as argument for `w.length.out`, the two spectra are interpolated to the new wavelength values before merging. The default argument for `w.length.out` is `x[["w.length"]]`.

See Also

[join](#)

merge_attributes	<i>Merge and copy attributes</i>
------------------	----------------------------------

Description

Merge attributes from x and y and copy them to z. Methods defined for spectral objects of classes from package 'photobiology'.

Usage

```
merge_attributes(x, y, z, which, which.not, ...)

## Default S3 method:
merge_attributes(x, y, z, which = NULL, which.not = NULL, ...)

## S3 method for class 'generic_spct'
merge_attributes(
  x,
  y,
  z,
  which = NULL,
  which.not = NULL,
  copy.class = FALSE,
  ...
)
```

Arguments

x, y, z	R objects. Objects x and y must be of the same class, z must be an object with a structure valid for this same class.
which	character Names of attributes to copy, if NULL all those relevant according to the class of x are used as default,
which.not	character Names of attributes not to be copied. The names passed here are removed from the list for which, which is most useful when we want to modify the default.
...	not used
copy.class	logical If TRUE class attributes are also copied.

Value

A copy of z with additional attributes set.

Methods (by class)

- merge_attributes(default): Default for generic function
- merge_attributes(generic_spct):

minus-.generic_spct *Arithmetic Operators*

Description

Subtraction operator for generic spectra.

Usage

```
## S3 method for class 'generic_spct'
e1 - e2 = NULL
```

Arguments

e1 an object of class "generic_spct"
 e2 an object of class "generic_spct"

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

mod-.generic_spct *Arithmetic Operators*

Description

Reminder operator for generic spectra.

Usage

```
## S3 method for class 'generic_spct'
e1 %% e2
```

Arguments

e1 an object of class "generic_spct"
 e2 an object of class "generic_spct"

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

msmsply *Multi-spct transform methods*

Description

Apply a function or operator to a collection of spectra.

Usage

```
msmsply(mspct, .fun, ..., .parallel = FALSE, .paropts = NULL)
```

```
msdply(
  mspct,
  .fun,
  ...,
  idx = NULL,
  col.names = NULL,
  .parallel = FALSE,
  .paropts = NULL
)
```

```
mslply(mspct, .fun, ..., .parallel = FALSE, .paropts = NULL)
```

```
msaply(mspct, .fun, ..., .drop = TRUE, .parallel = FALSE, .paropts = NULL)
```

Arguments

mspct	an object of class <code>generic_mspct</code> or a derived class
.fun	a function
...	other arguments passed to .fun
.parallel	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
.paropts	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.
idx	character Name of the column with the names of the members of the collection of spectra.
col.names	character Names to be used for data columns.
.drop	should extra dimensions of length 1 in the output be dropped, simplifying the output. Defaults to TRUE

Value

a collection of spectra in the case of `msmsply`, belonging to a different class than `mspct` if `.fun` modifies the class of the member spectra.

a data frame in the case of `msdply`

a list in the case of `mslply`

an vector in the case of `msaply`

<code>mspct_classes</code>	<i>Names of multi-spectra classes</i>
----------------------------	---------------------------------------

Description

Function that returns a vector containing the names of multi-spectra classes using for collections of spectra.

Usage

```
mspct_classes()
```

Value

A character vector of class names.

Examples

```
mspct_classes()
```

<code>na.omit</code>	<i>Handle Missing Values in Objects</i>
----------------------	---

Description

These methods are useful for dealing with NAs in e.g., `source_spct`, `response_spct`, `filter_spct` and `reflector_spct`.

Usage

```
## S3 method for class 'generic_spct'  
na.omit(object, na.action = "omit", fill = NULL, target.colnames, ...)  
  
## S3 method for class 'source_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'response_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'filter_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'reflector_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'object_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'solute_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'cps_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'raw_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'chroma_spct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'generic_mspct'  
na.omit(object, na.action = "omit", fill = NULL, ...)  
  
## S3 method for class 'generic_spct'  
na.exclude(object, na.action = "exclude", fill = NULL, target.colnames, ...)  
  
## S3 method for class 'source_spct'  
na.exclude(object, na.action = "exclude", fill = NULL, ...)  
  
## S3 method for class 'response_spct'  
na.exclude(object, na.action = "exclude", fill = NULL, ...)  
  
## S3 method for class 'filter_spct'  
na.exclude(object, na.action = "exclude", fill = NULL, ...)  
  
## S3 method for class 'reflector_spct'  
na.exclude(object, na.action = "exclude", fill = NULL, ...)
```

```
## S3 method for class 'object_spct'
na.exclude(object, na.action = "exclude", fill = NULL, ...)

## S3 method for class 'solute_spct'
na.exclude(object, na.action = "exclude", fill = NULL, ...)

## S3 method for class 'cps_spct'
na.exclude(object, na.action = "exclude", fill = NULL, ...)

## S3 method for class 'raw_spct'
na.exclude(object, na.action = "exclude", fill = NULL, ...)

## S3 method for class 'chroma_spct'
na.exclude(object, na.action = "exclude", fill = NULL, ...)

## S3 method for class 'generic_mspct'
na.exclude(object, na.action = "exclude", fill = NULL, ...)
```

Arguments

object	an R object
na.action	character One of "omit", "exclude" or "replace".
fill	numeric Value used to replace NAs unless NULL, in which case interpolation is attempted.
target.colnames	character Vector of names for the target columns to operate upon, if present in object.
...	further arguments other special methods could require

Details

If `na.omit` removes cases, the row numbers of the cases form the "na.action" attribute of the result, of class "omit".

`na.exclude` differs from `na.omit` only in the class of the "na.action" attribute of the result, which is "exclude".

Note

`na.fail` and `na.pass` do not require a specialisation for spectral objects. R's definitions work as expected with no need to override them. We do not define a method `na.replace`, just pass "replace" as argument. The current implementation replaces by interpolation only individual NAs which are flanked on both sides by valid data. Runs of multiple NAs con only replaced by a constant value passed through parameter `fill`.

See Also

[na.fail](#) and [na.action](#)

Examples

```
my_sun.spct <- sun.spct
my_sun.spct[3, "s.e.irrad"] <- NA
my_sun.spct[5, "s.q.irrad"] <- NA

head(my_sun.spct)

# rows omitted
zo <- na.omit(my_sun.spct)
head(zo)
na.action(zo)

# rows excluded
ze <- na.exclude(my_sun.spct)
head(ze)
na.action(ze)

# data in both rows replaced
zr <- na.omit(my_sun.spct, na.action = "replace")
head(zr)
na.action(zr)
```

net_irradiance	<i>Net radiation flux</i>
----------------	---------------------------

Description

Estimate net radiation balance expressed as a flux in W/m². If `lw.down.irradiance` is passed a value in W / m² the difference is computed directly and if not an approximate value is estimated, using `R_rel = 0.75` which corresponds to clear sky, i.e., uncorrected for cloudiness. This is the approach to estimation is that recommended by FAO for hourly estimates while here we use it for instantaneous or mean flux rates.

Usage

```
net_irradiance(
  temperature,
  sw.down.irradiance,
  lw.down.irradiance = NULL,
  sw.albedo = 0.23,
  lw.emissivity = 0.98,
  water.vp = 0,
  R_rel = 1
)
```

Arguments

temperature	numeric vector of air temperatures (C) at 2 m height.
sw.down.irradiance, lw.down.irradiance	numeric Down-welling short wave and long wave radiation radiation (W/m2).
sw.albedo	numeric Albedo as a fraction of one (/1).
lw.emissivity	numeric Emissivity of the surface (ground or vegetation) for long wave radiation.
water.vp	numeric vector of water vapour pressure in air (Pa), ignored if lw.down.irradiance is available.
R_rel	numeric The ratio of actual and clear sky short wave irradiance (/1).

Value

A numeric vector of evapotranspiration estimates expressed as W / m-2.

See Also

Other Evapotranspiration and energy balance related functions.: [ET_ref\(\)](#)

normalization	<i>Normalization of an R object</i>
---------------	-------------------------------------

Description

Normalization wavelength [*nm*] of an R object, retrieved from the object's attributes.

Usage

```
normalization(x)

## Default S3 method:
normalization(x)

## S3 method for class 'waveband'
normalization(x)
```

Arguments

x an R object

Value

A single numeric value of wavelength [*nm*].

Methods (by class)

- `normalization(default)`: Default methods.
- `normalization(waveband)`: Normalization of a [waveband](#) object.

See Also

Other waveband attributes: [is_effective\(\)](#), [labels\(\)](#)

normalize	<i>Normalize spectral data</i>
-----------	--------------------------------

Description

This method returns a spectral object of the same class as the one supplied as argument but with the spectral data normalized to 1.0 at a specific wavelength. When the object contains multiple spectra, the normalisation is applied to each spectrum individually.

Usage

```
normalize(x, ...)
```

```
normalise(x, ...)
```

```
## Default S3 method:
normalize(x, ...)
```

```
## S3 method for class 'source_spct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  keep.scaling = FALSE,
  na.rm = FALSE
)
```

```
## S3 method for class 'response_spct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  keep.scaling = FALSE,
  na.rm = FALSE
)
```

```
)

## S3 method for class 'filter_spct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),
  keep.scaling = FALSE,
  na.rm = FALSE
)

## S3 method for class 'reflector_spct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  qty.out = NULL,
  keep.scaling = FALSE,
  na.rm = FALSE
)

## S3 method for class 'solute_spct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  keep.scaling = FALSE,
  na.rm = FALSE
)

## S3 method for class 'raw_spct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  keep.scaling = FALSE,
  na.rm = FALSE
)

## S3 method for class 'cps_spct'
normalize(
  x,
  ...,
```

```
    range = NULL,
    norm = "max",
    keep.scaling = FALSE,
    na.rm = FALSE
  )

## S3 method for class 'generic_spct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  col.names,
  keep.scaling = FALSE,
  na.rm = FALSE
)

## S3 method for class 'source_mspct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  keep.scaling = FALSE,
  na.rm = FALSE,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'response_mspct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  keep.scaling = FALSE,
  na.rm = FALSE,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'filter_mspct'
normalize(
  x,
  ...,
  range = NULL,
```

```
norm = "max",
qty.out = getOption("photobiology.filter.qty", default = "transmittance"),
keep.scaling = FALSE,
na.rm = FALSE,
.parallel = FALSE,
.paropts = NULL
)

## S3 method for class 'reflector_mspct'
normalize(
  x,
  ...,
  range = x,
  norm = "max",
  qty.out = NULL,
  keep.scaling = FALSE,
  na.rm = FALSE,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'raw_mspct'
normalize(
  x,
  ...,
  range = x,
  norm = "max",
  keep.scaling = FALSE,
  na.rm = FALSE,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'cps_mspct'
normalize(
  x,
  ...,
  range = x,
  norm = "max",
  keep.scaling = FALSE,
  na.rm = FALSE,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'solute_mspct'
normalize(
  x,
```

```

    ...,
    range = x,
    norm = "max",
    keep.scaling = FALSE,
    na.rm = FALSE,
    .parallel = FALSE,
    .paropts = NULL
)

## S3 method for class 'generic_mspct'
normalize(
  x,
  ...,
  range = NULL,
  norm = "max",
  col.names,
  keep.scaling = FALSE,
  na.rm = FALSE,
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>x</code>	An R object
<code>...</code>	not used in current version
<code>range</code>	An R object on which <code>range()</code> returns a numeric vector of length 2 with the limits of a range of wavelengths in nm, with min and max wavelengths (nm) used to set boundaries for search for normalization.
<code>norm</code>	numeric Normalization wavelength (nm) or character string "max", or "min" for normalization at the corresponding wavelength, "update" to update the normalization after modifying units of expression, quantity or range but respecting the previously used criterion, or "skip" to force return of <code>x</code> unchanged.
<code>unit.out</code>	character Allowed values "energy", and "photon", or its alias "quantum"
<code>keep.scaling</code>	logical or numeric Flag to indicate if any existing scaling should be preserved or not. The default, FALSE, preserves the behaviour of versions ($\leq 0.10.9$). If numeric, the spectrum is scaled to this value before normalization and marked as not scaled.
<code>na.rm</code>	logical indicating whether NA values should be stripped before calculating the summary (e.g. "max") used for normalization.
<code>qty.out</code>	character string Allowed values are "transmittance", and "absorbance" indicating on which quantity to apply the normalization.
<code>col.names</code>	character vector containing the names of columns or variables to which to apply the normalization.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by foreach

`.paropts` a list of additional options passed into the `foreach` function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the `.export` and `.packages` arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

By default normalization is done based on the maximum of the spectral data. It is possible to also do the normalization based on a user-supplied wavelength expressed in nanometres or the minimum. An existing normalization can be updated for a different unit of expression or after a conversion to a related spectral quantity.

By default the function is applied to the whole spectrum, but by passing a range of wavelengths as input, the search, e.g., for the maximum, can be limited to a range of wavelengths of interest instead of the whole spectrum.

In 'photobiology' ($\geq 0.10.8$) detailed information about the normalization is stored in an attribute. In 'photobiology' ($\geq 0.10.10$) applying a new normalization to an already normalized spectrum recomputes the multiplier factors stored in the attributes whenever possible. This ensures that the returned object is identical, except for possible accumulated loss of precision due to floating-point arithmetic, independently of the previous application of a different normalization.

Value

A copy of the object passed as argument to `x` with the values of the spectral quantity rescaled to 1 at the normalization wavelength. If the normalization wavelength is not already present in `x`, it is added by interpolation—i.e. the returned value may be one row longer than `x`. Attributes `normalized` and `normalization` are set to keep a log of the computations applied.

Methods (by class)

- `normalize(default)`: Default for generic function
- `normalize(source_spct)`: Normalize a `source_spct` object.
- `normalize(response_spct)`: Normalize a response spectrum.
- `normalize(filter_spct)`: Normalize a filter spectrum.
- `normalize(reflector_spct)`: Normalize a reflector spectrum.
- `normalize(solute_spct)`: Normalize a solute spectrum.
- `normalize(raw_spct)`: Normalize a raw spectrum.
- `normalize(cps_spct)`: Normalize a cps spectrum.
- `normalize(generic_spct)`: Normalize a raw spectrum.
- `normalize(source_mspct)`: Normalize the members of a `source_mspct` object.
- `normalize(response_mspct)`: Normalize the members of a `response_mspct` object.
- `normalize(filter_mspct)`: Normalize the members of a `filter_mspct` object.
- `normalize(reflector_mspct)`: Normalize the members of a `reflector_mspct` object.
- `normalize(raw_mspct)`: Normalize the members of a `raw_mspct` object.
- `normalize(cps_mspct)`: Normalize the members of a `cps_mspct` object.
- `normalize(solute_mspct)`: Normalize the members of a `solute_mspct` object.
- `normalize(generic_mspct)`: Normalize the members of a `solute_mspct` object.

Note

When the spectrum passed as argument to `x` had been previously scaled, in 'photobiology' (<= 0.10.9) the scaling attribute was always removed and no normalization factors returned. In 'photobiology' (>= 0.10.10) scaling information can be preserved by passing `keep.scaling = TRUE`.

By default if `x` contains one or more NA values and the normalization is based on a summary quantity, the returned spectrum will contain only NA values. If `na.rm == TRUE` then the summary quantity will be calculated after striping NA values, and only the values that were NA in `x` will be NA values in the returned spectrum.

When a numeric value is passed as argument to `keep.scaling`, the scaling uses `f = "total"` or `f = "mean"` depending on the class of `x`. Prescaling is only occasionally needed.

Method `normalize` is implemented for `solute_spct` objects but as the spectral data stored in them are a description of an intensive property of a substance, normalization is unlikely to be useful. To represent solutions of specific concentrations of solutes, `filter_spct` objects should be used instead.

`normalise()` is a synonym for this `normalize()` method.

See Also

Other rescaling functions: [fscale\(\)](#), [fshift\(\)](#), [getNormalized\(\)](#), [getScaled\(\)](#), [is_normalized\(\)](#), [is_scaled\(\)](#), [setNormalized\(\)](#), [setScaled\(\)](#)

Examples

```
normalize(sun.spct)
normalise(sun.spct) # equivalent

normalize(sun.spct, norm = "max")
normalize(sun.spct, norm = 400)
```

`normalized_diff_ind` *Calculate a normalized difference.*

Description

This method returns a normalized difference index value for an arbitrary pair of wavebands. There are many such indexes in use, such as NDVI (normalized difference vegetation index), NDWI (normalized difference water index), NDMI (normalized difference moisture index), etc., the only difference among them is in the wavebands used.

Usage

```
normalized_diff_ind(spct, w.band.plus, w.band.minus, f, ...)
normalised_diff_ind(spct, w.band.plus, w.band.minus, f, ...)
NDxI(spct, w.band.plus, w.band.minus, f, ...)
```

```
## Default S3 method:
normalized_diff_ind(spct, w.band.plus, w.band.minus, f, ...)

## S3 method for class 'generic_spct'
normalized_diff_ind(spct, w.band.plus, w.band.minus, f, ...)

## S3 method for class 'generic_mspct'
normalized_diff_ind(spct, w.band.plus, w.band.minus, f, ...)
```

Arguments

spct	an R object
w.band.plus, w.band.minus	waveband objects The wavebands determine the regions of the spectrum used in the calculations.
f	function used for integration taking spct as first argument and a list of wavebands as second argument.
...	additional arguments passed to f

Details

f is most frequently [reflectance](#), but also [transmittance](#), or even [absorbance](#), [response](#), [irradiance](#) or a user-defined function can be used if there is a good reason for it. In every case spct should be of the class expected by f. When using two wavebands of different widths do consider passing to f a suitable quantity argument, for example to compare averages rather than integrals. Wavebands can describe weighting functions if desired.

$$\text{NDxI} = \frac{f(s, wb_{\text{plus}}) - f(s, wb_{\text{minus}})}{f(s, wb_{\text{plus}}) + f(s, wb_{\text{minus}})}$$

Value

A named numeric value for the index, or a tibble depending on whether a spectrum or a collection of spectra is passed as first argument. If the wavelength range of spct does not fully overlap with both wavebands NA is silently returned.

Methods (by class)

- normalized_diff_ind(default): default
- normalized_diff_ind(generic_spct):
- normalized_diff_ind(generic_mspct):

Note

Some NDxI indexes are directly based on satellite instrument data, such as those in the Landsat satellites. To simulate such indexes using spectral reflectance as input, constructors of waveband definitions from package 'photobiologyWavebands' can be useful.

normalised_diff_ind() is a synonym for normalized_diff_ind().

NDxI() is a shorthand for normalized_diff_ind().

See Also

[Rfr_normdiff](#)

normalize_range_arg *Normalize a range argument into a true numeric range*

Description

Several functions in this package and the suite accept a range argument with a flexible syntax. To ensure that all functions and methods behave in the same way this code has been factored out into a separate function.

Usage

```
normalize_range_arg(arg.range, w1.range, trim = TRUE)
```

Arguments

arg.range	a numeric vector of length two, or any other object for which function range() will return a range of wavelengths (nm).
w1.range	a numeric vector of length two, or any other object for which function range() will return a range of wavelengths (nm), missing values are not allowed.
trim	logical If TRUE the range returned is bound within w1.range while if FALSE it can be broader.

Details

The arg.range argument can contain NAs which are replaced by the value at the same position in w1.range. In addition a NULL argument for range is converted into w1.range. The w1.range is also the limit to which the returned value is trimmed if trim == TRUE. The idea is that the value supplied as w1.range is the wavelength range of the data.

Value

a numeric vector of length two, guaranteed not to have missing values.

Examples

```
normalize_range_arg(c(NA, 500), range(sun.spct))
normalize_range_arg(c(300, NA), range(sun.spct))
normalize_range_arg(c(100, 5000), range(sun.spct), FALSE)
normalize_range_arg(c(NA, NA), range(sun.spct))
normalize_range_arg(c(NA, NA), sun.spct)
```

oper_spectra	<i>Binary operation on two spectra, even if the wavelengths values differ</i>
--------------	---

Description

The wavelength vectors of the two spectra are merged, and the missing spectral values are calculated by interpolation. After this, the two spectral values at each wavelength are added.

Usage

```
oper_spectra(
  w.length1,
  w.length2 = NULL,
  s.irrad1,
  s.irrad2,
  trim = "union",
  na.rm = FALSE,
  bin.oper = NULL,
  ...
)
```

Arguments

w.length1	numeric vector of wavelength (nm)
w.length2	numeric vector of wavelength (nm)
s.irrad1	a numeric vector of spectral values
s.irrad2	a numeric vector of spectral values
trim	a character string with value "union" or "intersection"
na.rm	a logical value, if TRUE, not the default, NAs in the input are replaced with zeros
bin.oper	a function defining a binary operator (for the usual math operators enclose argument in backticks)
...	additional arguments (by name) passed to bin.oper

Details

If trim=="union" spectral values are calculated for the whole range of wavelengths covered by at least one of the input spectra, and missing values are set in each input spectrum to zero before addition. If trim=="intersection" then the range of wavelengths covered by both input spectra is returned, and the non-overlapping regions discarded. If w.length2==NULL, it is assumed that both spectra are measured at the same wavelengths, and a simple addition is used, ensuring fast calculation.

Value

a dataframe with two numeric variables

`w.length` A numeric vector with the wavelengths (nm) obtained by "fusing" `w.length1` and `w.length2`. `w.length` contains all the unique vales, sorted in ascending order.

`s.irrad` A numeric vector with the sum of the two spectral values at each wavelength.

See Also

Other low-level functions operating on numeric vectors.: `as_energy()`, `as_quantum_mol()`, `calc_multipliers()`, `div_spectra()`, `energy_irradiance()`, `energy_ratio()`, `insert_hinges()`, `integrate_xy()`, `interpolate_spectrum()`, `irradiance()`, `l_insert_hinges()`, `photon_irradiance()`, `photon_ratio()`, `photons_energy_ratio()`, `prod_spectra()`, `s_e_irrad2rgb()`, `split_energy_irradiance()`, `split_photon_irradiance()`, `subt_spectra()`, `sum_spectra()`, `trim_tails()`, `v_insert_hinges()`, `v_replace_hinges()`

Examples

```
head(sun.data)
result.data <-
  with(sun.data,
        oper_spectra(w.length, w.length, s.e.irrad, s.e.irrad, bin.oper='`+')
  )
head(result.data)
tail(result.data)
my_fun <- function(e1, e2, k) {return((e1 + e2) / k)}
result.data <-
  with(sun.data,
        oper_spectra(w.length, w.length, s.e.irrad, s.e.irrad, bin.oper=my_fun, k=2)
  )
head(result.data)
tail(result.data)
```

 peaks

Peaks or local maxima

Description

Function that returns a subset of an R object with observations corresponding to local maxima.

Usage

```
peaks(x, span, ignore_threshold, strict, na.rm, ...)

## Default S3 method:
peaks(x, span = NA, ignore_threshold = NA, strict = NA, na.rm = FALSE, ...)

## S3 method for class 'numeric'
peaks(x, span = 5, ignore_threshold = NA, strict = TRUE, na.rm = FALSE, ...)
```

```
## S3 method for class 'data.frame'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  x.var.name = NULL,
  y.var.name = NULL,
  var.name = y.var.name,
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'generic_spct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  var.name = NULL,
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'source_spct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'response_spct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
```

```
    na.rm = FALSE,
    unit.out = getOption("photobiology.radiation.unit", default = "energy"),
    refine.wl = FALSE,
    method = "spline",
    ...
)

## S3 method for class 'filter_spct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'reflector_spct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'solute_spct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'cps_spct'
peaks(
  x,
  span = 5,
```

```
ignore_threshold = 0,
strict = TRUE,
na.rm = FALSE,
var.name = "cps",
refine.wl = FALSE,
method = "spline",
...
)

## S3 method for class 'raw_spct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  var.name = "counts",
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'generic_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  var.name = NULL,
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'source_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  refine.wl = FALSE,
  method = "spline",
  ...,
```

```
.parallel = FALSE,
.paropts = NULL
)

## S3 method for class 'response_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'filter_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'reflector_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

```
## S3 method for class 'solute_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'cps_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  var.name = "cps",
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'raw_mspct'
peaks(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  var.name = "counts",
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

x	an R object
span	integer A peak is defined as an element in a sequence which is greater than all

	other elements within a window of width <code>span</code> centered at that element. Use <code>NULL</code> for the global peak.
<code>ignore_threshold</code>	numeric Value between 0.0 and 1.0 indicating the relative size compared to tallest peak threshold below which peaks will be ignored. Negative values set a threshold so that the tallest peaks are ignored, instead of the shortest.
<code>strict</code>	logical If <code>TRUE</code> , an element must be strictly greater than all other values in its window to be considered a peak.
<code>na.rm</code>	logical indicating whether NA values should be stripped before searching for peaks.
<code>...</code>	ignored
<code>var.name, x.var.name, y.var.name</code>	character Name of column where to look for peaks.
<code>refine.wl</code>	logical Flag indicating if peak location should be refined by fitting a function.
<code>method</code>	character String with the name of a method. Currently only spline interpolation is implemented.
<code>unit.out</code>	character One of "energy" or "photon"
<code>filter.qty</code>	character One of "transmittance" or "absorbance"
<code>.parallel</code>	if <code>TRUE</code> , apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A subset of `x` with rows corresponding to local maxima.

Methods (by class)

- `peaks(default)`: Default returning always NA.
- `peaks(numeric)`: Default function usable on numeric vectors.
- `peaks(data.frame)`: Method for "data.frame" objects.
- `peaks(generic_spct)`: Method for "generic_spct" objects.
- `peaks(source_spct)`: Method for "source_spct" objects.
- `peaks(response_spct)`: Method for "response_spct" objects.
- `peaks(filter_spct)`: Method for "filter_spct" objects.
- `peaks(reflector_spct)`: Method for "reflector_spct" objects.
- `peaks(solute_spct)`: Method for "solute_spct" objects.
- `peaks(cps_spct)`: Method for "cps_spct" objects.
- `peaks(raw_spct)`: Method for "raw_spct" objects.
- `peaks(generic_mspct)`: Method for "generic_mspct" objects.

- `peaks(source_mspct)`: Method for "source_mspct" objects.
- `peaks(response_mspct)`: Method for "cps_mspct" objects.
- `peaks(filter_mspct)`: Method for "filter_mspct" objects.
- `peaks(reflector_mspct)`: Method for "reflector_mspct" objects.
- `peaks(solute_mspct)`: Method for "solute_mspct" objects.
- `peaks(cps_mspct)`: Method for "cps_mspct" objects.
- `peaks(raw_mspct)`: Method for "raw_mspct" objects.

Note

Thresholds for ignoring peaks are applied after peaks are searched for, and negative threshold values can in some cases result in no peaks being returned.

See Also

Other peaks and valleys functions: [find_peaks\(\)](#), [find_spikes\(\)](#), [get_peaks\(\)](#), [replace_bad_pixs\(\)](#), [spikes\(\)](#), [valleys\(\)](#), [wls_at_target\(\)](#)

Examples

```
peaks(sun.spct, span = 51)
peaks(sun.spct, span = NULL)
peaks(sun.spct, span = 51, refine.wl = TRUE)

peaks(sun.spct)
```

phenylalanine.spct *Molar spectral attenuation coefficient of phenylalanine*

Description

A dataset containing the wavelengths at a 0.25 nm interval and the corresponding attenuation coefficients.

Usage

```
phenylalanine.spct
```

Format

A `solute_spct` object with 1993 rows and 2 variables

Details

- `w.length` (nm), range 222 to 720 nm.
- `K.mole` (cm-1/M)

Author(s)

Du et al. (original data); Scott Prahl (included data).

References

<https://omlc.org/spectra/PhotochemCAD/html/073.html>

H. Du, R. A. Fuh, J. Li, A. Corkan, J. S. Lindsey, "PhotochemCAD: A computer-aided design and research tool in photochemistry," *Photochem. Photobiol.*, 68, 141-142, 1998.

J. M. Dixon, M. Taniguchi and J. S. Lindsey "PhotochemCAD 2. A refined program with accompanying spectral databases for photochemical calculations", *Photochem. Photobiol.*, 81, 212-213, 2005.

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
head(phenylalanine.spct)
summary(phenylalanine.spct)
solute_properties(phenylalanine.spct)
cat(comment(phenylalanine.spct))
```

photodiode.spct

Spectral response of a GaAsP photodiode

Description

A dataset containing wavelengths at a 1 nm interval and spectral response as $A/(W/nm)$ for GaAsP photodiode type G6262 from Hamamatsu. Data digitized from manufacturer's data sheet. The value at the peak is 0.19 A/W .

Usage

```
photodiode.spct
```

Format

A response_spct object with 94 rows and 2 variables

Details

- w.length (nm).
- s.e.response (A/W)

References

Hamamatsu (2011) Datasheet: GaAsP Photodiodes G5645 G5842 G6262. Hamamatsu Photonics KK, Hamamatsu, City. <http://www.hamamatsu.com/jp/en/G6262.html>. Visited 2017-12-15.

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
photodiode.spct
```

```
photons_energy_ratio  Photon:energy ratio
```

Description

This function gives the photons:energy ratio between for one given waveband of a radiation spectrum.

Usage

```
photons_energy_ratio(
  w.length,
  s.irrad,
  w.band = NULL,
  unit.in = "energy",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)
```

Arguments

w.length	numeric vector of wavelength (nm).
s.irrad	numeric vector of spectral irradiances in $[W m^{-2} nm^{-1}]$ or $[mol s^{-1} sm^{-2} nm^{-1}]$ as indicated by the argument passed to <code>unit.in</code> .
w.band	waveband object.
unit.in	character Allowed values "energy", and "photon", or its alias "quantum".
check.spectrum	logical Flag telling whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag telling whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

A single numeric value giving the ratio moles-photons per Joule.

Note

The default for the `w.band` parameter is a waveband covering the whole range of `w.length`.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
# photons:energy ratio
with(sun.data, photons_energy_ratio(w.length, s.e.irrad, new_waveband(400,500)))
# photons:energy ratio for whole spectrum
with(sun.data, photons_energy_ratio(w.length, s.e.irrad))
```

photon_irradiance	<i>Photon irradiance</i>
-------------------	--------------------------

Description

This function returns the photon irradiance for a given waveband of a radiation spectrum, optionally applies a BSWF.

Usage

```
photon_irradiance(
  w.length,
  s.irrad,
  w.band = NULL,
  unit.in = "energy",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)
```

Arguments

w.length	numeric vector of wavelength [nm].
s.irrad	numeric vector of spectral irradiances in [$W m^{-2} nm^{-1}$] or [$mol s^{-1} sm^{-2} nm^{-1}$] as indicated by the argument passed to unit.in.
w.band	waveband.
unit.in	character Allowed values "energy", and "photon", or its alias "quantum".
check.spectrum	logical Flag telling whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag telling whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

A single numeric value with no change in scale factor: [$mol s^{-1} sm^{-2}$].

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.data, photon_irradiance(w.length, s.e.irrad))
with(sun.data, photon_irradiance(w.length, s.e.irrad, new_waveband(400,700)))
```

photon_ratio

Photo:photon ratio

Description

This function gives the photon ratio between two given wavebands of a radiation spectrum.

Usage

```

photon_ratio(
  w.length,
  s.irrad,
  w.band.num = NULL,
  w.band.denom = NULL,
  unit.in = "energy",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)

```

Arguments

w.length	numeric vector of wavelength (nm).
s.irrad	numeric vector of spectral irradiances in [$W m^{-2} nm^{-1}$] or [$mol s^{-1} sm^{-2} nm^{-1}$] as indicated by the argument passed to unit.in.
w.band.num	waveband object used to compute the numerator of the ratio.
w.band.denom	waveband object used to compute the denominator of the ratio.
unit.in	character Allowed values "energy", and "photon", or its alias "quantum".
check.spectrum	logical Flag telling whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag telling whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

a single numeric value giving the unitless ratio.

Note

The default for both w.band parameters is a waveband covering the whole range of w.length.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
with(sun.data,
     photon_ratio(w.length, s.e.irrad, new_waveband(400,500), new_waveband(400,700)))
```

plus-.generic_spct *Arithmetic Operators*

Description

Division operator for generic spectra.

Usage

```
## S3 method for class 'generic_spct'
e1 + e2 = NULL
```

Arguments

e1 an object of class "generic_spct"
e2 an object of class "generic_spct"

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

print.generic_spct *Print spectral objects*

Description

Print methods for objects of spectral classes, including collections of spectra.

Usage

```
## S3 method for class 'generic_spct'
print(x, ..., n = NULL, width = NULL)

## S3 method for class 'generic_mspct'
print(x, ..., n = NULL, width = NULL, n.members = 10)
```


Arguments

x	An object of one of the summary classes for spectra.
...	not used in current version.
n	Number of rows to show. If NULL, the default, will print all rows if less than option <code>dplyr.print_max</code> . Otherwise, will print <code>dplyr.print_min</code> rows.
width	Width of text output to generate. This defaults to NULL, which means use <code>getOption("width")</code> and only display the columns that fit on one screen. You can also set <code>option(dplyr.width = Inf)</code> to override this default and always print all columns.
n.members	numeric Number of members of the collection to print.

Details

This is simply a wrapper on the print method for tibbles, with additional information in the header. Currently, width applies only to the table of data.

Objects are printed as is, ignoring the current settings of R options `photobiology.radiation.unit` and `photobiology.filter.qty`.

Value

Returns x invisibly.

Functions

- `print(generic_mspct)`:

Examples

```
print(sun.spct)
print(sun.spct, n = 5)

print(q2e(sun.spct, action = "replace"))
print(e2q(sun.spct, action = "replace"))

print(polyester.spct)
print(any2A(polyester.spct))
print(any2Afr(polyester.spct))

print(two_filters.spct)
```

print.metadata *Print methods for metadata records*

Description

Print methods for objects of classes used to store different meta data properties in the classes for different types of spectra.

Usage

```
## S3 method for class 'instr_desc'  
print(x, ...)  
  
## S3 method for class 'instr_settings'  
print(x, ...)  
  
## S3 method for class 'filter_properties'  
print(x, ...)  
  
## S3 method for class 'solute_properties'  
print(x, ...)
```

Arguments

x	An object of one of the summary classes for spectra.
...	not used in current version.

Details

These methods print an abbreviated representation of objects used to store metadata in attributes. They are similar to *records* and formatted printing is useful both on its own and in the print methods for spectra and their summaries.

Examples

```
print(getInstrDesc(sun_evening.spct))  
str(getInstrDesc(sun_evening.spct))  
  
print(getInstrSettings(sun_evening.spct))  
str(getInstrSettings(sun_evening.spct))  
  
print(filter_properties(polyester.spct))  
str(filter_properties(polyester.spct))  
  
print(solute_properties(phenylalanine.spct))  
str(solute_properties(phenylalanine.spct))
```

print.solar_time *Print solar time and solar date objects*

Description

Print solar time and solar date objects

Usage

```
## S3 method for class 'solar_time'  
print(x, ...)  
  
## S3 method for class 'solar_date'  
print(x, ...)
```

Arguments

x an R object
... passed to format method

Note

Default is to print the underlying POSIXct as a solar time.

See Also

Other Local solar time functions: [as.solar_date\(\)](#), [is.solar_time\(\)](#), [solar_time\(\)](#)

print.summary_generic_spct
 Print spectral summary

Description

A function to nicely print objects of classes "summary...spct".

Usage

```
## S3 method for class 'summary_generic_spct'  
print(x, ...)  
  
## S3 method for class 'summary_generic_mspct'  
print(x, width = NULL, ..., n = NULL)
```

Arguments

x	An object of one of the summary classes for spectra
...	named arguments passed to the print() method for class "tbl_df".
width	integer Width of text output to generate. This defaults to NULL, which means use the width option.
n	integer Number of member spectra for which information is printed.

Functions

- print(summary_generic_mspct):

See Also

[formatting](#)

Examples

```
print(summary(sun.spct))

print(summary(sun_evening.mspct))
```

print.tod_time *Print time-of-day objects*

Description

Print time-of-day objects

Usage

```
## S3 method for class 'tod_time'
print(x, ...)
```

Arguments

x	an R object
...	passed to format method

Note

Default is to print the underlying numeric vector as a solar time.

See Also

Other Time of day functions: [as_tod\(\)](#), [format.tod_time\(\)](#)

print.waveband	<i>Print a "waveband" object</i>
----------------	----------------------------------

Description

A function to more nicely print objects of class "waveband".

Usage

```
## S3 method for class 'waveband'
print(x, ...)
```

Arguments

x	an object of class "waveband"
...	not used in current version

prod_spectra	<i>Multiply two spectra, even if the wavelengths values differ</i>
--------------	--

Description

The wavelength vectors of the two spectra are merged, and the missing spectral values are calculated by interpolation. After this, the two spectral values at each wavelength are added.

Usage

```
prod_spectra(
  w.length1,
  w.length2 = NULL,
  s.irrad1,
  s.irrad2,
  trim = "union",
  na.rm = FALSE
)
```

Arguments

w.length1	numeric vector of wavelength (nm).
w.length2	numeric vector of wavelength (nm).
s.irrad1	a numeric vector of spectral values.
s.irrad2	a numeric vector of spectral values.
trim	a character string with value "union" or "intersection".
na.rm	a logical value, if TRUE, not the default, NAs in the input are replaced with zeros.

Details

If trim=="union" spectral values are calculated for the whole range of wavelengths covered by at least one of the input spectra, and missing values are set in each input spectrum to zero before addition. If trim=="intersection" then the range of wavelengths covered by both input spectra is returned, and the non-overlapping regions discarded. If w.length2==NULL, it is assumed that both spectra are measured at the same wavelengths, and a simple addition is used, ensuring fast calculation.

Value

a dataframe with two numeric variables

w.length A numeric vector with the wavelengths (nm) obtained by "fusing" w.length1 and w.length2. w.length contains all the unique vales, sorted in ascending order.

s.irrad A numeric vector with the sum of the two spectral values at each wavelength.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
head(sun.data)
square.sun.data <-
  with(sun.data, prod_spectra(w.length, w.length, s.e.irrad, s.e.irrad))
head(square.sun.data)
tail(square.sun.data)
```

pull_sample

Random sample of spectra

Description

A method to extract a random sample of members from a list, a collection of spectra or a spectrum object containing multiple spectra in long form.

Usage

```

pull_sample(x, size, ...)

## Default S3 method:
pull_sample(x, size, ...)

## S3 method for class 'list'
pull_sample(
  x,
  size = 1,
  replace = FALSE,
  keep.order = TRUE,
  simplify = FALSE,
  ...
)

## S3 method for class 'generic_spct'
pull_sample(x, size = 1, replace = FALSE, keep.order = TRUE, ...)

## S3 method for class 'generic_mspct'
pull_sample(
  x,
  size = 1,
  replace = FALSE,
  recursive = FALSE,
  keep.order = TRUE,
  simplify = FALSE,
  ...
)

```

Arguments

<code>x</code>	An R object possibly containing multiple spectra or other components.
<code>size</code>	integer The number of spectra to extract, if available.
<code>...</code>	currently ignored.
<code>replace</code>	logical Sample with or without replacement.
<code>keep.order</code>	logical Return the spectra ordered as in <code>x</code> or in random order.
<code>simplify</code>	logical If <code>size = 1</code> , and <code>x</code> is a collection return the spectrum object instead of a collection with it as only member.
<code>recursive</code>	logical If <code>x</code> is a collection, expand or not member spectra containing multiple spectra in long form into individual members before sampling.

Value

If `x` is an spectrum object, such as a "filter_spct" object, the returned object is of the same class but in most cases containing fewer spectra in long form than `x`. If `x` is a collection of spectrum

objecta, such as a "filter_mspct" object, the returned object is of the same class but in most cases containing fewer member spectra than x.

Methods (by class)

- `pull_sample(default)`: Default for generic function
- `pull_sample(list)`: Specialization for `generic_spct`
- `pull_sample(generic_spct)`: Specialization for `generic_spct`
- `pull_sample(generic_mspct)`: Specialization for `generic_mspct`

See Also

See [sample](#) for the method used for the sampling.

Examples

```
a.list <- as.list(letters)
names(a.list) <- LETTERS
set.seed(12345678)
pull_sample(a.list, size = 8)
pull_sample(a.list, size = 8, keep.order = FALSE)
pull_sample(a.list, size = 8, replace = TRUE)
pull_sample(a.list, size = 8, replace = TRUE, keep.order = FALSE)
pull_sample(a.list, size = 1)
pull_sample(a.list, size = 1, simplify = TRUE)
```

q2e

Convert photon-based quantities into energy-based quantities

Description

Conversion methods for spectral photon irradiance into spectral energy irradiance and for spectral photon response into spectral energy response.

Usage

```
q2e(x, action, byref, ...)

## Default S3 method:
q2e(x, action = "add", byref = FALSE, ...)

## S3 method for class 'source_spct'
q2e(x, action = "add", byref = FALSE, ...)

## S3 method for class 'response_spct'
q2e(x, action = "add", byref = FALSE, ...)
```



```
## S3 method for class 'source_mspct'
q2e(x, action = "add", byref = FALSE, ..., .parallel = FALSE, .paropts = NULL)

## S3 method for class 'response_mspct'
q2e(x, action = "add", byref = FALSE, ..., .parallel = FALSE, .paropts = NULL)
```

Arguments

x	an R object.
action	a character string, one of "add", "replace", "add.raw" or "replace.raw".
byref	logical indicating if a new object will be created by reference or a new object returned.
...	not used in current version.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

The converted spectral values are added to or replace the existing spectral values depending on the argument passed to parameter `action`. Addition is currently not supported for normalized spectra. If the spectrum has been normalized with a recent version of package 'photobiology' the spectrum will be renormalized after conversion using the same arguments as previously. "add.raw" and "replace.raw" prevent the re-normalization, are included for completeness and as a way of restoring previous behaviour.

Methods (by class)

- `q2e(default)`: Default method
- `q2e(source_spct)`: Method for spectral irradiance
- `q2e(response_spct)`: Method for spectral responsiveness
- `q2e(source_mspct)`: Method for collections of (light) source spectra
- `q2e(response_mspct)`: Method for collections of response spectra

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2A\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2qmolt_multipliers\(\)](#), [e2quantum_multipliers\(\)](#)

 qe_ratio

Photon:energy ratio

Description

This function returns the photon to energy ratio for each waveband of a light source spectrum.

Usage

```
qe_ratio(spct, w.band, scale.factor, wb.trim, use.cached.mult, use.hinges, ...)
```

```
## Default S3 method:
```

```
qe_ratio(spct, w.band, scale.factor, wb.trim, use.cached.mult, use.hinges, ...)
```

```
## S3 method for class 'source_spct'
```

```
qe_ratio(
  spct,
  w.band = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  naming = "short",
  name.tag = ifelse(naming != "none", "[q:e]", ""),
  ...
)
```

```
## S3 method for class 'source_mspct'
```

```
qe_ratio(
  spct,
  w.band = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  naming = "short",
  name.tag = ifelse(naming != "none", "[q:e]", ""),
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

spct source_spct.

w.band	waveband or list of waveband objects.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.cached.mult	logical Flag telling whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly used by derived methods).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

The ratio is based on one photon irradiance and one energy irradiance, both computed for the same waveband.

$$\frac{Q(s, wb)}{I(s, wb)}$$

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

Value

Computed values are ratios between photon irradiance and energy irradiance for a given waveband. A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used, with "[q:e]" prepended. Units [mol J-1].

Methods (by class)

- `qe_ratio(default)`: Default for generic function
- `qe_ratio(source_spct)`: Method for `source_spct` objects
- `qe_ratio(source_mspct)`: Calculates photon:energy ratio from a `source_mspct` object.

Performance

As this method accepts spectra as its input, it computes irradiances before computing the ratios. If you need to compute both ratios and irradiances from several hundreds or thousands of spectra, computing the ratios from previously computed irradiances avoids their repeated computation. A less dramatic, but still important, increase in performance is available when computing in the same function call ratios that share the same denominator.

See Also

Other photon and energy ratio functions: [e_fraction\(\)](#), [e_ratio\(\)](#), [eq_ratio\(\)](#), [q_fraction\(\)](#), [q_ratio\(\)](#)

Examples

```
qe_ratio(sun.spct,
         waveband(c(400,700), wb.name = "White")) # mol J-1
qe_ratio(sun.spct,
         waveband(c(400,700), wb.name = "White"),
         scale.factor = 1e6) # umol J-1
```

q_fluence

Photon fluence

Description

Photon irradiance (i.e. quantum irradiance) for one or more waveband of a light source spectrum.

Usage

```
q_fluence(
  spct,
  w.band,
  exposure.time,
  scale.factor,
  wb.trim,
```

```
    use.cached.mult,  
    use.hinges,  
    allow.scaled,  
    ...  
  )  
  
## Default S3 method:  
q_fluence(  
  spct,  
  w.band,  
  exposure.time,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  allow.scaled,  
  ...  
)  
  
## S3 method for class 'source_spct'  
q_fluence(  
  spct,  
  w.band = NULL,  
  exposure.time,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),  
  use.hinges = NULL,  
  allow.scaled = FALSE,  
  naming = "default",  
  ...  
)  
  
## S3 method for class 'source_mspct'  
q_fluence(  
  spct,  
  w.band = NULL,  
  exposure.time,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),  
  use.hinges = NULL,  
  allow.scaled = FALSE,  
  naming = "default",  
  ...,  
  attr2tb = NULL,  
  idx = "spct.idx",  
  .parallel = FALSE,
```

```

    .paropts = NULL
  )

```

Arguments

spct	an R object.
w.band	a list of waveband objects or a waveband object
exposure.time	lubridate::duration object.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.cached.mult	logical indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
allow.scaled	logical indicating whether scaled or normalized spectra as argument to spct are flagged as an error.
...	other arguments (possibly ignored).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

One numeric value for each waveband with no change in scale factor, with name attribute set to the name of each waveband unless a named list is supplied in which case the names of the list elements are used. The exposure.time is copied from the spectrum object to the output as an attribute. Units are as follows: moles of photons per exposure.

Methods (by class)

- `q_fluence(default)`: Default for generic function
- `q_fluence(source_spct)`: Calculate photon fluence from a source_spct object and the duration of the exposure
- `q_fluence(source_mspct)`: Calculates photon (quantum) fluence from a source_mspct object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other irradiance functions: `e_fluence()`, `e_irrad()`, `fluence()`, `irrad()`, `q_irrad()`

Examples

```
library(lubridate)
q_fluence(sun.spct,
          w.band = waveband(c(400,700)),
          exposure.time = lubridate::duration(3, "minutes") )
```

q_fraction

Photon:photon fraction

Description

This function returns the photon fraction for a given pair of wavebands of a light source spectrum.

Usage

```
q_fraction(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## Default S3 method:
q_fraction(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
```

```

    use.hinges,
    ...
)

## S3 method for class 'source_spct'
q_fraction(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "total",
  naming = "short",
  name.tag = NULL,
  ...
)

## S3 method for class 'source_mspct'
q_fraction(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "total",
  naming = "short",
  name.tag = ifelse(naming != "none", "[q:q]", ""),
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

spct	an object of class "source_spct".
w.band.num	waveband object or a list of waveband objects used to compute the numerator(s) and denominator(s) of the fraction(s).
w.band.denom	waveband object or a list of waveband objects used to compute the denominator(s) of the fraction(s).
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.

wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
use.cached.mult	logical indicating whether multiplier values should be cached between calls
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly ignored)
quantity	character One of "total", "average" or "mean".
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see <code>add_attr2tb</code> for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
.paropts	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default `quantity = "total"` the fraction is based on two **photon irradiances**, one computed for each waveband.

$$\frac{Q(s, wb_{\text{num}})}{Q(s, wb_{\text{denom}}) + Q(s, wb_{\text{num}})}$$

If the argument is set to `quantity = "mean"` or `quantity = "average"` the ratio is based on two **mean spectral photon irradiances**, one computed for each waveband.

$$\frac{\overline{Q_{\lambda}}(s, wb_{\text{num}})}{\overline{Q_{\lambda}}(s, wb_{\text{denom}}) + \overline{Q_{\lambda}}(s, wb_{\text{num}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[q;q]" is appended if `quantity = "total"` and "[q(wl):q(wl)]" if `quantity = "mean"` or `quantity = "average"`.

A `data.frame` is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to `w.band.num` and `w.band.denom`. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- `q_fraction(default)`: Default for generic function
- `q_fraction(source_spct)`: Method for `source_spct` objects
- `q_fraction(source_mspct)`: Calculates photon:photon from a `source_mspct` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other photon and energy ratio functions: [e_fraction\(\)](#), [e_ratio\(\)](#), [eq_ratio\(\)](#), [q_ratio\(\)](#), [qe_ratio\(\)](#)

Examples

```
q_fraction(sun.spct, new_waveband(400,500), new_waveband(400,700))
```

q_irrad

Photon irradiance

Description

Photon irradiance (i.e. quantum irradiance) for one or more wavebands of a light source spectrum.

Usage

```
q_irrad(
  spct,
  w.band,
  quantity,
  time.unit,
  scale.factor,
```

```
    wb.trim,
    use.cached.mult,
    use.hinges,
    allow.scaled,
    ...
  )

## Default S3 method:
q_irrad(
  spct,
  w.band,
  quantity,
  time.unit,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  allow.scaled,
  ...
)

## S3 method for class 'source_spct'
q_irrad(
  spct,
  w.band = NULL,
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
  use.hinges = NULL,
  allow.scaled = !quantity %in% c("average", "mean", "total"),
  naming = "default",
  return.tb = FALSE,
  ...
)

## S3 method for class 'source_mspct'
q_irrad(
  spct,
  w.band = NULL,
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = getOption("photobiology.use.cached.mult", default = FALSE),
  use.hinges = NULL,
  allow.scaled = !quantity %in% c("average", "mean", "total"),
```

```

naming = "default",
...,
attr2tb = NULL,
idx = "spct.idx",
.parallel = FALSE,
.paropts = NULL
)

```

Arguments

spct	an R object.
w.band	a list of waveband objects or a waveband object.
quantity	character string One of "total", "average" or "mean", "contribution", "contribution.pc", "relative" or "relative.pc".
time.unit	character or lubridate::duration object.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.cached.mult	logical indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
allow.scaled	logical indicating whether scaled or normalized spectra as argument to spct are flagged as an error.
...	other arguments (possibly ignored).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
return.tb	logical Flag forcing a tibble to be always returned, even for a single spectrum as argument to spct. The default is FALSE for backwards compatibility.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of a `_spct` object containing a single spectrum and `return.tb = FALSE`. The vector has one member one value for each waveband passed to parameter `w.band`. In all other cases a tibble, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used. The `time.unit` attribute is copied from the spectrum object to the output. Units are as follows: If `time.unit` is second, $[W\ m^{-2}\ nm^{-1}] \rightarrow [mol\ s^{-1}\ m^{-2}]$ If `time.unit` is day, $[J\ d^{-1}\ m^{-2}\ nm^{-1}] \rightarrow [mol\ d^{-1}\ m^{-2}]$

Methods (by class)

- `q_irrad(default)`: Default for generic function
- `q_irrad(source_spct)`: Calculates photon irradiance from a `source_spct` object.
- `q_irrad(source_mspct)`: Calculates photon (quantum) irradiance from a `source_mspct` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other irradiance functions: [e_fluence\(\)](#), [e_irrad\(\)](#), [fluence\(\)](#), [irrad\(\)](#), [q_fluence\(\)](#)

Examples

```
q_irrad(sun.spct, waveband(c(400,700)))
q_irrad(sun.spct, split_bands(c(400,700), length.out = 3))
q_irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "total")
q_irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "average")
q_irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "relative")
q_irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "relative.pc")
q_irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "contribution")
q_irrad(sun.spct, split_bands(c(400,700), length.out = 3), quantity = "contribution.pc")
```

q_ratio	<i>Photon:photon ratio</i>
---------	----------------------------

Description

This function returns the photon ratio for a given pair of wavebands of a light source spectrum.

Usage

```
q_ratio(  
  spct,  
  w.band.num,  
  w.band.denom,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  ...  
)  
  
## Default S3 method:  
q_ratio(  
  spct,  
  w.band.num,  
  w.band.denom,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  ...  
)  
  
## S3 method for class 'source_spct'  
q_ratio(  
  spct,  
  w.band.num = NULL,  
  w.band.denom = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = FALSE,  
  use.hinges = NULL,  
  quantity = "total",  
  naming = "short",  
  name.tag = NULL,  
  ...  
)
```

```

## S3 method for class 'source_mspct'
q_ratio(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "total",
  naming = "short",
  name.tag = ifelse(naming != "none", "[q:q]", ""),
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

spct	an object of class "source_spct".
w.band.num	waveband object or a list of waveband objects used to compute the numerator(s) of the ratio(s).
w.band.denom	waveband object or a list of waveband objects used to compute the denominator(s) of the ratio(s).
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
use.cached.mult	logical indicating whether multiplier values should be cached between calls
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly ignored)
quantity	character One of "total", "average" or "mean".
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach

`.paropts` a list of additional options passed into the `foreach` function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the `.export` and `.packages` arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default `quantity = "total"` the ratio is based on two photon irradiances, one computed for each waveband.

$$\frac{Q(s, wb_{\text{num}})}{Q(s, wb_{\text{denom}})}$$

If the argument is set to `quantity = "mean"` or `quantity = "average"` the ratio is based on two mean spectral photon irradiances, one computed for each waveband.

$$\frac{\overline{Q_{\lambda}}(s, wb_{\text{num}})}{\overline{Q_{\lambda}}(s, wb_{\text{denom}})}$$

Ratios based on totals and means are numerically identical only if the wavelength expanse of the two wavebands is the same.

Fraction definitions are "assembled" from the arguments passed to `w.band.num` and `w.band.denom`. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[q:q]" is appended if `quantity = "total"` and "[q(wl):q(wl)]" if `quantity = "mean"` or `quantity = "average"`.

A `data.frame` is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Methods (by class)

- `q_ratio(default)`: Default for generic function
- `q_ratio(source_spct)`: Method for `source_spct` objects
- `q_ratio(source_mspect)`: Calculates photon:photon from a `source_mspect` object.

Performance

As this method accepts spectra as its input, it computes irradiances before computing the ratios. If you need to compute both ratios and irradiances from several hundreds or thousands of spectra, computing the ratios from previously computed irradiances avoids their repeated computation. A less dramatic, but still important, increase in performance is available when computing in the same function call ratios that share the same denominator.

See Also

Other photon and energy ratio functions: [e_fraction\(\)](#), [e_ratio\(\)](#), [eq_ratio\(\)](#), [q_fraction\(\)](#), [qe_ratio\(\)](#)

Examples

```
q_ratio(sun.spct,
        waveband(c(400,500), wb.name = "Blue"),
        waveband(c(400,700), wb.name = "White"))
```

q_response

Photon-based photo-response

Description

This function returns the mean response for a given waveband and a response spectrum.

Usage

```
q_response(
  spct,
  w.band,
  quantity,
  time.unit,
  scale.factor,
  wb.trim,
  use.hinges,
  ...
)

## Default S3 method:
q_response(
  spct,
  w.band,
  quantity,
  time.unit,
  scale.factor,
  wb.trim,
```

```

    use.hinges,
    ...
)

## S3 method for class 'response_spct'
q_response(
  spct,
  w.band = NULL,
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = getOption("photobiology.use.hinges", default = NULL),
  naming = "default",
  ...
)

## S3 method for class 'response_mspct'
q_response(
  spct,
  w.band = NULL,
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = getOption("photobiology.use.hinges", default = NULL),
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

spct	an R object.
w.band	waveband or list of waveband objects or a numeric vector of length two. The waveband(s) determine the region(s) of the spectrum that are summarized. If a numeric range is supplied a waveband object is constructed on the fly from it.
quantity	character string One of "total", "average" or "mean", "contribution", "contribution.pc", "relative" or "relative.pc".
time.unit	character or lubridate::duration object.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.

use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly used by derived methods).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter w.band. A data.frame in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter quantity they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used.

Methods (by class)

- `q_response(default)`: Default method for generic function
- `q_response(response_spct)`: Method for response spectra.
- `q_response(response_mspct)`: Calculates photon (quantum) response from a `response_mspct`

Note

The parameter `use.hinges` controls speed optimization. The defaults should be suitable in most cases. Only the range of wavelengths in the wavebands is used and all BSWFs are ignored.

See Also

Other response functions: [e_response\(\)](#), [response\(\)](#)

Examples

```
q_response(ccd.spct, new_waveband(200,300))
q_response(photodiode.spct)
```

`r4p_pkgs`*Packages in R for Photobiology suite*

Description

A dataset containing the names of all the packages in this suite.

Usage`r4p_pkgs`**Format**

A character vector.

Details

A character vector.

Examples`r4p_pkgs`

`rbindspct`*Row-bind spectra*

Description

A wrapper on `dplyr::rbind_fill` that preserves class and other attributes of spectral objects.

Usage

```
rbindspct(  
  1,  
  use.names = TRUE,  
  fill = TRUE,  
  idfactor = TRUE,  
  attrs.source = NULL,  
  attrs.simplify = FALSE  
)
```

Arguments

<code>l</code>	A <code>source_mspct</code> , <code>filter_mspct</code> , <code>reflector_mspct</code> , <code>response_mspct</code> , <code>chroma_mspct</code> , <code>cps_mspct</code> , <code>generic_mspct</code> object or a list containing <code>source_spct</code> , <code>filter_spct</code> , <code>reflector_spct</code> , <code>response_spct</code> , <code>chroma_spct</code> , <code>cps_spct</code> , or <code>generic_spct</code> objects.
<code>use.names</code>	logical If TRUE items will be bound by matching column names. By default TRUE for <code>rbindspct</code> . Columns with duplicate names are bound in the order of occurrence, similar to <code>base</code> . When TRUE, at least one item of the input list has to have non-null column names.
<code>fill</code>	logical If TRUE fills missing columns with NAs. By default TRUE. When TRUE, <code>use.names</code> has also to be TRUE, and all items of the input list have to have non-null column names.
<code>idfactor</code>	logical or character Generates an index column of factor type. Default is (<code>idfactor=TRUE</code>) for both lists and <code>_mspct</code> objects. If <code>idfactor=TRUE</code> then the column is auto named <code>spct.idx</code> . Alternatively the column name can be directly provided to <code>idfactor</code> as a character string.
<code>attrs.source</code>	integer Index into the members of the list from which attributes should be copied. If NULL, all attributes are collected into named lists, except that unique comments are pasted.
<code>attrs.simplify</code>	logical Flag indicating that when all values of an attribute are equal for all members, the named list will be replaced by a single copy of the value.

Details

Each item of `l` should be a spectrum, including NULL (skipped) or an empty object (0 rows). `rbindspct` is most useful when there are a variable number of (potentially many) objects to stack. `rbindspct` always returns at least a `generic_spct` as long as all elements in `l` are spectra.

Value

An spectral object of a type common to all bound items containing a concatenation of all the items passed in. If the argument `'idfactor'` is TRUE, then a factor `'spct.idx'` will be added to the returned spectral object.

Note

Note that any additional `'user added'` attributes that might exist on individual items of the input list will not be preserved in the result. The attributes used by the `photobiology` package are preserved, and if they are not consistent across the bound spectral objects, a warning is issued.

`dplyr::rbind_fill` is called internally and the result returned is the highest class in the inheritance hierarchy which is common to all elements in the list. If not all members of the list belong to one of the `_spct` classes, an error is triggered. The function sets all data in `source_spct` and `response_spct` objects supplied as arguments into energy-based quantities, and all data in `filter_spct` objects into transmittance before the row binding is done. If any member spectrum is tagged, it is untagged before row binding.

Examples

```

# default, adds factor 'spct.idx' with letters as levels
spct <- rbindspct(list(sun.spct, sun.spct))
spct
class(spct)

# adds factor 'spct.idx' with letters as levels
spct <- rbindspct(list(sun.spct, sun.spct), idfactor = TRUE)
head(spct)
class(spct)

# adds factor 'spct.idx' with the names given to the spectra in the list
# supplied as formal argument 'l' as levels
spct <- rbindspct(list(one = sun.spct, two = sun.spct), idfactor = TRUE)
head(spct)
class(spct)

# adds factor 'ID' with the names given to the spectra in the list
# supplied as formal argument 'l' as levels
spct <- rbindspct(list(one = sun.spct, two = sun.spct),
                  idfactor = "ID")
head(spct)
class(spct)

```

reflectance

Reflectance

Description

Function to calculate the mean, total, or other summary of reflectance for spectral data stored in a reflector_spct or in an object_spct.

Usage

```

reflectance(spct, w.band, quantity, wb.trim, use.hinges, ...)

## Default S3 method:
reflectance(spct, w.band, quantity, wb.trim, use.hinges, ...)

## S3 method for class 'reflector_spct'
reflectance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",

```

```

    ...
  )

## S3 method for class 'object_spct'
reflectance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
  ...
)

## S3 method for class 'reflector_mspct'
reflectance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'object_mspct'
reflectance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>spct</code>	an R object
<code>w.band</code>	waveband or list of waveband objects or a numeric vector of length two. The

	waveband(s) determine the region(s) of the spectrum that are summarized. If a numeric range is supplied a waveband object is constructed on the fly from it.
quantity	character string One of "average" or "mean", "total", "contribution", "contribution.pc", "relative" or "relative.pc".
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
attr2tb	character vector, see <code>add_attr2tb</code> for the syntax for attr2tb passed as is to formal parameter <code>col.names</code> .
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used.

Methods (by class)

- `reflectance(default)`: Default for generic function
- `reflectance(reflector_spct)`: Specialization for `reflector_spct`
- `reflectance(object_spct)`: Specialization for `object_spct`
- `reflectance(reflector_mspct)`: Calculates reflectance from a `reflector_mspct`
- `reflectance(object_mspct)`: Calculates reflectance from a `object_mspct`

Note

The `use.hinges` parameter controls speed optimization. The defaults should be suitable in most cases. Only the range of wavelengths in the wavebands is used and all BSWFs are ignored.

Examples

```
reflectance(black_body.spct, waveband(c(400,700)))
reflectance(white_body.spct, waveband(c(400,700)))
```

relative_AM	<i>Relative Air Mass (AM)</i>
-------------	-------------------------------

Description

Approximate relative air mass (AM) from sun elevation or sun zenith angle.

Usage

```
relative_AM(elevation.angle = NULL, zenith.angle = NULL, occluded.value = NA)
```

Arguments

`elevation.angle`, `zenith.angle`
 numeric vector Angle in degrees for the sun position. An argument should be passed to one and only one of `elevation_angle` or `zenith_angle`.

`occluded.value` numeric Value to return when elevation angle is negative (sun below the horizon).

Details

This is an implementation of equation (3) in Kasten and Young (1989). This equation is only an approximation to the tabulated values in the same paper. Returned values are rounded to three significant digits.

Note

Although relative air mass is not defined when the sun is not visible, returning a value different from the default NA might be useful in some cases.

References

F. Kasten, A. T. Young (1989) Revised optical air mass tables and approximation formula. Applied Optics, 28, 4735-. doi:10.1364/ao.28.004735.

Examples

```
relative_AM(c(90, 60, 30, 1, -10))
relative_AM(c(90, 60, 30, 1, -10), occluded.value = Inf)
relative_AM(zenith.angle = 0)
```

replace_bad_pixs	<i>Replace bad pixels in a spectrum</i>
------------------	---

Description

This function replaces data for bad pixels by a local estimate, by either simple interpolation or using the algorithm of Whitaker and Hayes (2018).

Usage

```
replace_bad_pixs(  
  x,  
  bad.pix.idx = FALSE,  
  window.width = 11,  
  method = "run.mean",  
  na.rm = TRUE  
)
```

Arguments

x	numeric vector containing spectral data.
bad.pix.idx	logical vector or integer. Index into bad pixels in x.
window.width	integer. The full width of the window used for the running mean.
method	character The name of the method: "run.mean" is running mean as described in Whitaker and Hayes (2018); "adj.mean" is mean of adjacent neighbors (isolated bad pixels only).
na.rm	logical Treat NA values as additional bad pixels and replace them.

Details

Simple interpolation replaces values of isolated bad pixels by the mean of their two closest neighbors. The running mean approach allows the replacement of short runs of bad pixels by the running mean of neighboring pixels within a window of user-specified width. The first approach works well for spectra from array spectrometers to correct for hot and dead pixels in an instrument. The second approach is most suitable for Raman spectra in which spikes triggered by radiation are wider than a single pixel but usually not more than five pixels wide.

Value

A logical vector of the same length as x. Values that are TRUE correspond to local spikes in the data.

Note

In the current implementation NA values are not removed, and if they are in the neighborhood of bad pixels, they will result in the generation of additional NAs during their replacement.

References

Whitaker, D. A.; Hayes, K. (2018) A simple algorithm for despiking Raman spectra. *Chemometrics and Intelligent Laboratory Systems*, 179, 82-84.

See Also

Other peaks and valleys functions: [find_peaks\(\)](#), [find_spikes\(\)](#), [get_peaks\(\)](#), [peaks\(\)](#), [spikes\(\)](#), [valleys\(\)](#), [wls_at_target\(\)](#)

Examples

```
# in a vector
replace_bad_pixs(c(1, 1, 45, 1, 1), bad.pix.idx = 3)

# before replacement
white_led.raw_spct$counts_3[120:125]

# replacing bad pixels at index positions 123 and 1994
with(white_led.raw_spct,
     replace_bad_pixs(counts_3, bad.pix.idx = c(123, 1994)))[120:125]
```

response

Integrated response

Description

Calculate average photon- or energy-based photo-response.

Usage

```
response(
  spct,
  w.band,
  unit.out,
  quantity,
  time.unit,
  scale.factor,
  wb.trim,
  use.hinges,
  ...
)

## Default S3 method:
response(
  spct,
  w.band,
  unit.out,
```

```

    quantity,
    time.unit,
    scale.factor,
    wb.trim,
    use.hinges,
    ...
)

## S3 method for class 'response_spct'
response(
  spct,
  w.band = NULL,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = getOption("photobiology.use.hinges", default = NULL),
  naming = "default",
  ...
)

## S3 method for class 'response_mspct'
response(
  spct,
  w.band = NULL,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  quantity = "total",
  time.unit = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = getOption("photobiology.use.hinges", default = NULL),
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

spct	an R object of class "generic_spct".
w.band	waveband or list of waveband objects or a numeric vector of length two. The waveband(s) determine the region(s) of the spectrum that are summarized. If a numeric range is supplied a waveband object is constructed on the fly from it.
unit.out	character Allowed values "energy", and "photon", or its alias "quantum".

<code>quantity</code>	character string One of "average" or "mean", "total", "contribution", "contribution.pc", "relative" or "relative.pc".
<code>time.unit</code>	character or <code>lubridate::duration</code> object.
<code>scale.factor</code>	numeric vector of length 1, or length equal to that of <code>w.band</code> . Numeric multiplier applied to returned values.
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
<code>...</code>	other arguments (possibly used by derived methods).
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>attr2tb</code>	character vector, see <code>add_attr2tb</code> for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Whether returned values are expressed in energy-based or photon-based units depends on `unit.out`. By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used.

Methods (by class)

- `response(default)`: Default for generic function
- `response(response_spct)`: Method for response spectra.
- `response(response_mspct)`: Calculates response from a `response_mspct`

Note

The parameter `use.hinges` controls speed optimization. The defaults should be suitable in most cases. Only the range of wavelengths in the wavebands is used and all BSWFs are ignored.

See Also

Other response functions: [e_response\(\)](#), [q_response\(\)](#)

Rfr_fraction	<i>reflectance:reflectance fraction</i>
--------------	---

Description

This function returns the reflectance fraction for a given pair of wavebands of a reflector spectrum.

Usage

```
Rfr_fraction(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## Default S3 method:
Rfr_fraction(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## S3 method for class 'reflector_spct'
Rfr_fraction(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
```

```

    name.tag = NULL,
    ...
)

## S3 method for class 'reflector_mspct'
Rfr_fraction(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>spct</code>	an object of class "reflector_spct".
<code>w.band.num</code>	waveband object or a list of waveband objects used to compute the numerator(s) and denominator(s) of the fraction(s).
<code>w.band.denom</code>	waveband object or a list of waveband objects used to compute the denominator(s) of the fraction(s).
<code>scale.factor</code>	numeric vector of length 1, or length equal to that of <code>w.band</code> . Numeric multiplier applied to returned values.
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
<code>use.cached.mult</code>	logical indicating whether multiplier values should be cached between calls
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
<code>...</code>	other arguments (possibly ignored)
<code>quantity</code>	character One of "total", "average" or "mean".
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>name.tag</code>	character Used to tag the name of the returned values.
<code>attr2tb</code>	character vector, see add_attr2tb for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .

idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default quantity = "mean" or quantity = "average" the ratio is based on two **mean spectral reflectance**, one computed for each waveband.

$$\frac{\overline{\text{Rfr}}_{\lambda}(s, wb_{\text{num}})}{\overline{\text{Rfr}}_{\lambda}(s, wb_{\text{denom}}) + \overline{\text{Rfr}}_{\lambda}(s, wb_{\text{num}})}$$

If the argument is set to quantity = "total" the fraction is based on two **integrated reflectance**, one computed for each waveband.

$$\frac{\text{Rfr}(s, wb_{\text{num}})}{\text{Rfr}(s, wb_{\text{denom}}) + \text{Rfr}(s, wb_{\text{num}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[Rfr:Rfr]" is appended if quantity = "total" and "[Rfr(wl):Rfr(wl)]" if quantity = "mean" or quantity = "average".

A data.frame is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to w.band.num and w.band.denom. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- Rfr_fraction(default): Default for generic function
- Rfr_fraction(reflector_spct): Method for reflector_spct objects
- Rfr_fraction(reflector_mspct): Calculates Rfr:Rfr from a reflector_mspct object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use_cached_mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other Reflectance ratio functions: [Rfr_normdiff\(\)](#), [Rfr_ratio\(\)](#)

Examples

```
Rfr_fraction(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"))
Rfr_fraction(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "total")
Rfr_fraction(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "mean")
```

Rfr_from_n

Reflectance at a planar boundary

Description

The reflectance at the planar boundary between two media, or interface, can be computed from the relative refractive index. Reflectance depends on polarization, and the process of reflection can generate polarized light through selective reflection of *s* and *p* components. A perfectly flat (i.e., polished) interface creates specular reflection, and this is the case that these functions describe. These function describe a single interface, and for example in a glass pane, a light beam will cross two air-glass interfaces.

Usage

```
Rfr_from_n(angle_deg, angle = angle_deg/180 * pi, n = 1.5, p_fraction = 0.5)
```

```
Rfr_p_from_n(angle_deg, angle = angle_deg/180 * pi, n = 1.5)
```

```
Rfr_s_from_n(angle_deg, angle = angle_deg/180 * pi, n = 1.5)
```

Arguments

angle_deg, angle	numeric vector	Angle of incidence of the light beam, in degrees or radians. If both are supplied, radians take precedence.
n	numeric vector, or generic_spct object	Relative refractive index. The default 1.5 is suitable for crown glass or acrylic interacting with visible light. <i>n</i> depends on wavelength, more or less strongly depending on the material.
p_fraction	numeric in range 0 to 1.	Polarization, defaults to 0.5 assuming light that is not polarized.

Details

These functions implement Fresnel's formulae. All parameters accept vectors as arguments. If both *n* and *angle* are vectors with length different from one, they should both have the same length. Reflectance depends on polarization, the *s* and *p* components need to be computed separately and added up. `Rfr_from_n()` is for non-polarized light, i.e., with equal contribution of the two components.

Value

If *n* is a numeric vector the returned value is a vector of reflectances, while if *n* is a generic_spct object the returned value is a reflector_spct object.

Examples

```
Rfr_from_n(0:90)
Rfr_from_n(0:90, p_fraction = 1)
Rfr_from_n(0:90, n = 1.333) # water
```

Rfr_normdiff	<i>reflectance:reflectance normalised difference</i>
--------------	--

Description

This function returns the reflectance normalized difference index for a given pair of wavebands of a reflector spectrum.

Usage

```
Rfr_normdiff(
  spct,
  w.band.plus,
  w.band.minus,
  scale.factor,
  wb.trim,
  use.cached.mult,
```

```
    use.hinges,
    ...
)

## Default S3 method:
Rfr_normdiff(
  spct,
  w.band.plus,
  w.band.minus,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## S3 method for class 'reflector_spct'
Rfr_normdiff(
  spct,
  w.band.plus = NULL,
  w.band.minus = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...
)

## S3 method for class 'reflector_mspct'
Rfr_normdiff(
  spct,
  w.band.plus = NULL,
  w.band.minus = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)
```

)

Arguments

spct	an object of class "reflector_spct".
w.band.plus, w.band.minus	waveband object(s) or a list(s) of waveband objects used to compute the additive and subtractive reflectance terms of the normalized difference index.
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
use.cached.mult	logical indicating whether multiplier values should be cached between calls
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly ignored)
quantity	character One of "total", "average" or "mean".
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default quantity = "mean" or quantity = "average" the ratio is based on two **mean spectral photon reflectances**, one computed for each waveband.

$$\frac{\overline{\text{Rfr}}_{\lambda}(s, wb_{\text{plus}}) - \overline{\text{Rfr}}_{\lambda}(s, wb_{\text{minus}})}{\overline{\text{Rfr}}_{\lambda}(s, wb_{\text{plus}}) + \overline{\text{Rfr}}_{\lambda}(s, wb_{\text{minus}})}$$

If the argument is set to quantity = "total" the fraction is based on two **photon reflectances**, one computed for each waveband.

$$\frac{\text{Rfr}(s, wb_{\text{plus}}) - \text{Rfr}(s, wb_{\text{minus}})}{\text{Rfr}(s, wb_{\text{plus}}) + \text{Rfr}(s, wb_{\text{minus}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[Rfr:Rfr]" is appended if quantity = "total" and "[Rfr(wl):Rfr(wl)]" if quantity = "mean" or quantity = "average".

A data.frame is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to w.band.num and w.band.denom. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- Rfr_normdiff(default): Default for generic function
- Rfr_normdiff(reflector_spct): Method for reflector_spct objects
- Rfr_normdiff(reflector_mspct): Calculates Rfr:Rfr from a reflector_mspct object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting use.cached.mult = TRUE. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the w.length vector.

See Also

[normalized_diff_ind](#), accepts different summary functions.

Other Reflectance ratio functions: [Rfr_fraction\(\)](#), [Rfr_ratio\(\)](#)

Examples

```
Rfr_normdiff(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"))
Rfr_normdiff(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "total")
Rfr_normdiff(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "mean")
```

Rfr_ratio	<i>reflectance:reflectance ratio</i>
-----------	--------------------------------------

Description

This function returns the reflectance ratio for a given pair of wavebands of a reflector spectrum.

Usage

```
Rfr_ratio(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## Default S3 method:
Rfr_ratio(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## S3 method for class 'reflector_spct'
Rfr_ratio(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...
)
```

```

## S3 method for class 'reflector_mspct'
Rfr_ratio(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>spct</code>	an object of class "reflector_spct".
<code>w.band.num</code>	waveband object or a list of waveband objects used to compute the numerator(s) and denominator(s) of the ratio(s).
<code>w.band.denom</code>	waveband object or a list of waveband objects used to compute the denominator(s) of the ratio(s).
<code>scale.factor</code>	numeric vector of length 1, or length equal to that of <code>w.band</code> . Numeric multiplier applied to returned values.
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
<code>use.cached.mult</code>	logical indicating whether multiplier values should be cached between calls
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
<code>...</code>	other arguments (possibly ignored)
<code>quantity</code>	character One of "total", "average" or "mean".
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>name.tag</code>	character Used to tag the name of the returned values.
<code>attr2tb</code>	character vector, see add_attr2tb for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>

`.paropts` a list of additional options passed into the `foreach` function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the `.export` and `.packages` arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default `quantity = "mean"` or `quantity = "average"` the ratio is based on two **mean spectral reflectance**, one computed for each waveband.

$$\frac{\overline{\text{Rfr}}_{\lambda}(s, wb_{\text{num}})}{\overline{\text{Rfr}}_{\lambda}(s, wb_{\text{denom}})}$$

If the argument is set to `quantity = "total"` the ratio is based on two **integrated reflectance**, one computed for each waveband.

$$\frac{\text{Rfr}(s, wb_{\text{num}})}{\text{Rfr}(s, wb_{\text{denom}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[Rfr:Rfr]" is appended if `quantity = "total"` and "[Rfr(wl):Rfr(wl)]" if `quantity = "mean"` or `quantity = "average"`.

A `data.frame` is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to `w.band.num` and `w.band.denom`. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- `Rfr_ratio(default)`: Default for generic function
- `Rfr_ratio(reflector_spct)`: Method for `reflector_spct` objects
- `Rfr_ratio(reflector_mspect)`: Calculates Rfr:Rfr from a `reflector_mspect` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other Reflectance ratio functions: [Rfr_fraction\(\)](#), [Rfr_normdiff\(\)](#)

Examples

```
Rfr_ratio(Ler_leaf_rflt.spct,
          waveband(c(400,500), wb.name = "Blue"),
          waveband(c(600,700), wb.name = "Red"))
Rfr_ratio(Ler_leaf_rflt.spct,
          waveband(c(400,500), wb.name = "Blue"),
          waveband(c(600,700), wb.name = "Red"),
          quantity = "total")
Rfr_ratio(Ler_leaf_rflt.spct,
          waveband(c(400,500), wb.name = "Blue"),
          waveband(c(600,700), wb.name = "Red"),
          quantity = "mean")
```

 rgb_spct

RGB color values

Description

This function returns the RGB values for a source spectrum.

Usage

```
rgb_spct(spct, sens = photobiology::ciexyzCMF2.spct, color.name = NULL)
```

Arguments

spct	an object of class "source_spct"
sens	a chroma_spct object with variables w.length, x, y, and z, giving the CC or CMF definition (default is the proposed human CMF according to CIE 2006.)
color.name	character string for naming the rgb color definition

Value

A color defined using [rgb\(\)](#). The numeric values of the RGB components can be obtained

See Also

Other color functions: [w_length2rgb\(\)](#), [w_length_range2rgb\(\)](#)

Examples

```
rgb_spct(sun.spct)
```

rmDerivedMspct	<i>Remove "generic_mspct" and derived class attributes.</i>
----------------	---

Description

Removes from a spectrum object the class attributes "generic_mspct" and any derived class attribute such as "source_mspct". **This operation is done by reference!**

Usage

```
rmDerivedMspct(x)
```

Arguments

x an R object.

Value

A character vector containing the removed class attribute values. This is different to the behaviour of function `unlist` in base R!

Note

If x is an object of any of the multi spectral classes defined in this package, this function changes by reference the multi spectrum object into the underlying list object. Otherwise, it just leaves x unchanged. The modified x is also returned invisibly.

See Also

Other set and unset 'multi spectral' class functions: [shared_member_class\(\)](#)

rmDerivedSpct	<i>Remove "generic_spct" and derived class attributes.</i>
---------------	--

Description

Removes from a spectrum object the class attributes "generic_spct" and any derived class attribute such as "source_spct". **This operation is done by reference!**

Usage

```
rmDerivedSpct(x, keep.classes = NULL)
```

Arguments

`x` an R object.
`keep.classes` character vector Names of classes to keep. Can be used to retain base class "generic_spct".

Details

This function alters `x` itself by reference. If `x` is not a `generic_spct` object, `x` is not modified. This function behaves similarly to `setdiff()` but preserving the original order of the character vector of the S3 class names.

Value

A character vector containing the removed class attribute values. This is different to the behaviour of function `unlist` in base R!

Note

If `x` is an object of any of the spectral classes defined in this package, this function changes by reference the spectrum object into the underlying data.frame object. Otherwise, it just leaves `x` unchanged.

See Also

Other set and unset spectral class functions: [setGenericSpct\(\)](#)

Examples

```
my.spct <- sun.spct
removed <- rmDerivedSpct(my.spct)
removed
class(sun.spct)
class(my.spct)
```

round

Rounding of Numbers

Description

`ceiling` takes a single numeric argument `x` and returns a numeric vector containing the smallest integers not less than the corresponding elements of `x`. `floor` takes a single numeric argument `x` and returns a numeric vector containing the largest integers not greater than the corresponding elements of `x`. `trunc` takes a single numeric argument `x` and returns a numeric vector containing the integers formed by truncating the values in `x` toward 0. `round` rounds the values in its first argument to the specified number of decimal places (default 0). `signif` rounds the values in its first argument to the specified number of significant digits. The functions are applied to the spectral data, not the wavelengths. The quantity in the spectrum to which the function is applied depends on the class of `x` and the current value of output options.

Usage

```
## S3 method for class 'generic_spct'
round(x, digits = 0)

## S3 method for class 'generic_spct'
signif(x, digits = 6)

## S3 method for class 'generic_spct'
ceiling(x)

## S3 method for class 'generic_spct'
floor(x)

## S3 method for class 'generic_spct'
trunc(x, ...)
```

Arguments

x	an object of class "generic_spct" or a derived class.
digits	integer indicating the number of decimal places (round) or significant digits (signif) to be used. Negative values are allowed (see 'Details').
...	arguments to be passed to methods.

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [sign\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

select_spct_attributes

Merge user supplied attribute names with default ones

Description

Allow users to add and subtract from default attributes in addition to providing a given set of attributes.

Usage

```
select_spct_attributes(attributes, attributes.default = spct_attributes())

spct_attributes(.class = "all", attributes = "*")
```

Arguments

`attributes, attributes.default`
character vector or a list of character vectors.

`.class`
character Name of spectral class.

Details

Vectors of character strings passed as argument to `attributes` are parsed so that if the first member string is "+", the remaining members are added to those in `attributes.default`; if it is "-" the remaining members are removed from in `attributes.default`; and if it is "=" the remaining members replace those in in `attributes.default`. If the first member is none of these three strings, the behaviour is the same as when the first string is "=". If `attributes` is NULL all the attributes in `attributes.default` are used and if it is "" no attribute names are returned, "" has precedence over other member values. The order of the names of annotations has no meaning: the vector is interpreted as a set except for the three possible "operators" at position 1.

Value

A character vector of attribute names.

See Also

[get_attributes](#)

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

setBSWFUsed

The "bswf.used" attribute

Description

Function to set by reference the "time.unit" attribute of an existing `source_spct` object, and function to query its value.

Usage

```
setBSWFUsed(x, bswf.used = c("none", "unknown"))

getBSWFUsed(x)
```

Arguments

`x`
a `source_spct` object.

`bswf.used`
a character string, either "none" or the name of a BSWF.

Details

Effective spectral irradiance, describes an estimate of the strength of the radiation towards eliciting a given response, frequently, but not only a biological response. The biological spectral weighting function, BSWF, used, can be for example that of the human eye, or an action spectrum, such as the erythema, or reddening of the human skin, action spectrum.

$$I_{BE}(\lambda) = I(\lambda) \times f_{BE}(\lambda)$$

where, $I_{BE}(\lambda)$ is the biologically effective spectral irradiance, $I(\lambda)$ is the spectral irradiance and $f_{BE}(\lambda)$ is one of many possible BSWF.

When the values stored in a `source_spct` object have been multiplied by those from a curve describing a certain response or effect, the attribute `"time.unit"` is set accordingly to track the transformation applied to the data. When a spectral response data have been directly measured, they should be stored in an object of class `response_spct` as they are expressed in actual response units, not of class `source_spct` expressed in irradiance units, even if weighted. However, when like in the case of spectral illuminance, the aim is technical measure of a light source, class `source_spct` should be used and the BSWF set in the metadata.

This attribute is normally set by the function or operator used to apply the BSWF to spectral irradiance data, or set when the `source_spct` object is created.

Value

`x` or the character value stored in `x`.

Note

Function `setBSWFUsed()` alters `x` itself by reference and in addition returns `x` invisibly. If `x` is not a `source_spct`, `x` is not modified. The behaviour of this function is 'unusual' in that the default for parameter `bswf.used` is used only if `x` does not already have this attribute set. Function `getBSWFUsed()` returns the value to which the attribute is set as a character string and otherwise NA.

Examples

```
getBSWFUsed(sun.spct)
```

`setFilterProperties` *Set the "filter.properties" attribute*

Description

Function to set by reference the "filter.properties" attribute of an existing `filter_spct` object.

Usage

```

setFilterProperties(
  x,
  filter.properties = NULL,
  pass.null = FALSE,
  Rfr.constant = NA_real_,
  thickness = NA_real_,
  attenuation.mode = NA_character_
)

filter_properties(x) <- value

```

Arguments

x	a filter_spect object
filter.properties, value	a list with fields named "Rfr.constant", "thickness" and "attenuation.mode".
pass.null	logical If TRUE, the parameters to the next three parameters will be always ignored, otherwise they will be used to build an object of class "filter.properties" when the argument passed to parameter filter.properties is NULL.
Rfr.constant	numeric The value of the reflection factor [1].
thickness	numeric The thickness of the material [m].
attenuation.mode	character One of "reflection", "absorption", "absorption.layer", "mixed" or "stack".

Details

Storing filter properties allows inter-conversion between internal and total transmittance, as well as computation of transmittance for arbitrary thickness of the material. Whether computations are valid depend on the homogeneity of the material. The parameter pass.null makes it possible to remove the attribute.

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a filter_spect object, x is not modified.

The values of attenuation.mode "reflection" and "absorption" should be used when one of these processes is clearly the main one; "mixed" is for cases when they both play a role, i.e., when a simple correction using a single value of Rfr across wavelengths is not possible; "absorption.layer" is for cases when a thin absorbing layer is deposited on the surface of a transparent support or enclosed between two sheets of glass or other transparent material. If in doubt, set this to NA to ensure that computation of spectra for a different thickness remains disabled.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
my.spct <- polyester.spct
filter_properties(my.spct)
filter_properties(my.spct) <- NULL
filter_properties(my.spct)
filter_properties(my.spct, return.null = TRUE)
filter_properties(my.spct) <- list(Rfr.constant = 0.01,
                                   thickness = 125e-6,
                                   attenuation.mode = "absorption")

filter_properties(my.spct)
```

setGenericSpct

Convert an R object into a spectrum object.

Description

Sets the class attribute of a data.frame or an object of a derived class to "generic_spct".

Usage

```
setGenericSpct(x, multiple.wl = 1L, idfactor = NULL)

setCalibrationSpct(
  x,
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  multiple.wl = 1L,
  idfactor = NULL
)

setRawSpct(
  x,
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  multiple.wl = 1L,
  idfactor = NULL
)

setCpsSpct(
```



```
x,  
time.unit = "second",  
strict.range = getOption("photobiology.strict.range", default = FALSE),  
multiple.wl = 1L,  
idfactor = NULL  
)  
  
setFilterSpct(  
  x,  
  Tfr.type = c("total", "internal"),  
  Rfr.constant = NA_real_,  
  thickness = NA_real_,  
  attenuation.mode = NA_character_,  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
setSoluteSpct(  
  x,  
  K.type = c("attenuation", "absorption", "scattering"),  
  name = NA_character_,  
  mass = NA_character_,  
  formula = NA_character_,  
  structure = grDevices::as.raster(matrix()),  
  ID = NA_character_,  
  solvent.name = NA_character_,  
  solvent.ID = NA_character_,  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
setReflectorSpct(  
  x,  
  Rfr.type = c("total", "specular"),  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
setObjectSpct(  
  x,  
  Tfr.type = c("total", "internal"),  
  Rfr.type = c("total", "specular"),  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  multiple.wl = 1L,  
  idfactor = NULL
```

```

)

setResponseSpct(
  x,
  time.unit = "second",
  response.type = "response",
  multiple.wl = 1L,
  idfactor = NULL
)

setSourceSpct(
  x,
  time.unit = "second",
  bswf.used = c("none", "unknown"),
  strict.range = getOption("photobiology.strict.range", default = FALSE),
  multiple.wl = 1L,
  idfactor = NULL
)

setChromaSpct(x, multiple.wl = 1L, idfactor = NULL)

```

Arguments

<code>x</code>	data.frame, list or generic_spct and derived classes
<code>multiple.wl</code>	numeric Maximum number of repeated w.length entries with same value.
<code>idfactor</code>	character Name of factor distinguishing multiple spectra when stored longitudinally (required if <code>multiple.wl > 1</code>).
<code>strict.range</code>	logical Flag indicating whether off-range values result in an error instead of a warning.
<code>time.unit</code>	character string indicating the time unit used for spectral irradiance or exposure ("second", "day" or "exposure") or an object of class duration as defined in package lubridate.
<code>Tfr.type</code>	character Either "total" or "internal".
<code>Rfr.constant</code>	numeric The value of the reflection factor [/ 1].
<code>thickness</code>	numeric The thickness of the material.
<code>attenuation.mode</code>	character One of "reflection", "absorption" or "mixed".
<code>K.type</code>	character A string, either "attenuation", "absorption" or "scattering".
<code>name, solvent.name</code>	character The names of the substance and of the solvent. A named character vector, with member names such as "IUPAC" for the authority.
<code>mass</code>	numeric The mass in Dalton (Da = g/mol).
<code>formula</code>	character The molecular formula.
<code>structure</code>	raster A bitmap of the structure.

ID, solvent.ID	character The IDs of the substance and of the solvent. A named character vector, with member names such as "ChemSpider" or "PubChen" for the authority.
Rfr.type	character A string, either "total" or "specular".
response.type	a character string, either "response" or "action".
bswf.used	character A string, either "none" or the name of a BSWF. (Users seldom need to change the default, as this metadata value is in normal use set by operators or functions that apply a BSWF.)

Details

This method alters `x` itself by reference and in addition returns the modified `x` invisibly. The wavelength values and data are checked for validity and out-of-range values trigger warnings. These checks are done during construction by means of the matching `check_spct` methods, unless checks have been disabled by setting the corresponding option (see `enable_check_spct`).

Value

`x`

Functions

- `setCalibrationSpct()`: Set class of a an object to "calibration_spct".
- `setRawSpct()`: Set class of a an object to "raw_spct".
- `setCpsSpct()`: Set class of a an object to "cps_spct".
- `setFilterSpct()`: Set class of an object to "filter_spct".
- `setSoluteSpct()`: Set class of an object to "solute_spct".
- `setReflectorSpct()`: Set class of a an object to "reflector_spct".
- `setObjectSpct()`: Set class of an object to "object_spct".
- `setResponseSpct()`: Set class of an object to "response_spct".
- `setSourceSpct()`: Set class of an object to "source_spct".
- `setChromaSpct()`: Set class of an object to "chroma_spct".

Warning!

Not entering metadata when creating an object will limit the available operations!

Note

"internal" **transmittance** is defined as the transmittance of the material body itself, while "total" transmittance includes the effects of surface reflectance on the amount of light transmitted. For non-diffusing materials like glass an approximate `Rfr`. constant value can be used to inter-convert total and internal transmittance values. Use NA if the the mode is not known, or not applicable, e.g., for materials subject to internal scattering. The validity of computations related to thickness of the material or length of the light path depends on the availability and accuracy of the metadata.

Particles in suspension unlike dissolved **solutes** scatter light. Thus two different processes can attenuate light in liquid media: absorption and scattering. Coefficients of attenuation are always

based on measurements of internal absorbance or internal transmittance. In practice this is achieved by using as reference pure solvent in a vessel, such as a spectrometer cuvette, called *blank*. The measurement of the blank is done sequentially, before or after the *sample* of interest in single beam spectrophotometers and concurrently in double beam spectrophotometers. *K.type* describes the process of attenuation: "attenuation", "absorption" or "scattering", with "attenuation" used for cases of mixed modes of attenuation. Set *K.type* = NA if not available or unknown, or not applicable.

"specular" **reflectance** is defined as that measured by collecting the light reflected by the surface at the "mirror" of the angle of incidence; i.e., using a probe with a narrow angle of aperture. Usually measured close to normal angle of incidence. "total" **reflectance** is defined as that measured by collecting all the light reflected by the surface; i.e., using an integrating sphere. In a mirror, reflectance is mostly specular, while on the white surface of a sheet of paper scattering predominates. In the first case the value for total reflectance is not much more than for specular reflectance, while in the second case the difference is much larger as the "specular" component is much smaller.

See Also

Other set and unset spectral class functions: [rmDerivedSpct\(\)](#)

Examples

```
my.df <- data.frame(w.length = 300:309, s.e.irrad = rep(100, 10))
is.source_spct(my.df)
setSourceSpct(my.df)
is.source_spct(my.df)
```

setHowMeasured

Set the "how.measured" attribute

Description

Function to set by reference the "how.measured" attribute of an existing *generic_spct* or *derived-class* object.

Usage

```
setHowMeasured(x, how.measured)
```

```
how_measured(x) <- value
```

Arguments

x a *generic_spct* object
how.measured, value a list

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a `generic_spct` object, x is not modified.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
my.spct <- sun.spct
how_measured(my.spct)
how_measured(my.spct) <- "simulated with a radiation transfer model"
how_measured(my.spct)
```

setIdFactor

Set the "idfactor" attribute

Description

Function to set, rename or unset by reference the "idfactor" attribute of an existing object of class `generic_spct` or an object of a class derived from `generic_spct`.

Usage

```
setIdFactor(x, idfactor)
```

```
id_factor(x) <- value
```

Arguments

x a `generic_spct` object.

idfactor, value character The name of a factor identifying multiple spectra stored longitudinally.

Details

If the attribute `idfactor` is already set, and a variable with name equal to the value passed as argument to `idfactor` does not exist in `x`, the currently set variable is renamed and the attribute value updated. If a variable named as the argument passed to `idfactor` exists in `x`, it will be set as `id` by storing this name in the attribute. If the value passed as argument to `idfactor` is `NULL` the attribute will be unset. If the attribute is not already set and there is no member variable in `x` with a name matching the argument passed to `idfactor`, an error is triggered.

Value

`x`

Note

This function alters `x` itself by reference and in addition returns `x` invisibly. If `x` is not a `generic_spct` or an object of a class derived from `generic_spct`, `x` is not modified.

See Also

Other `idfactor` attribute functions: [getIdFactor\(\)](#)

Examples

```
my.spct <- sun_evening.spct

# inspecting
id_factor(sun.spct) # no idfactor set

id_factor(my.spct)
colnames(my.spct)

# renaming
id_factor(my.spct) <- "time"
getIdFactor(my.spct)
colnames(my.spct)

# removing
setIdFactor(my.spct, NULL)
getIdFactor(my.spct)
colnames(my.spct)
```

setInstrDesc

Set the "instr.desc" attribute

Description

Function to set by reference the "instr.desc" attribute of an existing `generic_spct` or derived-class object.

Usage

```
setInstrDesc(x, instr.desc)

instr_descriptor(x) <- value
```

Arguments

```
x                a generic_spct object
instr.desc, value a list
```

Value

```
x
```

Note

This function alters `x` itself by reference and in addition returns `x` invisibly. If `x` is not a `generic_spct` object, `x` is not modified.

The fields to be passed in the list `instr.desc` in part vary depending on the instrument brand and model.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

setInstrSettings	<i>Set the "instr.settings" attribute</i>
------------------	---

Description

Function to set by reference the "what.measured" attribute of an existing `generic_spct` or derived-class object.

Usage

```
setInstrSettings(x, instr.settings)

instr_settings(x) <- value
```

Arguments

x a generic_spct object
 instr.settings, value
 a list

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a generic_spct object, x is not modified.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

 setKType

Set the "K.type" attribute

Description

Function to set by reference the "K.type" attribute of an existing solute_spct object

Usage

```
setKType(x, K.type = c("attenuation", "absorption", "scattering"))
```

Arguments

x a solute_spct or a summary_solute_spct object.
 K.type character A string, either "attenuation", "absorption" or "scattering".

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a solute_spct object, x is not modified The behaviour of this function is 'unusual' in that the default for parameter K.type is used only if x does not already have this attribute set.

See Also

Other K attribute functions: [getKType\(\)](#)

Examples

```
print("missing example")
```

setMultipleWl	<i>Set the "multiple.wl" attribute</i>
---------------	--

Description

Function to set by reference the `multiple.wl` attribute of an existing `generic_spct` object or an object of a class derived from `generic_spct`.

Usage

```
setMultipleWl(x, multiple.wl = NULL)
```

```
multiple_wl(x) <- value
```

Arguments

`x` a `generic_spct` object

`multiple.wl, value`

numeric ≥ 1 If `multiple.wl = NULL`, the default, the value is guessed.

Details

These methods set the attribute `multiple.wl` and if the argument of `multiple.wl` or `value` is `NULL`, they call [findMultipleWl](#) to obtain a guess. Pathological cases where multiple spectra in long form do not share any wavelength value underestimate the number of spectra, and require an explicit numeric argument. Calling these methods is very rarely needed in user code.

Value

`x`, modified in place by reference. If `x` is not a `generic_spct` or an object of a class derived from `generic_spct`, `x` is not modified.

See Also

Other `multiple.wl` attribute functions: [getMultipleWl\(\)](#)

Examples

```

my.spct <- sun.spct
setMultipleWl(my.spct) # default is to search x, here my.spct
getMultipleWl(my.spct)

multiple_wl(my.spct) <- 1L # must be a valid value or NULL!
multiple_wl(my.spct)

multiple_wl(my.spct) <- NULL # must be a valid value or NULL!
multiple_wl(my.spct)

```

<code>setNormalized</code>	<i>Set the "normalized" and "normalization" attributes</i>
----------------------------	--

Description

Function to write the "normalized" attribute of an existing `generic_spct` object.

Usage

```

setNormalized(
  x,
  norm = FALSE,
  norm.type = NA_character_,
  norm.factors = NA_real_,
  norm.cols = NA_character_,
  norm.range = rep(NA_real_, 2),
  verbose = getOption("verbose_as_default", default = FALSE)
)

setNormalised(
  x,
  norm = FALSE,
  norm.type = NA_character_,
  norm.factors = NA_real_,
  norm.cols = NA_character_,
  norm.range = rep(NA_real_, 2),
  verbose = getOption("verbose_as_default", default = FALSE)
)

```

Arguments

<code>x</code>	a <code>generic_spct</code> object.
<code>norm</code>	numeric (or logical) Normalization wavelength (nanometres).
<code>norm.type</code>	character Type of normalization applied.

norm.factors	numeric	The scaling factor(s) so that dividing the spectral values by this factor reverts the normalization.
norm.cols	character	The name(s) of the data columns normalized.
norm.range	numeric	The wavelength range used for normalization (nm).
verbose	logical	Flag enabling or silencing informative warnings.

Details

This function **is used internally**, although occasionally users may want to use it to "pretend" that spectral data have not been normalized. Use `normalize()` methods to apply a normalization and set the attributes accordingly. Function `setNormalized()` only sets the attributes that store the metadata corresponding to an already applied normalization. Thus a trace of the transformations applied to spectral data is kept, which currently is used to renormalize the spectra when the quantity used for expression is changed with a conversion function. It is also used in other packages like 'ggspectra' when generating automatically axis labels. If `x` is not a `generic_spct` object, `x` is not modified.

Note

Passing a `logical` as argument to `norm` is deprecated but accepted silently for backwards compatibility.

`setNormalised()` is a synonym for this `setNormalized()` method.

See Also

Other rescaling functions: `fscale()`, `fshift()`, `getNormalized()`, `getScaled()`, `is_normalized()`, `is_scaled()`, `normalize()`, `setScaled()`

setResponseType	<i>Set the "response.type" attribute</i>
-----------------	--

Description

Functions to set by reference the "response.type" attribute of an existing `response_spct` object, and to query its value.

Usage

```
setResponseType(x, response.type = c("response", "action"))
```

```
getResponse_type(x)
```

Arguments

<code>x</code>	a <code>response_spct</code> object
<code>response.type</code>	a character string, either "response" or "action"

Details

Objects of class `response_spct()` can contain data for a response spectrum or an action spectrum. Response spectra are measured using the same photon (or energy) irradiance at each wavelength. Action spectra are derived from dose response curves at each wavelength, and responsivity at each wavelength is expressed as the reciprocal of the photon fluence required to obtain a fixed level of response. In the case of biological systems the action and response spectra frequently differ in their shape and spectral values. This is a property inherent to a data set and not subject to conversions, thus normally set when a `response_spct` object is created and never modified.

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a `response_spct` object, x is not modified. The behaviour of this function is 'unusual' in that the default for parameter `response.type` is used only if x does not already have this attribute set.

Examples

```
my.spct <- ccd.spct
setResponseType(my.spct, "action")
getResponseType(ccd.spct)
getResponseType(sun.spct)
```

setRfrType

The "Rfr.type" attribute

Description

Function to set by reference the "Rfr.type" attribute of an existing `reflector_spct` or `object_spct` object, and function to query its current status.

Usage

```
setRfrType(x, Rfr.type = c("total", "specular"))

getRfrType(x)
```

Arguments

x a `reflector_spct` or an `object_spct` object.
Rfr.type character String, either "total" or "specular".

Details

Reflectance can be measured by collecting the light reflected out of a surface in all directions, using an integrating sphere, obtaining a quantity called total reflectance. If instead, the reflected light is collected at a narrow angle mirroring the incident angle, only part of the reflected radiation is collected, corresponding to mirror-like reflection, called specular. Thus,

$$\rho = \rho_s + \rho_d$$

where, ρ is total reflectance, and its components, ρ_s , specular reflectance, and ρ_d , diffuse or scattered reflectance. When strong scattering takes place, total reflectance can be much more than the specular component. In most cases ρ_d is not measured directly.

The distinction depends on the measuring procedure, and this information is stored as metadata in an attribute of objects of classes `reflector_spct` or an `object_spct`.

When converting between internal and total transmittance, or computing absorptance by difference based on transmittance and reflectance, only total reflectance can be meaningfully used (if the object does not noticeably scatter light, it may be possible to assume that specular reflectance represents most of the total reflectance.) Consequently, checking the stored value of this attribute is used as a safeguard in these computations.

This attribute is normally set when the `source_spct` object is created.

Value

`x`, with the modified attribute in the case of `setRfrType()` or the character value, "total" or "specular", stored in the "Rfr.type" attribute of `x` in the case of `getRfrType()`. If `x` is not a `reflector_spct` or an `object_spct` object, NA is returned.

Note

Function `setRfrType()` alters `x` itself by reference and in addition returns `x` invisibly. If `x` is not a `reflector_spct` or an `object_spct` object, `x` is not modified. The behaviour of this function is 'unusual' in that the default for parameter `Rfr.type` is used only if `x` does not already have this attribute set.

See Also

[reflector_spct](#) and [object_spct](#).

Examples

```
my.spct <- reflector_spct(w.length = 400:409, Rfr = 0.1)
getRfrType(my.spct)
setRfrType(my.spct, "specular")
getRfrType(my.spct)
```

setScaled	<i>Set the "scaled" attribute</i>
-----------	-----------------------------------

Description

Function to write the "scaled" attribute of an existing generic_spct object.

Usage

```
setScaled(x, ...)
```

```
## Default S3 method:
setScaled(x, ...)
```

```
## S3 method for class 'generic_spct'
setScaled(x, ..., scaled = FALSE)
```

```
## S3 method for class 'summary_generic_spct'
setScaled(x, ..., scaled = FALSE)
```

```
## S3 method for class 'generic_mspct'
setScaled(x, ..., scaled = FALSE)
```

Arguments

x	a generic_spct object.
...	currently ignored.
scaled	logical with FALSE meaning that values are expressed in absolute physical units and TRUE meaning that relative units are used. If NULL the attribute is not modified.

Value

a new object of the same class as x.
a new object of the same class as x.
a new object of the same class as x.
a new object of the same class as x.

Methods (by class)

- setScaled(default): Default for generic function
- setScaled(generic_spct): Specialization for generic_spct
- setScaled(summary_generic_spct): Specialization for summary_generic_spct
- setScaled(generic_mspct): Specialization for generic_mspct

Note

if `x` is not a `generic_spct` object, `x` is not modified.

See Also

Other rescaling functions: `fscale()`, `fshift()`, `getNormalized()`, `getScaled()`, `is_normalized()`, `is_scaled()`, `normalize()`, `setNormalized()`

setSoluteProperties *Set the "solute.properties" attribute*

Description

Function to set by reference the "solute.properties" attribute of an existing `solute_spct` object.

Usage

```
setSoluteProperties(  
  x,  
  solute.properties = NULL,  
  pass.null = FALSE,  
  mass = NA_real_,  
  formula = NULL,  
  structure = grDevices::as.raster(matrix()),  
  name = NA_character_,  
  ID = NA_character_,  
  solvent.name = NA_character_,  
  solvent.ID = NA_character_  
)  
  
solute_properties(x) <- value
```

Arguments

<code>x</code>	<code>solute_spct</code> A spectrum of coefficients of attenuation.
<code>solute.properties, value</code>	a list with fields named "mass", "formula", "structure", "name" and "ID".
<code>pass.null</code>	logical If TRUE, the parameters to the next three parameters will be always ignored, otherwise they will be used to build an object of class "solute.properties" when the argument to <code>solute.properties</code> is NULL.
<code>mass</code>	numeric The mass in Dalton [$Da = g\ mol^{-1}$].
<code>formula</code>	character The molecular formula.
<code>structure</code>	raster A bitmap of the structure.

name, solvent.name	character	The name of the substance and the name of the solvent. A named character vector, with member names such as "IUPAC" for the authority.
ID, solvent.ID	character	The names of the substance and of the solvent. A named character vector, with member names such as "ChemSpider" or "PubChen" for the authority.

Details

Storing solute properties allows inter-conversion between bases of expression, and ensures the unambiguous identification of the substances to which the spectral data refer. These properties make it possible to compute `filter_spct` objects for solutions of the solute, i.e., absorption spectra of liquid filters. The parameter `pass.null` makes it possible to remove the attribute. The solvent used for the determination of the attenuation coefficient is important metadata as the solvent can alter the spectral absorption properties of the solute.

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a `filter_spct` object, x is not modified.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
solute.properties <-
  list(formula = c(text = "H2O", html = "H<sub>2</sub>", TeX = "$H_2O$"),
        name = c("water", IUPAC = "oxidane"),
        structure = grDevices::as.raster(matrix()),
        mass = 18.015, # Da
        ID = c(ChemSpider = "917", CID = "962"),
        solvent.name = NA_character_,
        solvent.ID = NA_character_)
my.spct <- solute_spct()
solute_properties(my.spct) <- solute.properties
solute_properties(my.spct)
solute_properties(my.spct) <- NULL
solute_properties(my.spct)
solute_properties(my.spct, return.null = TRUE)
solute_properties(my.spct)
```

setTfrType	<i>The "Tfr.type" attribute</i>
------------	---------------------------------

Description

Function to set by reference the "Tfr.type" attribute of an existing filter_spct or object_spct object, and function to query its current status.

Usage

```
setTfrType(x, Tfr.type = c("total", "internal"))
```

```
getTfrType(x)
```

Arguments

x	a filter_spct or an object_spct object.
Tfr.type	character string, either "total" or "internal".

Details

Transmittance, T or τ , has two different definitions that differ in how reflectance is taken into account: "total" transmittance and "internal" transmittance. They are both in widespread use, and rather frequently the interconversion is approximate or even not possible.

$$T = \frac{I_z}{I_0}$$

$$\tau = \frac{I_z}{I_0 - \rho}$$

where T is total transmittance and τ is internal transmittance; I_0 is the radiant power incident on an object and I_z is the radiant power at depth z , in most cases measured below the non-illuminated side of the object, and ρ is the total reflectance at the illuminated surface.

The transmittance of an object as a whole depends on the length of the light path within the object and reflectance on the angle of incidence of the light on the surface. When the light beam is near-normal to the surface, both quantities are at their minimum.

Thus, the interconversion of total spectral transmittance, $T(\lambda)$, into internal spectral transmittance, $\tau(\lambda)$, is strictly possible only if the spectral reflectance $\rho(\lambda)$ is known. In practice, the spectral reflectance is approximated by a constant value that is assumed independent of wavelength.

Objects of class object_spct contain spectral data for both spectral transmittance and spectral reflectance or spectral absorptance, making conversion possible. Objects of class filter_spct do not contain spectral reflectance data, but may have a known approximate value for a reflectance constant, but this is frequently not the case.

The type of transmittance data stored in an object of these classes is recorded as metadata in attribute `Tfr.Type`. The functions described here set and query this attribute. Contrary to directly accessing the attribute, the query function consistently returns NA both when the attribute is set to NA and when the attribute has not been set, as can be the case of objects created with early versions of the package.

Absorptance, α , and absorbance, A , are normally given as "internal", and this is the assumption in this package. However, as in some cases strict enforcement would prevent conversions, this is not strictly enforced. (IUPAC, recommends use of the name *attenuance* (formerly *extinction*) instead of *absorbance* when light attenuation involves processes other than pure absorption, such as scattering and luminescence.)

$$1 = \alpha + \rho + \tau$$

$$A_{10} = \log_{10} \frac{1}{\alpha} = -\log_{10} \alpha$$

When a solvent-only *blank* is used when measuring the absorbance of a solution, the absorbance is not only "internal" to the solution (discounting reflections at the cuvette boundaries) but also discounts the effect of the solvent itself. When measuring solid samples, like a sheet of glass, in most cases a blank is not available.

For semitransparent objects like glass, it is important to take into account that reflections occur at each interface between substances with different refractive index.

This attribute is normally set when the `source_spct` object is created. But `convertTfrType()` updates it when it changes due to a conversion.

Value

`x`, with the modified attribute in the case of `setTfrType()` or the character value, "total" or internal, stored in the `"Tfr.type"` attribute of `x` in the case of `getTfrType()`. If `x` is not a `filter_spct` or an `object_spct` object, NA is returned.

Note

Function `setTfrType()` alters `x` itself by reference and in addition returns `x` invisibly. If `x` is not a `filter_spct` or an `object_spct` object, `x` is not modified. The behaviour of this function is 'unusual' in that the default for parameter `Tfr.type` is used only if `x` does not already have this attribute set.

See Also

[convertTfrType](#), [filter_spct](#), and [object_spct](#).

Examples

```
my.spct <- polyester.spct
getTfrType(my.spct)
setTfrType(my.spct, "internal")
getTfrType(my.spct)
```

setTimeUnit	<i>Set the "time.unit" attribute of an existing source_spct object</i>
-------------	--

Description

Function to set by reference the "time.unit" attribute

Usage

```
setTimeUnit(  
  x,  
  time.unit = c("second", "hour", "day", "exposure", "none"),  
  override.ok = FALSE  
)
```

Arguments

x	a source_spct object
time.unit	character string indicating the time unit used for spectral irradiance or exposure ("second", "day" or "exposure") or an object of class duration as defined in package lubridate.
override.ok	logical Flag that can be used to silence warning when overwriting an existing attribute value (used internally)

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a source_spct or response_spct object, x is not modified. The behaviour of this function is 'unusual' in that the default for parameter time.unit is used only if x does not already have this attribute set. time.unit = "hour" is currently not fully supported.

See Also

Other time attribute functions: [checkTimeUnit\(\)](#), [convertThickness\(\)](#), [convertTimeUnit\(\)](#), [getTimeUnit\(\)](#)

Examples

```
my.spct <- sun.spct  
setTimeUnit(my.spct, time.unit = "second")  
setTimeUnit(my.spct, time.unit = lubridate::duration(1, "seconds"))
```

setWhatMeasured	<i>Set the "what.measured" attribute</i>
-----------------	--

Description

Function to set by reference the "what.measured" attribute of an existing generic_spct or derived-class object.

Usage

```
setWhatMeasured(x, what.measured)
```

```
what_measured(x) <- value
```

Arguments

x a generic_spct object
what.measured, value a list

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a generic_spct object, x is not modified.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
my.spct <- sun.spct  
what_measured(my.spct)  
what_measured(my.spct) <- "Sun"  
what_measured(my.spct)
```

setWhenMeasured	<i>Set the "when.measured" attribute</i>
-----------------	--

Description

Function to set by reference the "when" attribute of an existing `generic_spct` or an object of a class derived from `generic_spct`.

Usage

```
setWhenMeasured(x, when.measured, ...)  
  
when_measured(x) <- value  
  
## Default S3 method:  
setWhenMeasured(x, when.measured, ...)  
  
## S3 method for class 'generic_spct'  
setWhenMeasured(x, when.measured = lubridate::now(tzone = "UTC"), ...)  
  
## S3 method for class 'summary_generic_spct'  
setWhenMeasured(x, when.measured = lubridate::now(tzone = "UTC"), ...)  
  
## S3 method for class 'generic_mspct'  
setWhenMeasured(x, when.measured = lubridate::now(tzone = "UTC"), ...)
```

Arguments

x	a <code>generic_spct</code> object
when.measured, value	POSIXct to add as attribute, or a list of POSIXct.
...	Allows use of additional arguments in methods for other classes.

Value

x

Methods (by class)

- `setWhenMeasured(default)`: default
- `setWhenMeasured(generic_spct)`: `generic_spct`
- `setWhenMeasured(summary_generic_spct)`: `summary_generic_spct`
- `setWhenMeasured(generic_mspct)`: `generic_mspct`

Note

This method alters `x` itself by reference and in addition returns `x` invisibly. If `x` is not a `generic_spct` or an object of a class derived from `generic_spct`, `x` is not modified. If `when` is not a `POSIXct` object or `NULL` an error is triggered. A `POSIXct` describes an instant in time (date plus time-of-day plus time zone).

See Also

Other measurement metadata functions: `add_attr2tb()`, `getFilterProperties()`, `getHowMeasured()`, `getInstrDesc()`, `getInstrSettings()`, `getSoluteProperties()`, `getWhatMeasured()`, `getWhenMeasured()`, `getWhereMeasured()`, `get_attributes()`, `isValidInstrDesc()`, `isValidInstrSettings()`, `select_spct_attributes()`, `setFilterProperties()`, `setHowMeasured()`, `setInstrDesc()`, `setInstrSettings()`, `setSoluteProperties()`, `setWhatMeasured()`, `setWhereMeasured()`, `spct_attr2tb()`, `spct_metadata()`, `subset_attributes()`, `trimInstrDesc()`, `trimInstrSettings()`

Examples

```
my.spct <- sun.spct
when_measured(my.spct)
when_measured(my.spct) <- lubridate::ymd_hms("2020-01-01 08:00:00")
when_measured(my.spct)
```

<code>setWhereMeasured</code>	<i>Set the "where.measured" attribute</i>
-------------------------------	---

Description

Function to set by reference the "where.measured" attribute of an existing `generic_spct` or an object of a class derived from `generic_spct`.

Usage

```
setWhereMeasured(x, where.measured, lat, lon, address, ...)

where_measured(x) <- value

## Default S3 method:
setWhereMeasured(x, where.measured, lat, lon, address, ...)

## S3 method for class 'generic_spct'
setWhereMeasured(x, where.measured = NA, lat = NA, lon = NA, address = NA, ...)

## S3 method for class 'summary_generic_spct'
setWhereMeasured(x, where.measured = NA, lat = NA, lon = NA, address = NA, ...)

## S3 method for class 'generic_mspct'
setWhereMeasured(x, where.measured = NA, lat = NA, lon = NA, address = NA, ...)
```

Arguments

x	a generic_spct object
where.measured, value	A one row data.frame such as returned by function geocode from package 'ggmap' for a location search.
lat	numeric Latitude in decimal degrees North
lon	numeric Longitude in decimal degrees West
address	character Human readable address
...	Allows use of additional arguments in methods for other classes.

Value

x

Methods (by class)

- setWhereMeasured(default): default
- setWhereMeasured(generic_spct): generic_spct
- setWhereMeasured(summary_generic_spct): summary_generic_spct
- setWhereMeasured(generic_mspct): generic_mspct

Note

This method alters x itself by reference and in addition returns x invisibly. If x is not a generic_spct or an object of a class derived from generic_spct, x is not modified. If where is not a POSIXct object or NULL an error is triggered. A POSIXct describes an instant in time (date plus time-of-day plus time zone). As expected passing NULL as argument for where.measured unsets the attribute.

Method for collections of spectra recycles the location information only if it is of length one.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
my.spct <- sun.spct
where_measured(my.spct)
where_measured(my.spct) <- data.frame(lon = 0, lat = -60)
where_measured(my.spct)
```

`shared_member_class` *Classes common to all collection members.*

Description

Finds the set intersection among the class attributes of all collection member as a target set of class names.

Usage

```
shared_member_class(l, target.set = spct_classes())
```

Arguments

`l` a list or a `generic_mspct` object or of a derived class.
`target.set` character The target set of classes within which to search for classes common to all members.

Value

A character vector containing the class attribute values.

See Also

Other set and unset 'multi spectral' class functions: [rmDerivedMspct\(\)](#)

`sign` *Sign*

Description

`sign` returns a vector with the signs of the corresponding elements of `x` (the sign of a real number is 1, 0, or -1 if the number is positive, zero, or negative, respectively).

Usage

```
## S3 method for class 'generic_spct'  
sign(x)
```

Arguments

`x` an object of class "generic_spct"

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

 slash-.generic_spct *Arithmetic Operators*

Description

Division operator for generic spectra.

Usage

```
## S3 method for class 'generic_spct'
e1 / e2
```

Arguments

```
e1                    an object of class "generic_spct"
e2                    an object of class "generic_spct"
```

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [times-.generic_spct](#)

 smooth_spct *Smooth a spectrum*

Description

These functions implement one original methods and acts as a wrapper for other common R smoothing functions. The advantage of using this function for smoothing spectral objects is that it simplifies the user interface and sets, when needed, defaults suitable for spectral data.

Usage

```
smooth_spct(x, method, strength, wl.range, ...)

## Default S3 method:
smooth_spct(x, method, strength, wl.range, ...)

## S3 method for class 'source_spct'
smooth_spct(
  x,
  method = "custom",
  strength = 1,
  wl.range = NULL,
```

```
    na.rm = FALSE,
    ...
)

## S3 method for class 'filter_spct'
smooth_spct(
  x,
  method = "custom",
  strength = 1,
  wl.range = NULL,
  na.rm = FALSE,
  ...
)

## S3 method for class 'reflector_spct'
smooth_spct(
  x,
  method = "custom",
  strength = 1,
  wl.range = NULL,
  na.rm = FALSE,
  ...
)

## S3 method for class 'solute_spct'
smooth_spct(
  x,
  method = "custom",
  strength = 1,
  wl.range = NULL,
  na.rm = FALSE,
  ...
)

## S3 method for class 'response_spct'
smooth_spct(
  x,
  method = "custom",
  strength = 1,
  wl.range = NULL,
  na.rm = FALSE,
  ...
)

## S3 method for class 'cps_spct'
smooth_spct(
  x,
  method = "custom",
```

```

    strength = 1,
    wl.range = NULL,
    na.rm = FALSE,
    ...
)

## S3 method for class 'generic_mspct'
smooth_spct(
  x,
  method = "custom",
  strength = 1,
  wl.range = NULL,
  na.rm = FALSE,
  ...
)

```

Arguments

<code>x</code>	an R object.
<code>method</code>	a character string "custom", "lowess", "supsmu" or "skip"..
<code>strength</code>	numeric value to adjust the degree of smoothing. Ignored if method-specific parameters are passed through . . .
<code>wl.range</code>	any R object on which applying the method <code>range()</code> yields a vector of two numeric values, describing a range of wavelengths (nm) within which spectral data is to be smoothed. NA is interpreted as the min or max value of <code>x[[w.length]]</code> .
<code>...</code>	other parameters passed to the underlying smoothing functions.
<code>na.rm</code>	logical A flag indicating whether NA values should be stripped before the computation proceeds.

Value

A copy of `x` with spectral data values replaced by smoothed ones.

Methods (by class)

- `smooth_spct(default)`: Default for generic function
- `smooth_spct(source_spct)`: Smooth a source spectrum
- `smooth_spct(filter_spct)`: Smooth a filter spectrum
- `smooth_spct(reflector_spct)`: Smooth a reflector spectrum
- `smooth_spct(solute_spct)`: Smooth a solute attenuation spectrum
- `smooth_spct(response_spct)`: Smooth a response spectrum
- `smooth_spct(cps_spct)`: Smooth a counts per second spectrum
- `smooth_spct(generic_mspct)`:

Note

Method "custom" is our home-brewed method which applies strong smoothing to low signal regions of the spectral data, and weaker or no smoothing to the high signal areas. Values very close to zero are set to zero with a limit which depends on the local variation. This method is an ad-hock method suitable for smoothing spectral data obtained with spectrometers. In the case of methods "lowess" and "supsmu" the current function behaves like a wrapper of the functions of the same names from base R. Method "skip" returns x unchanged.

Examples

```
my.spct <- clip_wl(sun.spct, c(400, 500))
smooth_spct(my.spct)
smooth_spct(my.spct, method = "custom", strength = 1)
smooth_spct(my.spct, method = "custom", strength = 4)
smooth_spct(my.spct, method = "supsmu", strength = 4)
```

solar_time

*Local solar time***Description**

`solar_time()` computes the time of day expressed in seconds since the astronomical midnight using and instant in time and a geocode as input. Solar time is useful when we want to plot data according to the local solar time rather than the local time in use at a time zone. How the returned instant in time is expressed depends on the argument passed to `unit.out`.

Usage

```
solar_time(
  time = lubridate::now(),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  unit.out = "time"
)
```

Arguments

<code>time</code>	POSIXct Time, any valid time zone (TZ) is allowed, default is current time
<code>geocode</code>	data frame with variables <code>lon</code> and <code>lat</code> as numeric values (degrees).
<code>unit.out</code>	character string, One of "datetime", "time", "hour", "minute", or "second".

Details

Solar time is determined by the position of the sun in the sky and it almost always differs from the time expressed in the local time coordinates in use. The differences can vary from a few minutes up to a couple of hours depending on the exact location within the time zone and the use or not of daylight saving time.

Value

In all cases solar time is expressed as time since local astronomical midnight and, thus, lacks date information. If `unit.out = "time"`, a numeric value in seconds with an additional class attribute `"solar_time"`; if `unit.out = "datetime"`, a `"POSIXct"` value in seconds from midnight but with an additional class attribute `"solar_date"`; if `unit.out = "hour"` or `unit.out = "minute"` or `unit.out = "second"`, a numeric value.

Warning!

Returned values are computed based on the time zone of the argument for parameter `time`. In the case of solar time, this timezone does not affect the result. However, in the case of solar dates the date part may be off by one day, if the time zone does not match the coordinates of the geocode value provided as argument.

Note

The algorithm is approximate, it calculates the difference between local solar noon and noon in the time zone of `time` and uses this value for the whole day when converting times into solar time. Days are not exactly 24 h long. Between successive days the shift is only a few seconds, and this leads to a small jump at midnight.

See Also

[as_tod](#)

Other Local solar time functions: [as.solar_date\(\)](#), [is.solar_time\(\)](#), [print.solar_time\(\)](#)

Examples

```
BA.geocode <-
  data.frame(lon = -58.38156, lat = -34.60368, address = "Buenos Aires, Argentina")
sol_t <- solar_time(lubridate::dmy_hms("21/06/2016 10:00:00", tz = "UTC"),
                  BA.geocode)

sol_t
class(sol_t)

sol_d <- solar_time(lubridate::dmy_hms("21/06/2016 10:00:00", tz = "UTC"),
                  BA.geocode,
                  unit.out = "datetime")

sol_d
class(sol_d)
```

Description

These constructor functions can be used to create spectral objects derived from `generic_spct`. They take as arguments numeric vectors for the wavelengths and spectral data, and numeric, character, and logical values for metadata attributes to be saved to the objects created and options controlling the creation process.

Usage

```
source_spct(  
  w.length = NULL,  
  s.e.irrad = NULL,  
  s.q.irrad = NULL,  
  ...,  
  time.unit = c("second", "day", "exposure"),  
  bswf.used = c("none", "unknown"),  
  comment = NULL,  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
calibration_spct(  
  w.length = NULL,  
  irrad.mult = NA_real_,  
  ...,  
  comment = NULL,  
  instr.desc = NA,  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
raw_spct(  
  w.length = NULL,  
  counts = NA_real_,  
  ...,  
  comment = NULL,  
  instr.desc = NA,  
  instr.settings = NA,  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
cps_spct(  
  w.length = NULL,  
  cps = NA_real_,  
  ...,  
  comment = NULL,  
  instr.desc = NA,
```

```
    instr.settings = NA,  
    multiple.wl = 1L,  
    idfactor = NULL  
  )  
  
  generic_spct(  
    w.length = NULL,  
    ...,  
    comment = NULL,  
    multiple.wl = 1L,  
    idfactor = NULL  
  )  
  
  response_spct(  
    w.length = NULL,  
    s.e.response = NULL,  
    s.q.response = NULL,  
    ...,  
    time.unit = c("second", "day", "exposure"),  
    response.type = c("response", "action"),  
    comment = NULL,  
    multiple.wl = 1L,  
    idfactor = NULL  
  )  
  
  filter_spct(  
    w.length = NULL,  
    Tfr = NULL,  
    Tpc = NULL,  
    Afr = NULL,  
    A = NULL,  
    ...,  
    Tfr.type = c("total", "internal"),  
    Rfr.constant = NA_real_,  
    thickness = NA_real_,  
    attenuation.mode = NA,  
    comment = NULL,  
    strict.range = getOption("photobiology.strict.range", default = FALSE),  
    multiple.wl = 1L,  
    idfactor = NULL  
  )  
  
  reflector_spct(  
    w.length = NULL,  
    Rfr = NULL,  
    Rpc = NULL,  
    ...,  
    Rfr.type = c("total", "specular"),
```

```
comment = NULL,  
strict.range = getOption("photobiology.strict.range", default = FALSE),  
multiple.wl = 1L,  
idfactor = NULL  
)  
  
solute_spct(  
  w.length = NULL,  
  K.mole = NULL,  
  K.mass = NULL,  
  attenuation.XS = NULL,  
  ...,  
  log.base = 10,  
  K.type = c("attenuation", "absorption", "scattering"),  
  name = NA_character_,  
  mass = NA_character_,  
  formula = NULL,  
  structure = grDevices::as.raster(matrix()),  
  ID = NA_character_,  
  solvent.name = NA_character_,  
  solvent.ID = NA_character_,  
  comment = NULL,  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
object_spct(  
  w.length = NULL,  
  Rfr = NULL,  
  Tfr = NULL,  
  Afr = NULL,  
  ...,  
  Tfr.type = c("total", "internal"),  
  Rfr.type = c("total", "specular"),  
  comment = NULL,  
  strict.range = getOption("photobiology.strict.range", default = FALSE),  
  multiple.wl = 1L,  
  idfactor = NULL  
)  
  
chroma_spct(  
  w.length = NULL,  
  x,  
  y,  
  z,  
  ...,  
  comment = NULL,
```



```

    strict.range = getOption("photobiology.strict.range", default = FALSE),
    multiple.wl = 1L,
    idfactor = NULL
  )

```

Arguments

w.length	numeric vector with wavelengths in nanometres [nm].
s.e.irrad	numeric vector with spectral energy irradiance in [$W m^{-2} nm^{-1}$] or [$J d^{-1} m^{-2} nm^{-1}$].
s.q.irrad	numeric A vector with spectral photon irradiance in [$mol s^{-1} m^{-2} nm^{-1}$] or [$mol d^{-1} m^{-2} nm^{-1}$].
...	other arguments passed to tibble() such as vectors or factors to be added as additional columns.
time.unit	character string indicating the time unit used for spectral irradiance or exposure ("second", "day" or "exposure") or an object of class duration as defined in package lubridate.
bswf.used	character A string indicating the BSWF used, if any, for spectral effective irradiance or exposure ("none" or the name of the BSWF).
comment	character A string to be added as a comment attribute to the object created.
strict.range	logical Flag indicating whether off-range values result in an error instead of a warning.
multiple.wl	numeric Maximum number of repeated w.length entries with same value. (As with multiple spectra stored in long from).
idfactor	character Name of factor distinguishing multiple spectra when stored longitudinally (required if multiple.wl > 1).
irrad.mult	numeric vector with multipliers for each detector pixel expressed in units of $W m^{-2} nm^{-1} n^{-1} s$, where $n s^{-1}$ are detector counts per second.
instr.desc	a list describing the spectrometer used to acquire the data.
counts	numeric vector with raw counts expressed per scan.
instr.settings	a list describing the settings used to acquire the data.
cps	numeric vector with linearized raw counts expressed per second [$n s^{-1}$]
s.e.response	numeric vector with a biological, chemical or physical response expressed per unit spectral energy irradiance [$W m^{-2} nm^{-1}$ or $J d^{-1} m^{-2} nm^{-1}$].
s.q.response	numeric vector with a biological, chemical or physical response expressed per unit spectral photon irradiance in [$mol s^{-1} m^{-2} nm^{-1}$ or $mol d^{-1} m^{-2} nm^{-1}$].
response.type	a character string, either "response" or "action".
Tfr	numeric vector with spectral transmittance as fraction of one [/1].
Tpc	numeric vector with spectral transmittance as percent values
Afr	numeric vector of absorptance as fraction of one [/1].
A	numeric vector of absorbance values (\log_{10} -base a.u.)
Tfr.type	character string indicating whether transmittance and absorptance values are "total" or "internal" values

Rfr.constant	numeric	The value of the reflection factor [/ 1].
thickness	numeric	The thickness of the material.
attenuation.mode	character	One of "reflection", "absorption" or "mixed".
Rfr	numeric vector	with spectral reflectance as fraction of one [/ 1].
Rpc	numeric vector	with spectral reflectance as percent values.
Rfr.type	character	A string, either "total" or "specular".
K.mole	numeric vector	with molar attenuation coefficient in SI units [$m^2 mol^{-1}$].
K.mass	numeric vector	with mass attenuation coefficient in SI units [$m^2 g^{-1}$].
attenuation.XS	numeric vector	with attenuation cross section values (Converted during object construction into K.mole.)
log.base	numeric	Normally one of e or 10 . Data are stored always on base 10 corresponding to decadal absorbance as used in chemistry.
K.type	character	A string, either "attenuation", "absorption" or "scattering".
name, solvent.name	character	The names of the substance and of the solvent. A named character vector, with member names such as "IUPAC" for the authority.
mass	numeric	The molar mass in Dalton [Da] ($Da = g mol^{-1}$).
formula	character	The molecular formula.
structure	raster	A bitmap of the structure.
ID, solvent.ID	character	The ID of the substance and of the solvent. A named character vector, with member names such as "ChemSpider" or "PubChem" for the authority.
x, y, z	numeric	colour coordinates

Details

Constructors can be used to create spectral objects from spectral quantities expressed on a single base or unit. Some of the functions have different formal parameters accepting a quantity expressed in different units, however, an argument can be passed to only one of these formal parameters in a given call. The constructors `object_spct()` and `chroma_spct()` require arguments to be passed for multiple but distinct spectral quantities.

Value

A object of class `generic_spct` or a class derived from it, depending on the function used. In other words an object of a class with the same name as the constructor function.

Warning for `filter_spct!`

Not entering metadata when creating an object will limit the available operations! While "internal" transmittance is defined as the transmittance of the material body itself, "total" transmittance includes the effects of surface reflectance on the amount of light transmitted. For non-diffusing materials like glass an approximate `Rfr.constant` value can be used to convert "total" into "internal" transmittance values and vice versa. Use NA if not known, or not applicable, e.g., for materials subject to internal scattering.

Warning for solute_spct!

You should always set the base for logarithms to match that on which the absorbance data are expressed. Failing to do this will result in bad data and all further computation will be wrong. Not entering metadata when creating an object will limit the available operations! Mass should be indicated in daltons or $g\ mol^{-1}$. The SI unit of molar attenuation coefficient is the square metre per mole ($m^2\ mol^{-1}$), but in practice, quantities are usually expressed in terms of $M^{-1}\ cm^{-1}$ or $l\ mol^{-1}\ cm^{-1}$ (the latter two units are both equal to $0.1\ m^2\ mol^{-1}$ and quantities expressed in them need to be divided by 10 when passed as arguments to `K.mole()`).

See Also

[setFilterProperties](#)

[setSoluteProperties](#)

Other constructors of spectral objects: [as.calibration_spct\(\)](#), [as.chroma_spct\(\)](#), [as.cps_spct\(\)](#), [as.filter_spct\(\)](#), [as.generic_spct\(\)](#), [as.object_spct\(\)](#), [as.raw_spct\(\)](#), [as.reflector_spct\(\)](#), [as.response_spct\(\)](#), [as.solute_spct\(\)](#), [as.source_spct\(\)](#)

 spct_attr2tb

Copy attributes into a tibble

Description

Method returning attributes of an object of class `generic_spct` or derived, or of class `waveband`. Only attributes defined and/or set by package 'photobiology' for objects of the corresponding class are returned.

Usage

```
spct_attr2tb(
  x,
  which = c("-", "names", "row.names", "spct.tags", "spct.version", "comment"),
  ...
)
```

Arguments

`x` a `generic_spct` object.

`which` character vector Names of attributes to retrieve.

`...` currently ignored

Value

A tibble with the values stored in the attributes whose names were selected through the argument to `which` if present in `x`.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

spct_classes	<i>Function returning a vector containing the names of spectra classes.</i>
--------------	---

Description

Function returning a vector containing the names of spectra classes.

Usage

```
spct_classes()
```

Value

A character vector of class names.

Examples

```
spct_classes()
```

spct_metadata	<i>Access metadata</i>
---------------	------------------------

Description

Return metadata attributes from a single spectrum or a collection of spectra as a tibble.

Usage

```
spct_metadata(  
  x,  
  col.names = NULL,  
  idx = "spct.idx",  
  na.rm = is.null(col.names),  
  unnest = TRUE  
)
```

Arguments

<code>x</code>	generic_mspct or generic_spct Any collection of spectra or spectrum.
<code>col.names</code>	named character vector Name(s) of column(s) to create.
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>na.rm</code>	logical Flag controlling deletion of columns containing only NA values.
<code>unnest</code>	logical Flag controlling if metadata attributes that are lists of values should be returned in a list column or in separate columns.

Details

Attributes are returned as columns in a tibble. If the argument to `col.names` is a named vector, with the names of members matching the names of attributes, then the values are used as names for the columns created. This permits setting any valid name for the new columns. If the vector passed to `col.names` has no names, then the values are interpreted as the names of the attributes to add, and also used as names for the new columns.

Some metadata values are stored in lists or data frames, these can be returned as a list columns or the individual fields unnested into separate columns.

Value

A tibble With the metadata attributes and an index column.

See Also

[add_attr2tb](#) for more details.

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#), [trimInstrSettings\(\)](#)

Examples

```
my.mspct <- source_mspct(list(sun1 = sun.spct, sun2 = sun.spct * 2))

spct_metadata(my.mspct)

spct_metadata(sun.spct)

spct_metadata(my.mspct, na.rm = TRUE)

spct_metadata(sun.spct, na.rm = TRUE)

spct_metadata(my.mspct, col.names = c(geocode = "geo", "instr.desc"))

spct_metadata(sun.spct, col.names = c(geocode = "geo", "instr.desc"))
```

```
spct_metadata(sun.spct, col.names = "where.measured")$where.measured
```

spct_wide2long	<i>Convert spectrum from wide to long form</i>
----------------	--

Description

Convert spectrum from wide to long form

Usage

```
spct_wide2long(
  spct,
  fixed.cols = "w.length",
  idfactor = "spct.idx",
  rm.spct.class = FALSE,
  ...
)
```

Arguments

spct	An object with spectral data.
fixed.cols	character Names of variables that should be copied unchanged for each spectrum.
idfactor	character The name of the factor to be added to the long-form object and used to store the original name of the columns as an index to the different spectra.
rm.spct.class	logical If true the returned object is a data frame.
...	Currently ignored.

Details

Only objects of classes `raw_spct`, `cps_spct`, and `object_spct` normally contain multiple columns of spectral data. These are supported as well as `generic_spct`. If the wide spectra contain multiple spectra in long form, the original `idfactor` is preserved.

Spectra that are already in long form, if passed as argument, are returned unchanged.

Because the classes defined for spectra have a well defined format, and known column names we can define a rather simple function for this operation.

Value

An object of the same class as `spct` or a `data.frame` with derived classes removed.

Examples

```
spct_wide2long(white_led.raw_spct)
spct_wide2long(white_led.cps_spct)
spct_wide2long(Ler_leaf.spct)
```

spikes	<i>Spikes</i>
--------	---------------

Description

Function that returns a subset of an R object with observations corresponding to spikes. Spikes are values in spectra that are unusually high compared to neighbors. They are usually individual values or very short runs of similar "unusual" values. Spikes caused by cosmic radiation are a frequent problem in Raman spectra. Another source of spikes are "hot pixels" in CCD and diode arrays.

Usage

```
spikes(x, z.threshold, max.spike.width, na.rm, ...)

## Default S3 method:
spikes(x, z.threshold = NA, max.spike.width = 8, na.rm = FALSE, ...)

## S3 method for class 'numeric'
spikes(x, z.threshold = NA, max.spike.width = 8, na.rm = FALSE, ...)

## S3 method for class 'data.frame'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  ...,
  y.var.name = NULL,
  var.name = y.var.name
)

## S3 method for class 'generic_spct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  var.name = NULL,
  ...
)
```

```
## S3 method for class 'source_spct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'response_spct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'filter_spct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
  ...
)

## S3 method for class 'reflector_spct'
spikes(x, z.threshold = 9, max.spike.width = 8, na.rm = FALSE, ...)

## S3 method for class 'solute_spct'
spikes(x, z.threshold = 9, max.spike.width = 8, na.rm = FALSE, ...)

## S3 method for class 'cps_spct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  var.name = "cps",
  ...
)

## S3 method for class 'raw_spct'
spikes(
```



```
x,  
z.threshold = 9,  
max.spike.width = 8,  
na.rm = FALSE,  
var.name = "counts",  
...  
)  
  
## S3 method for class 'generic_mspct'  
spikes(  
  x,  
  z.threshold = 9,  
  max.spike.width = 8,  
  na.rm = FALSE,  
  ...,  
  var.name = NULL,  
  .parallel = FALSE,  
  .paropts = NULL  
)  
  
## S3 method for class 'source_mspct'  
spikes(  
  x,  
  z.threshold = 9,  
  max.spike.width = 8,  
  na.rm = FALSE,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  ...,  
  .parallel = FALSE,  
  .paropts = NULL  
)  
  
## S3 method for class 'response_mspct'  
spikes(  
  x,  
  z.threshold = 9,  
  max.spike.width = 8,  
  na.rm = FALSE,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  ...,  
  .parallel = FALSE,  
  .paropts = NULL  
)  
  
## S3 method for class 'filter_mspct'  
spikes(  
  x,  
  z.threshold = 9,
```

```
    max.spike.width = 8,
    na.rm = FALSE,
    filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
    ...,
    .parallel = FALSE,
    .paropts = NULL
)

## S3 method for class 'reflector_mspct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'solute_mspct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'cps_mspct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
  ...,
  var.name = "cps",
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'raw_mspct'
spikes(
  x,
  z.threshold = 9,
  max.spike.width = 8,
  na.rm = FALSE,
```

```

...,
var.name = "counts",
.parallel = FALSE,
.paropts = NULL
)

```

Arguments

<code>x</code>	an R object
<code>z.threshold</code>	numeric Modified Z values larger than <code>z.threshold</code> are considered to correspond to spikes.
<code>max.spike.width</code>	integer Wider regions with high Z values are not detected as spikes.
<code>na.rm</code>	logical indicating whether NA values should be stripped before searching for spikes.
<code>...</code>	ignored
<code>var.name, y.var.name</code>	character Name of column where to look for spikes.
<code>unit.out</code>	character One of "energy" or "photon"
<code>filter.qty</code>	character One of "transmittance" or "absorbance"
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by foreach
<code>.paropts</code>	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

Spikes are detected based on a modified Z score calculated from the differenced spectrum. The Z threshold used should be adjusted to the characteristics of the input and desired sensitivity. The lower the threshold the more stringent the test becomes, resulting in most cases in more spikes being detected. A modified version of the algorithm is used if a value different from NULL is passed as argument to `max.spike.width`. In such a case, an additional step filters out broader spikes (or falsely detected steep slopes) from the returned values.

When the argument passed to `x` contains multiple spectra, the spikes are searched for in each spectrum independently of other spectra.

Value

A subset of the object passed as argument to `x` with rows corresponding to spikes.

Methods (by class)

- `spikes(default)`: Default returning always NA.
- `spikes(numeric)`: Default function usable on numeric vectors.
- `spikes(data.frame)`: Method for "data.frame" objects.

- `spikes(generic_spct)`: Method for "generic_spct" objects.
- `spikes(source_spct)`: Method for "source_spct" objects.
- `spikes(response_spct)`: Method for "response_spct" objects.
- `spikes(filter_spct)`: Method for "filter_spct" objects.
- `spikes(reflector_spct)`: Method for "reflector_spct" objects.
- `spikes(solute_spct)`: Method for "solute_spct" objects.
- `spikes(cps_spct)`: Method for "cps_spct" objects.
- `spikes(raw_spct)`: Method for "raw_spct" objects.
- `spikes(generic_mspct)`: Method for "generic_mspct" objects.
- `spikes(source_mspct)`: Method for "source_mspct" objects.
- `spikes(response_mspct)`: Method for "cps_mspct" objects.
- `spikes(filter_mspct)`: Method for "filter_mspct" objects.
- `spikes(reflector_mspct)`: Method for "reflector_mspct" objects.
- `spikes(solute_mspct)`: Method for "solute_mspct" objects.
- `spikes(cps_mspct)`: Method for "cps_mspct" objects.
- `spikes(raw_mspct)`: Method for "raw_mspct" objects.

See Also

See the documentation for [find_spikes](#) for details of the algorithm and implementation.

Other peaks and valleys functions: [find_peaks\(\)](#), [find_spikes\(\)](#), [get_peaks\(\)](#), [peaks\(\)](#), [replace_bad_pixs\(\)](#), [valleys\(\)](#), [wls_at_target\(\)](#)

Examples

```
spikes(sun.spct)
```

split2mspct

Convert a 'wide' or untidy data frame into a collection of spectra

Description

Convert a data frame object into a "multi spectrum" object by constructing a an object of a multi-spct class, converting numeric columns other than wavelength into individual spct objects.

Usage

```
split2mspct(  
  x,  
  member.class = NULL,  
  spct.data.var = NULL,  
  w.length.var = "w.length",  
  idx.var = NULL,  
  ncol = 1,  
  byrow = FALSE,  
  ...  
)  
  
split2source_mspct(  
  x,  
  spct.data.var = "s.e.irrad",  
  w.length.var = "w.length",  
  idx.var = NULL,  
  ncol = 1,  
  byrow = FALSE,  
  ...  
)  
  
split2response_mspct(  
  x,  
  spct.data.var = "s.e.response",  
  w.length.var = "w.length",  
  idx.var = NULL,  
  ncol = 1,  
  byrow = FALSE,  
  ...  
)  
  
split2filter_mspct(  
  x,  
  spct.data.var = "Tfr",  
  w.length.var = "w.length",  
  idx.var = NULL,  
  ncol = 1,  
  byrow = FALSE,  
  ...  
)  
  
split2reflector_mspct(  
  x,  
  spct.data.var = "Rfr",  
  w.length.var = "w.length",  
  idx.var = NULL,  
  ncol = 1,
```

```
    byrow = FALSE,
    ...
)

split2solute_mspct(
  x,
  spct.data.var = "K.mole",
  w.length.var = "w.length",
  idx.var = NULL,
  ncol = 1,
  byrow = FALSE,
  ...
)

split2cps_mspct(
  x,
  spct.data.var = "cps",
  w.length.var = "w.length",
  idx.var = NULL,
  ncol = 1,
  byrow = FALSE,
  ...
)

split2raw_mspct(
  x,
  spct.data.var = "count",
  w.length.var = "w.length",
  idx.var = NULL,
  ncol = 1,
  byrow = FALSE,
  ...
)

split2calibration_mspct(
  x,
  spct.data.var = "irrad.mult",
  w.length.var = "w.length",
  idx.var = NULL,
  ncol = 1,
  byrow = FALSE,
  ...
)
```

Arguments

x	data frame
member.class	character Class of the collection members

spect.data.var	character Name of the spectral data argument in the object constructor for member .class
w.length.var	character Name of column containing wavelength data in nanometres
idx.var	character Name of column containing data to be copied unchanged to each spect object
ncol	integer Number of 'virtual' columns in data
byrow	logical If ncol > 1 how to read in the data
...	additional named arguments passed to the member constructor function.

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [subset2mspct\(\)](#)

split_bands	<i>List-of-wavebands constructor</i>
-------------	--------------------------------------

Description

Build a list of unweighted "waveband" objects that can be used as input when calculating irradiances.

Usage

```
split_bands(
  x,
  list.names = NULL,
  short.names = is.null(list.names),
  length.out = NULL
)
```

Arguments

x	a numeric vector of wavelengths to split at (nm), or a range of wavelengths or a generic_spect or a waveband.
list.names	character vector with names for the component wavebands in the returned list (in order of increasing wavelength)
short.names	logical indicating whether to use short or long names for wavebands
length.out	numeric giving the number of regions to split the range into (ignored if w.length is not numeric).

Value

an un-named list of waveband objects

Note

list.names is used to assign names to the elements of the list, while the waveband objects themselves always retain their wb.label and wb.name as generated during their creation.

See Also

Other waveband constructors: [waveband\(\)](#)

Examples

```
split_bands(c(400,500,600))
split_bands(list(c(400,500),c(550,650)))
split_bands(list(A=c(400,500),B=c(550,650)))
split_bands(c(400,500,600), short.names=FALSE)
split_bands(c(400,500,600), list.names=c("a","b"))
split_bands(c(400,700), length.out=6)
split_bands(400:700, length.out=3)
split_bands(sun.spct, length.out=10)
split_bands(waveband(c(400,700)), length.out=5)
```

split_energy_irradiance

Energy irradiance for split spectrum regions

Description

This function returns the energy irradiance for a series of contiguous wavebands from a radiation-source spectrum. The returned values can be either absolute or relative to their sum.

Usage

```
split_energy_irradiance(
  w.length,
  s.irrad,
  cut.w.length = range(w.length),
  unit.in = "energy",
  scale = "absolute",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)
```


Arguments

w.length	numeric vector of wavelengths (nm).
s.irrad	numeric vector of spectral (energy or photon) irradiance values ($\text{W m}^{-2} \text{ nm}^{-1}$) or ($\text{mol s}^{-1} \text{ m}^{-2} \text{ nm}^{-1}$).
cut.w.length	numeric vector of wavelengths (nm).
unit.in	character string with allowed values "energy", and "photon", or its alias "quantum".
scale	character string indicating the scale used for the returned values ("absolute", "relative", "percent").
check.spectrum	logical indicating whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

a numeric vector of irradiances with no change in scale factor: $[\text{W m}^{-2} \text{ nm}^{-1}] \rightarrow [\text{W m}^{-2}]$ or $[\text{mol s}^{-1} \text{ m}^{-2}] \rightarrow [\text{W m}^{-2}]$ or relative values (fraction of one) if scale = "relative" or scale = "percent".

Note

The last three parameters control speed optimizations. The defaults should be suitable in most cases. If you set `check.spectrum=FALSE` then you should call `check_spectrum` at least once for your spectrum before using any of the other functions. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other low-level functions operating on numeric vectors.: `as_energy()`, `as_quantum_mol()`, `calc_multipliers()`, `div_spectra()`, `energy_irradiance()`, `energy_ratio()`, `insert_hinges()`, `integrate_xy()`, `interpolate_spectrum()`, `irradiance()`, `l_insert_hinges()`, `oper_spectra()`, `photon_irradiance()`, `photon_ratio()`, `photons_energy_ratio()`, `prod_spectra()`, `s_e_irrad2rgb()`, `split_photon_irradiance()`, `subt_spectra()`, `sum_spectra()`, `trim_tails()`, `v_insert_hinges()`, `v_replace_hinges()`

Examples

```
with(sun.data,
     split_energy_irradiance(w.length, s.e.irrad,
                             cut.w.length = c(300, 400, 500, 600, 700)))
```

split_irradiance	<i>Energy or photon irradiance for split spectrum regions</i>
------------------	---

Description

This function returns the energy or photon irradiance for a series of contiguous wavebands from a radiation spectrum. The returned values can be either absolute or relative to their sum.

Usage

```
split_irradiance(
  w.length,
  s.irrad,
  cut.w.length = range(w.length),
  unit.out = getOption("photobiology.base.unit", default = "energy"),
  unit.in = "energy",
  scale = "absolute",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)
```

Arguments

w.length	numeric Vector of wavelengths [<i>nm</i>].
s.irrad	numeric vector of spectral irradiances in [$W m^{-2} nm^{-1}$] or [$mol s^{-1} sm^{-2} nm^{-1}$] as indicated by the argument passed to unit.in.
cut.w.length	numeric Vector of wavelengths [<i>nm</i>].
unit.out, unit.in	character Allowed values "energy", and "photon", or its alias "quantum".
scale	a character A string indicating the scale used for the returned values ("absolute", "relative" or "percent").
check.spectrum	logical Flag indicating whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

A numeric vector of irradiances with no change in scale factor if scale == "absolute", [$W m^{-2}$] or [$mol s^{-1} sm^{-2}$] depending on the argument passed to unit.out or relative values (as fraction of one if scale == "relative" or percentages if scale == "percent" of photons or energy depending on the argument passed to unit.out.

Note

The last three parameters control speed optimizations. The defaults should be suitable in most cases. If you set `check.spectrum=FALSE` then you should call `check_spectrum` at least once for your spectrum before using any of the other functions. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

Examples

```
with(sun.data,
     split_irradiance(w.length, s.e.irrad,
                     cut.w.length = c(300, 400, 500, 600, 700),
                     unit.out = "photon"))
```

```
split_photon_irradiance
```

Photon irradiance for split spectrum regions

Description

This function returns the photon irradiance for a series of contiguous wavebands from a radiation spectrum. The returned values can be either absolute or relative to their sum.

Usage

```
split_photon_irradiance(
  w.length,
  s.irrad,
  cut.w.length = range(w.length),
  unit.in = "energy",
  scale = "absolute",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)
```

Arguments

<code>w.length</code>	numeric vector of wavelengths (nm).
<code>s.irrad</code>	numeric vector of spectral (energy or photon) irradiance values ($\text{W m}^{-2} \text{nm}^{-1}$).
<code>cut.w.length</code>	numeric vector of wavelengths (nm).
<code>unit.in</code>	character Allowed values "energy", and "photon", or its alias "quantum".
<code>scale</code>	a character A string indicating the scale used for the returned values ("absolute", "relative", "percent").
<code>check.spectrum</code>	logical Flag indicating whether to sanity check input data, default is TRUE.

`use.cached.mult` logical Flag indicating whether multiplier values should be cached between calls.

`use.hinges` logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

a numeric vector of photon irradiances with no change in scale factor: [W m⁻² nm⁻¹] -> [mol s⁻¹ m⁻²], [mol s⁻¹ m⁻² nm⁻¹] -> [mol s⁻¹ m⁻²] or relative values (fraction of one based on photon units) if scale = "relative" or scale = "percent".

Note

The last three parameters control speed optimizations. The defaults should be suitable in most cases. If you set `check.spectrum=FALSE` then you should call `check_spectrum` at least once for your spectrum before using any of the other functions. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other low-level functions operating on numeric vectors.: `as_energy()`, `as_quantum_mol()`, `calc_multipliers()`, `div_spectra()`, `energy_irradiance()`, `energy_ratio()`, `insert_hinges()`, `integrate_xy()`, `interpolate_spectrum()`, `irradiance()`, `l_insert_hinges()`, `oper_spectra()`, `photon_irradiance()`, `photon_ratio()`, `photons_energy_ratio()`, `prod_spectra()`, `s_e_irrad2rgb()`, `split_energy_irradiance()`, `subt_spectra()`, `sum_spectra()`, `trim_tails()`, `v_insert_hinges()`, `v_replace_hinges()`

Examples

```
with(sun.data,
     split_photon_irradiance(w.length, s.e.irrad,
                             cut.w.length = c(300, 400, 500, 600, 700)))
with(sun.data,
     split_photon_irradiance(w.length, s.e.irrad))
```

spread

Expanse

Description

A method that returns the expanse ($\max(x) - \min(x)$) for R objects. In particular the wavelength [nm] expanse of the wavelength range of objects of classes `waveband` or of class `generic_spct` or derived (or the expanse of values in a numeric vector).

Usage

```
spread(x, ...)  
  
w1_expance(x, ...)  
  
expance(x, ...)  
  
## Default S3 method:  
expance(x, ...)  
  
## S3 method for class 'numeric'  
expance(x, ...)  
  
## S3 method for class 'waveband'  
expance(x, ...)  
  
## S3 method for class 'generic_spct'  
expance(x, ...)  
  
## S3 method for class 'generic_mspct'  
expance(x, ..., idx = "spct.idx")
```

Arguments

x	an R object
...	not used in current version
idx	character Name of the column with the names of the members of the collection of spectra.

Value

A numeric value equal to $\max(x) - \min(x)$. In the case of spectral objects wavelength difference [nm]. For any other R object, according to available specialised methods of [min](#) and [max](#).

Methods (by class)

- `expance(default)`: Default method for generic function
- `expance(numeric)`: Method for "numeric"
- `expance(waveband)`: Method for "waveband"
- `expance(generic_spct)`: Method for "generic_spct"
- `expance(generic_mspct)`: Method for "generic_mspct" objects.

Examples

```
expance(10:20)  
expance(sun.spct)  
w1_expance(sun.spct)
```

```
expanses(sun.spct)
```

 Subset

Subsetting spectra

Description

Return subsets of spectra stored in class `generic_spct` or derived from it.

Usage

```
## S3 method for class 'generic_spct'
subset(x, subset, select, drop = FALSE, ...)
```

Arguments

<code>x</code>	object to be subsetted.
<code>subset</code>	logical expression indicating elements or rows to keep: missing values are taken as false.
<code>select</code>	expression, indicating columns to select from a spectrum.
<code>drop</code>	passed on to <code>[]</code> indexing operator.
<code>...</code>	further arguments to be passed to or from other methods.

Value

An object similar to `x` containing just the selected rows and columns. Depending on the columns remaining after subsetting the class of the object will be simplified to the most derived parent class.

Note

This method is copied from `base::subset.data.frame()` but ensures that all metadata stored in attributes of spectral objects are copied to the returned value.

Examples

```
subset(sun.spct, w.length > 400)
```

subset2mspct	<i>Convert 'long' or tidy spectral data into a collection of spectra</i>
--------------	--

Description

Convert a data frame object or spectral object into a collection of spectra object of the matching class. For data frames converting numeric columns other than wavelength into individual spct objects. For collection of spectra objects, subset/expand long-form members into multiple members of the same collection.

Usage

```
subset2mspct(
  x,
  member.class = NULL,
  idx.var = getIdFactor(x),
  drop.idx = TRUE,
  ncol = 1,
  byrow = FALSE,
  ...
)
```

Arguments

<code>x</code>	a <code>generic_spct</code> object or of a derived class, or a data frame, or a <code>generic_mspct</code> object or of a derived class.
<code>member.class</code>	character string.
<code>idx.var</code>	character Name of column containing data to be copied unchanged to each spct object.
<code>drop.idx</code>	logical Flag indicating whether to drop or keep <code>idx.var</code> in the collection members.
<code>ncol</code>	integer Number of 'virtual' columns in data.
<code>byrow</code>	logical If <code>ncol > 1</code> how to read in the data.
<code>...</code>	additional named arguments passed to the member constructor function.

Value

A collection of spectral objects, each with attributes set if `x` is a spectral object in long form with metadata attributes. If this object was created by row binding with 'photobiology' 0.9.14 or later then all metadata for each individual spectrum will be preserved, except for unique comments which are merged.

Note

A non-null value for `member.class` is mandatory only when `x` is a data frame.

See Also

Other Coercion methods for collections of spectra: [as.calibration_mspct\(\)](#), [as.chroma_mspct\(\)](#), [as.cps_mspct\(\)](#), [as.filter_mspct\(\)](#), [as.generic_mspct\(\)](#), [as.object_mspct\(\)](#), [as.raw_mspct\(\)](#), [as.reflector_mspct\(\)](#), [as.response_mspct\(\)](#), [as.solute_mspct\(\)](#), [as.source_mspct\(\)](#), [split2mspct\(\)](#)

subt_spectra	<i>Subtract two spectra</i>
--------------	-----------------------------

Description

The wavelength vectors of the two spectra are merged, and the missing spectral values are calculated by interpolation. After this, the two spectral values at each wavelength are added. This is 'parallel' operation between two spectra.

Usage

```
subt_spectra(
  w.length1,
  w.length2 = NULL,
  s.irrad1,
  s.irrad2,
  trim = "union",
  na.rm = FALSE
)
```

Arguments

w.length1	numeric vector of wavelength (nm).
w.length2	numeric vector of wavelength (nm).
s.irrad1	a numeric vector of spectral values.
s.irrad2	a numeric vector of spectral values.
trim	a character string with value "union" or "intersection".
na.rm	a logical value, if TRUE, not the default, NAs in the input are replaced with zeros.

Details

If trim=="union" spectral values are calculated for the whole range of wavelengths covered by at least one of the input spectra, and missing values are set in each input spectrum to zero before addition. If trim=="intersection" then the range of wavelengths covered by both input spectra is returned, and the non-overlapping regions discarded. If w.length2==NULL, it is assumed that both spectra are measured at the same wavelengths, and a simple addition is used, ensuring fast calculation.

Value

a data frame with two numeric variables

w.length A numeric vector with the wavelengths (nm) obtained by "fusing" w.length1 and w.length2. w.length contains all the unique vales, sorted in ascending order.

s.irrad A numeric vector with the sum of the two spectral values at each wavelength.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
head(sun.data)
zero.data <- with(sun.data, subt_spectra(w.length, w.length, s.e.irrad, s.e.irrad))
head(zero.data)
tail(zero.data)
```

summary.generic_spct *Summary of one or more spectra*

Description

Methods of generic function summary for objects of spectral classes and of classes for collections of spectra.

Usage

```
## S3 method for class 'generic_spct'
summary(
  object,
  maxsum = 7,
  digits = max(3, getOption("digits") - 3),
  ...,
  expand = "none"
)

## S3 method for class 'generic_mspct'
summary(
  object,
  maxsum = 7,
  digits = max(3, getOption("digits") - 3),
```

```

    idx = "spct.idx",
    which.metadata = NULL,
    expand = "none",
    ...
)

```

Arguments

object	An object of one of the spectral classes for which a summary is desired.
maxsum	integer Indicates how many levels should be shown for factors.
digits	integer Used for number formatting with <code>format()</code> .
...	additional arguments affecting the summary produced, ignored in current version.
expand	character One of "none", "collection", "each" or "auto" indicating if multiple spectra in long form should be summarized as a collection or individually.
idx	character Name of the column with the names of the members of the collection of spectra.
which.metadata	character vector Names of attributes to retrieve, or "none" or "all". Obeyed if expand = FALSE, its default.

Details

Objects are summarized as is, ignoring the current settings of R options `photobiology.radiation.unit` and `photobiology.filter.qty`. Unlike R's `summary`, these methods can optionally summarize each spectrum stored in long form returning a list of summaries. Although this is frequently the most informative approach, the default remains similar to `summary()` method from R: to summarize object as a whole. Alternatively, multiple spectra stored in long form, can optionally be summarized also as a collection of spectra. Passing "auto" in the call, is equivalent to passing "each" or "collection" depending on the number of spectra contained in the object.

Value

A summary object matching the class of object, or a list of such objects or a summary object for a matching collection of spectra. Metadata stored in attributes are copied to identical attributes in the returned summary objects except when object is a collection of spectra or if `expand = "collection"` is passed in the call. In this two cases, a condensed summary is returned as a data frame and attributes from each member can be copied to variables in it.

Functions

- `summary(generic_mspct)`:

See Also

[print.summary_generic_spct](#)

Examples

```
summary(sun.spct)
class(summary(sun.spct))

summary(two_filters.spct)
class(summary(two_filters.spct))

summary(sun_evening.spct)
summary(two_filters.spct, expand = "none")
summary(two_filters.spct, expand = "each")
summary(two_filters.spct, expand = "collection")
summary(two_filters.spct, expand = "auto") # <= 4 spectra
summary(sun_evening.spct, expand = "auto") # > 4 spectra

where_measured(sun.spct)
where_measured(summary(sun.spct))
what_measured(summary(two_filters.spct))
what_measured(summary(two_filters.spct, expand = "each")[[1]])

summary(sun_evening.mspct)
summary(sun_evening.mspct, which.metadata = "when.measured")
summary(two_filters.mspct, which.metadata = "what.measured")
summary(two_filters.mspct, expand = "each")
```

summary_spct_classes *Function that returns a vector containing the names of spectral summary classes.*

Description

Function that returns a vector containing the names of spectral summary classes.

Usage

```
summary_spct_classes()
```

Value

A character vector of class names.

sum_spectra	<i>Add two spectra</i>
-------------	------------------------

Description

Merge wavelength vectors of two spectra, and compute the missing spectral values by interpolation within each spectrum. After this, the spectral values at each wavelength are added. This is a 'parallel' operation between two spectra.

Usage

```
sum_spectra(
  w.length1,
  w.length2 = NULL,
  s.irrad1,
  s.irrad2,
  trim = "union",
  na.rm = FALSE
)
```

Arguments

w.length1	numeric vector of wavelength (nm).
w.length2	numeric vector of wavelength (nm).
s.irrad1	a numeric vector of spectral values.
s.irrad2	a numeric vector of spectral values.
trim	a character string with value "union" or "intersection".
na.rm	a logical value, if TRUE, not the default, NAs in the input are replaced with zeros.

Details

If trim=="union" spectral values are calculated for the whole range of wavelengths covered by at least one of the input spectra, and missing values are set in each input spectrum to zero before addition. If trim=="intersection" then the range of wavelengths covered by both input spectra is returned, and the non-overlapping regions discarded. If w.length2 = NULL, it is assumed that both spectra are measured at the same wavelengths, and a simple addition is used, ensuring fast calculation.

Value

a data.frame with two numeric variables

w.length	A numeric vector with the wavelengths (nm) obtained by "fusing" w.length1 and w.length2. w.length contains all the unique vales, sorted in ascending order.
s.irrad	A numeric vector with the sum of the two spectral values at each wavelength.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
head(sun.data)
twice.sun.data <- with(sun.data, sum_spectra(w.length, w.length, s.e.irrad, s.e.irrad))
head(twice.sun.data)
tail(twice.sun.data)
```

sun.spct

Solar spectral irradiance (simulated)

Description

A dataset containing the wavelengths at a 1 nm interval and the corresponding spectral (energy) irradiance and spectral photon irradiance. Values simulated for 22 June 2010, near midday, at Helsinki, under partly cloudy conditions. The variables are as follows:

Usage

```
sun.spct
sun.data
```

Format

A `source_spct` object and a `data.frame`, each with 511 rows and 3 variables
 An object of class `data.frame` with 508 rows and 3 columns.

Details

- `w.length` (nm), range 293 to 800 nm.
- `s.e.irrad` ($\text{W m}^{-2} \text{nm}^{-1}$)
- `s.q.irrad` ($\text{mol m}^{-2} \text{nm}^{-1}$)

Note

Package 'photobiologySun' contains data sets for the daylight spectrum under different conditions in and outside vegetation, stored in objects of these same classes, ready to be used with package 'photobiology'.

Author(s)

Anders K. Lindfors (data)

References

Lindfors, A.; Heikkilä, A.; Kaurola, J.; Koskela, T. & Lakkala, K. (2009) Reconstruction of Solar Spectral Surface UV Irradiances Using Radiative Transfer Simulations. *Photochemistry and Photobiology*, 85: 1233-1239

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
sun.spct
summary(sun.spct)
```

sun_angles

Solar angles

Description

Function `sun_angles()` returns the solar angles and Sun to Earth relative distance for given times and locations using a very precise algorithm. Convenience functions `sun_azimuth()`, `sun_elevation()`, `sun_zenith_angle()` and `distance_to_sun()` are wrappers on `sun_angles()` that return individual vectors.

Usage

```
sun_angles(
  time = lubridate::now(tzone = "UTC"),
  tz = lubridate::tz(time),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  use.refraction = FALSE
)
```

```
sun_angles_fast(time, tz, geocode, use.refraction)
```

```
sun_elevation(
  time = lubridate::now(),
  tz = lubridate::tz(time),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  use.refraction = FALSE
)
```

```

)

sun_zenith_angle(
  time = lubridate::now(),
  tz = lubridate::tz(time),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  use.refraction = FALSE
)

sun_azimuth(
  time = lubridate::now(),
  tz = lubridate::tz(time),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  use.refraction = FALSE
)

distance_to_sun(
  time = lubridate::now(),
  tz = lubridate::tz(time),
  geocode = tibble::tibble(lon = 0, lat = 51.5, address = "Greenwich"),
  use.refraction = FALSE
)

```

Arguments

time	A "vector" of POSIXct Time, with any valid time zone (TZ) is allowed, default is current time.
tz	character string indicating time zone to be used in output.
geocode	data frame with variables lon and lat as numeric values (degrees), nrow > 1, allowed.
use.refraction	logical Flag indicating whether to correct for fraction in the atmosphere.

Details

This function is an implementation of Meeus equations as used in NOAAs on-line web calculator, which are precise and valid for a very broad range of dates (years -1000 to 3000 at least). The apparent solar elevations near sunrise and sunset are affected by refraction in the atmosphere, which does in turn depend on weather conditions. The effect of refraction on the apparent position of the sun is only an estimate based on "typical" conditions for the atmosphere. The computation is not defined for latitudes 90 and -90 degrees, i.e. exactly at the poles. The function is vectorized and in particular passing a vector of times for a single geocode enhances performance very much as the equation of time, the most time consuming step, is computed only once.

For improved performance, if more than one angle is needed it is preferable to directly call `sun_angles` instead of the wrapper functions as this avoids the unnecessary recalculation.

Value

A data.frame with variables time (in same TZ as input), TZ, solartime, longitude, latitude, address, azimuth, elevation, declination, eq.of.time, hour.angle, and distance. If a data frame with multiple rows is passed to geocode and a vector of times longer than one is passed to time, sun position for all combinations of locations and times are returned by sun_angles. Angles are expressed in degrees, solartime is a vector of class "solar.time", distance is expressed in relative sun units.

Important!

Given an instant in time and a time zone, the date is computed from these, and may differ by one day to that at the location pointed by geocode at the same instant in time, unless the argument passed to tz matches the time zone at this location.

Note

There exists a different R implementation of the same algorithms called "AstroCalcPureR" available as function astrocalc4r in package 'fishmethods'. Although the equations used are almost all the same, the function signatures and which values are returned differ. In particular, the present implementation splits the calculation into two separate functions, one returning angles at given instants in time, and a separate one returning the timing of events for given dates.

References

The primary source for the algorithm used is the book: Meeus, J. (1998) Astronomical Algorithms, 2 ed., Willmann-Bell, Richmond, VA, USA. ISBN 978-0943396613.

A different implementation is available at <https://github.com/NEFSC/READ-PDB-AstroCalc4R/>.

An interactive web page using the same algorithms is available at <https://gml.noaa.gov/grad/solcalc/>. There are small differences in the returned times compared to our function that seem to be related to the estimation of atmospheric refraction (about 0.1 degrees).

See Also

Other astronomy related functions: [day_night\(\)](#), [format.solar_time\(\)](#)

Examples

```
library(lubridate)
sun_angles()
sun_azimuth()
sun_elevation()
sun_zenith_angle()
sun_angles(ymd_hms("2014-09-23 12:00:00"))
sun_angles(ymd_hms("2014-09-23 12:00:00"),
           geocode = data.frame(lat=60, lon=0))
sun_angles(ymd_hms("2014-09-23 12:00:00") + minutes((0:6) * 10))
```

sun_daily.spct	Daily solar spectral irradiance (simulated)
----------------	---

Description

A dataset containing the wavelengths at a 1 nm interval and the corresponding spectral (energy) irradiance. Values simulated for 2 June 2012, at Helsinki, under clear sky conditions. The variables are as follows:

Usage

sun_daily.spct

sun_daily.data

sun.daily.spct

sun.daily.data

Format

A source_spct object and a data.frame, each with 511 rows and 3 variables

An object of class tbl_df (inherits from tbl, data.frame) with 511 rows and 3 columns.

An object of class source_spct (inherits from generic_spct, tbl_df, tbl, data.frame) with 522 rows and 3 columns.

An object of class tbl_df (inherits from tbl, data.frame) with 511 rows and 3 columns.

Details

- w.length (nm), range 290 to 800 nm.
- s.e.irrad (J d-1 m-2 nm-1)
- s.q.irrad (mol d-1 m-2 nm-1)

Deprecation!

Objects sun.daily.spct and sun.daily.data have been renamed into sun_daily.spct and sun_daily.data, for consistency with other data sets in the package. Please, use the new names for new code.

Note

The simulations are based on libRadTran using hourly mean global radiation measurements to estimate cloud cover. The simulations were for each hour and the results integrated for the whole day.

Author(s)

Anders K. Lindfors (data)

References

Lindfors, A.; Heikkilä, A.; Kaurola, J.; Koskela, T. & Lakkala, K. (2009) Reconstruction of Solar Spectral Surface UV Irradiances Using Radiative Transfer Simulations. *Photochemistry and Photobiology*, 85: 1233-1239

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
sun.daily.spct
summary(sun.daily.spct)
```

sun_evening.spct	<i>Time series of solar spectral irradiance (measured)</i>
------------------	--

Description

Two data objects containing the same time series of five spectra. Values measured in Viikki, Helsinki, under nearly clear sky in a summer evening.

Usage

```
sun_evening.spct
sun_evening.mspct
```

Format

A `source_spct` object and a `source_mspct` object.

An object of class `source_mspct` (inherits from `generic_mspct`, `list`) with 5 rows and 1 columns.

Details

The variables are as follows:

- `w.length` (nm), range 290 to 1000 nm.
- `s.e.irrad` (J d-1 m-2 nm-1)
- `s.q.irrad` (mol d-1 m-2 nm-1)

Author(s)

Pedro J. Aphalo (data)

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [two_filters.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
summary(sun_evening.mspct)
colnames(sun_evening.spct)
```

s_e_irrad2rgb

Spectral irradiance to rgb color conversion

Description

Calculates rgb values from spectra based on human color matching functions (CMF) or chromaticity coordinates (CC). A CMF takes into account luminous sensitivity, while a CC only the color hue. This function, in contrast to that in package pavo does not normalize the values to equal luminosity, so using a CMF as input gives the expected result. Another difference is that it allows the user to choose the chromaticity data to be used. The data used by default is different, and it corresponds to the whole range of CIE standard, rather than the reduced range 400 nm to 700 nm. The wavelength limits are not hard coded, so the function could be used to simulate vision in other organisms as long as pseudo CMF or CC data are available for the simulation.

Usage

```
s_e_irrad2rgb(
  w.length,
  s.e.irrad,
  sens = photobiology::ciexyzCMF2.spct,
  color.name = NULL,
  check = TRUE
)
```

Arguments

w.length	numeric vector of wavelengths (nm).
s.e.irrad	numeric vector of spectral irradiance values.
sens	a chroma_spct object with variables w.length, x, y, and z, giving the CC or CMF definition (default is the proposed human CMF according to CIE 2006.).
color.name	character string for naming the rgb color definition.
check	logical indicating whether to check or not spectral data.

Value

A color defined using `rgb`. The numeric values of the RGB components can be obtained using function `col2rgb`.

Note

Very heavily modified from Chad Eliason's <cme16@zips.uakron.edu> `spec2rgb` function in package Pavo.

References

CIE(1932). Commission Internationale de l'Eclairage Proceedings, 1931. Cambridge: Cambridge University Press.

Color matching functions obtained from Colour and Vision Research Laboratory online data repository at <http://www.cvr1.org/>.

See Also

Other low-level functions operating on numeric vectors.: `as_energy()`, `as_quantum_mol()`, `calc_multipliers()`, `div_spectra()`, `energy_irradiance()`, `energy_ratio()`, `insert_hinges()`, `integrate_xy()`, `interpolate_spectrum()`, `irradiance()`, `l_insert_hinges()`, `oper_spectra()`, `photon_irradiance()`, `photon_ratio()`, `photons_energy_ratio()`, `prod_spectra()`, `split_energy_irradiance()`, `split_photon_irradiance()`, `subt_spectra()`, `sum_spectra()`, `trim_tails()`, `v_insert_hinges()`, `v_replace_hinges()`

Examples

```
my.color <-
  with(sun.data,
       s_e_irrad2rgb(w.length, s.e.irrad, color.name = "sunWhite"))
col2rgb(my.color)
```

s_mean

Mean from collection of spectra

Description

Method to compute the "parallel" mean of values across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```

s_mean(x, trim, na.rm, ...)

## Default S3 method:
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'generic_spct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'source_mspct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'response_mspct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'filter_mspct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'reflector_mspct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'calibration_mspct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'cps_mspct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

## S3 method for class 'raw_mspct'
s_mean(x, trim = 0, na.rm = FALSE, ...)

```

Arguments

x	An R object.
trim	numeric The fraction (0 to 0.5) of observations to be trimmed from each end of x before the mean is computed. Values of trim outside that range are taken as the nearest endpoint.
na.rm	logical A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the mean at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Trimming of extreme values is possible (trimmed mean) and omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If `x` is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- `s_mean(default)`:
- `s_mean(generic_spct)`:
- `s_mean(source_mspct)`:
- `s_mean(response_mspct)`:
- `s_mean(filter_mspct)`:
- `s_mean(reflector_mspct)`:
- `s_mean(calibration_mspct)`:
- `s_mean(cps_mspct)`:
- `s_mean(raw_mspct)`:

Note

Objects of classes `raw_spct` and `cps_spct` can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of `cps_spct` objects, a single column can also contain data from multiple scans spliced into a single variable.

See Also

See [mean](#) for the `mean()` method used for the computations.

Examples

```
s_mean(sun_evening.mspct)
```

`s_mean_se`*Mean and standard error from collection of spectra*

Description

Method to compute the "parallel" mean and the SEM. The spectral values are summarised across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```

s_mean_se(x, na.rm, mult, ...)

## Default S3 method:
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'generic_spct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'filter_mspct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'source_mspct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'response_mspct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'reflector_mspct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'calibration_mspct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'cps_mspct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

## S3 method for class 'raw_mspct'
s_mean_se(x, na.rm = FALSE, mult = 1, ...)

```

Arguments

x	An R object Currently this package defines methods for collections of spectral objects.
na.rm	logical A value indicating whether NA values should be stripped before the computation proceeds.
mult	numeric number of multiples of standard error.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the mean and SEM at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled. The value passed as argument to 'mult'

Value

If *x* is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- s_mean_se(default):
- s_mean_se(generic_spct):
- s_mean_se(filter_mspct):
- s_mean_se(source_mspct):
- s_mean_se(response_mspct):
- s_mean_se(reflector_mspct):
- s_mean_se(calibration_mspct):
- s_mean_se(cps_mspct):
- s_mean_se(raw_mspct):

Note

Objects of classes raw_spct and cps_spct can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of cps_spct objects, a single column can also contain data from multiple scans spliced into a single variable.

See Also

See [mean](#) for the mean() method to compute the mean and [se](#) for the method used to compute the standard error of the mean.

Examples

```
s_mean_se(sun_evening.mspct)
```

s_mean_se_band

Mean plus and minus standard error from collection of spectra

Description

Method to compute the "parallel" mean and limits based on SEM. The spectral values are summarised across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```
s_mean_se_band(x, na.rm, mult, ...)  
  
## Default S3 method:  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'generic_spct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'filter_mspct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'source_mspct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'response_mspct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'reflector_mspct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'calibration_mspct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'cps_mspct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)  
  
## S3 method for class 'raw_mspct'  
s_mean_se_band(x, na.rm = FALSE, mult = 1, ...)
```

Arguments

x	An R object.
na.rm	logical A value indicating whether NA values should be stripped before the computation proceeds.
mult	numeric number of multiples of standard error.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the mean and limits based on SEM at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled. The value passed as argument to 'mult' can be used to estimate a confidence interval for each mean value.

Value

If *x* is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- s_mean_se_band(default):
- s_mean_se_band(generic_spct):
- s_mean_se_band(filter_mspct):
- s_mean_se_band(source_mspct):
- s_mean_se_band(response_mspct):
- s_mean_se_band(reflector_mspct):
- s_mean_se_band(calibration_mspct):
- s_mean_se_band(cps_mspct):
- s_mean_se_band(raw_mspct):

Note

Objects of classes raw_spct and cps_spct can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of cps_spct objects, a single column can also contain data from multiple scans spliced into a single variable.

See Also

See [mean](#) for the mean() method used for the computations.

Examples

```
s_mean_se_band(sun_evening.mspct)
```

s_median

Median of a collection of spectra

Description

Method to compute the "parallel" median of values across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```
s_median(x, na.rm, ...)  
  
## Default S3 method:  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'generic_spct'  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'source_mspct'  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'response_mspct'  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'filter_mspct'  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'reflector_mspct'  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'calibration_mspct'  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'cps_mspct'  
s_median(x, na.rm = FALSE, ...)  
  
## S3 method for class 'raw_mspct'  
s_median(x, na.rm = FALSE, ...)
```

Arguments

x	An R object. Currently this package defines methods for collections of spectral objects.
na.rm	logical. A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the median at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If *x* is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- s_median(default):
- s_median(generic_spct):
- s_median(source_mspct):
- s_median(response_mspct):
- s_median(filter_mspct):
- s_median(reflector_mspct):
- s_median(calibration_mspct):
- s_median(cps_mspct):
- s_median(raw_mspct):

Note

Objects of classes raw_spct and cps_spct can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of cps_spct objects, a single column can also contain data from multiple scans spliced into a single variable.

See Also

See [median](#) for the median() method used for the computations.

Examples

```
s_median(sun_evening.mspct)
```

s_prod

Product from collection of spectra

Description

Method to compute the "parallel" product of values across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```
s_prod(x, na.rm, ...)  
  
## Default S3 method:  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'generic_spct'  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'source_mspct'  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'response_mspct'  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'filter_mspct'  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'reflector_mspct'  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'calibration_mspct'  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'cps_mspct'  
s_prod(x, na.rm = FALSE, ...)  
  
## S3 method for class 'raw_mspct'  
s_prod(x, na.rm = FALSE, ...)
```

Arguments

x	An R object. Currently this package defines methods for collections of spectral objects.
na.rm	logical. A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the product at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If *x* is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- s_prod(default):
- s_prod(generic_spct):
- s_prod(source_mspct):
- s_prod(response_mspct):
- s_prod(filter_mspct):
- s_prod(reflector_mspct):
- s_prod(calibration_mspct):
- s_prod(cps_mspct):
- s_prod(raw_mspct):

Note

Objects of classes raw_spct and cps_spct can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of cps_spct objects, a single column can also contain data from multiple scans spliced into a single variable.

The product operation is meaningful only for certain physical quantities or bases of expression.

See Also

See [prod](#) for the prod() method used for the computations.

Examples

```
s_prod(two_filters.mspct)
```

s_range

Range of a collection of spectra

Description

Method to compute the "parallel" range of values across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```
s_range(x, na.rm, ...)  
  
## Default S3 method:  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'generic_spct'  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'filter_mspct'  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'source_mspct'  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'response_mspct'  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'reflector_mspct'  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'calibration_mspct'  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'cps_mspct'  
s_range(x, na.rm = FALSE, ...)  
  
## S3 method for class 'raw_mspct'  
s_range(x, na.rm = FALSE, ...)
```

Arguments

x	An R object. Currently this package defines methods for collections of spectral objects.
na.rm	logical. A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the range at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If *x* is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- `s_range(default)`:
- `s_range(generic_spct)`:
- `s_range(filter_mspct)`:
- `s_range(source_mspct)`:
- `s_range(response_mspct)`:
- `s_range(reflector_mspct)`:
- `s_range(calibration_mspct)`:
- `s_range(cps_mspct)`:
- `s_range(raw_mspct)`:

Note

Objects of classes `raw_spct` and `cps_spct` can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of `cps_spct` objects, a single column can also contain data from multiple scans spliced into a single variable.

See Also

See [Extremes](#) details on the `min()` and `max()` methods used for the computations.

Examples

```
s_range(sun_evening.mspct)
```

s_sd

Standard Deviation of a collection of spectra

Description

Method to compute the "parallel" standard deviation of values across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```
s_sd(x, na.rm, ...)  
  
## Default S3 method:  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'generic_spct'  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'filter_mspct'  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'source_mspct'  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'response_mspct'  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'reflector_mspct'  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'calibration_mspct'  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'cps_mspct'  
s_sd(x, na.rm = FALSE, ...)  
  
## S3 method for class 'raw_mspct'  
s_sd(x, na.rm = FALSE, ...)
```

Arguments

x	An R object. Currently this package defines methods for collections of spectral objects.
na.rm	logical. A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the standard deviation at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If `x` is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- `s_sd(default)`:
- `s_sd(generic_spct)`:
- `s_sd(filter_mspct)`:
- `s_sd(source_mspct)`:
- `s_sd(response_mspct)`:
- `s_sd(reflector_mspct)`:
- `s_sd(calibration_mspct)`:
- `s_sd(cps_mspct)`:
- `s_sd(raw_mspct)`:

Note

Objects of classes `raw_spct` and `cps_spct` can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of `cps_spct` objects, a single column can also contain data from multiple scans spliced into a single variable.

See Also

See [sd](#) for details about `sd()` methods for other classes.

Examples

```
s_sd(sun_evening.mspct)
```

s_se

Standard Error of a collection of spectra

Description

Method to compute the "parallel" standard error of the mean across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```

s_se(x, na.rm, ...)

## Default S3 method:
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'generic_spct'
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'source_mspct'
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'response_mspct'
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'filter_mspct'
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'reflector_mspct'
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'calibration_mspct'
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'cps_mspct'
s_se(x, na.rm = FALSE, ...)

## S3 method for class 'raw_mspct'
s_se(x, na.rm = FALSE, ...)

```

Arguments

x	An R object. Currently this package defines methods for collections of spectral objects.
na.rm	logical. A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the standard error of the mean at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If `x` is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- `s_se(default)`:
- `s_se(generic_spct)`:
- `s_se(source_mspct)`:
- `s_se(response_mspct)`:
- `s_se(filter_mspct)`:
- `s_se(reflector_mspct)`:
- `s_se(calibration_mspct)`:
- `s_se(cps_mspct)`:
- `s_se(raw_mspct)`:

Note

Objects of classes `raw_spct` and `cps_spct` can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of `cps_spct` objects, a single column can also contain data from multiple scans spliced into a single variable.

Examples

```
s_se(sun_evening.mspct)
```

s_sum

Sum from collection of spectra

Description

Method to compute the "parallel" sum of values across members of a collection of spectra or of a spectral object containing multiple spectra in long form.

Usage

```
s_sum(x, na.rm, ...)
```

```
## Default S3 method:
```

```
s_sum(x, na.rm = FALSE, ...)
```

```
## S3 method for class 'generic_spct'
```

```
s_sum(x, na.rm = FALSE, ...)  
  
## S3 method for class 'filter_mspct'  
s_sum(x, na.rm = FALSE, ...)  
  
## S3 method for class 'source_mspct'  
s_sum(x, na.rm = FALSE, ...)  
  
## S3 method for class 'response_mspct'  
s_sum(x, na.rm = FALSE, ...)  
  
## S3 method for class 'reflector_mspct'  
s_sum(x, na.rm = FALSE, ...)  
  
## S3 method for class 'calibration_mspct'  
s_sum(x, na.rm = FALSE, ...)  
  
## S3 method for class 'cps_mspct'  
s_sum(x, na.rm = FALSE, ...)  
  
## S3 method for class 'raw_mspct'  
s_sum(x, na.rm = FALSE, ...)
```

Arguments

x	An R object.
na.rm	logical A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the sum at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If x is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- s_sum(default):
- s_sum(generic_spct):
- s_sum(filter_mspct):

- `s_sum(source_mspct):`
- `s_sum(response_mspct):`
- `s_sum(reflector_mspct):`
- `s_sum(calibration_mspct):`
- `s_sum(cps_mspct):`
- `s_sum(raw_mspct):`

Note

Objects of classes `raw_spct` and `cps_spct` can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of `cps_spct` objects, a single column can also contain data from multiple scans spliced into a single variable.

The sum operation is meaningful only for certain physical quantities or bases of expression.

See Also

See [sum](#) for the `sum()` method used for the computations.

Examples

```
s_sum(sun_evening.mspct)
```

s_var

Variance of a collection of spectra

Description

Method to compute the "parallel" variance of values across members of a collections of spectra or of a spectral object containing multiple spectra in long form.

Usage

```
s_var(x, na.rm, ...)
```

```
## Default S3 method:
s_var(x, na.rm = FALSE, ...)
```

```
## S3 method for class 'generic_spct'
s_var(x, na.rm = FALSE, ...)
```

```
## S3 method for class 'filter_mspct'
s_var(x, na.rm = FALSE, ...)
```

```
## S3 method for class 'source_mspct'
```

```

s_var(x, na.rm = FALSE, ...)

## S3 method for class 'response_mspct'
s_var(x, na.rm = FALSE, ...)

## S3 method for class 'reflector_mspct'
s_var(x, na.rm = FALSE, ...)

## S3 method for class 'calibration_mspct'
s_var(x, na.rm = FALSE, ...)

## S3 method for class 'cps_mspct'
s_var(x, na.rm = FALSE, ...)

## S3 method for class 'raw_mspct'
s_var(x, na.rm = FALSE, ...)

```

Arguments

x	An R object. Currently this package defines methods for collections of spectral objects.
na.rm	logical. A value indicating whether NA values should be stripped before the computation proceeds.
...	Further arguments passed to or from other methods.

Details

Method specializations compute the variance at each wavelength across a group of spectra stored in an object of one of the classes defined in package 'photobiology'. Omission of NAs is done separately at each wavelength. Interpolation is not applied, so all spectra in x must share the same set of wavelengths. An error is triggered if this condition is not fulfilled.

Value

If x is a collection spectral of objects, such as a "filter_mspct" object, the returned object is of same class as the members of the collection, such as "filter_spct", containing the summary spectrum, with variables with names tagged for summaries other than mean or median.

Methods (by class)

- s_var(default):
- s_var(generic_spct):
- s_var(filter_mspct):
- s_var(source_mspct):
- s_var(response_mspct):
- s_var(reflector_mspct):
- s_var(calibration_mspct):

- `s_var(cps_mspct)`:
- `s_var(raw_mspct)`:

Note

Objects of classes `raw_spct` and `cps_spct` can contain data from multiple scans in multiple variables or "columns". The methods accept as arguments objects of these classes only if spectra contain data for a single spectrometer scan. In the case of `cps_spct` objects, a single column can also contain data from multiple scans spliced into a single variable.

See Also

See [cor](#) for details about `var()`, which is used for the computations.

Examples

```
s_var(sun_evening.mspct)
```

T2A

Convert transmittance into absorbance.

Description

Function that converts transmittance (fraction) into \log_{10} -based absorbance (a.u.).

Usage

```
T2A(x, action, byref, clean, ...)
```

```
## Default S3 method:
```

```
T2A(x, action = NULL, byref = FALSE, ...)
```

```
## S3 method for class 'numeric'
```

```
T2A(x, action = NULL, byref = FALSE, clean = TRUE, ...)
```

```
## S3 method for class 'filter_spct'
```

```
T2A(x, action = "add", byref = FALSE, clean = TRUE, strict.A = FALSE, ...)
```

```
## S3 method for class 'filter_mspct'
```

```
T2A(
  x,
  action = "add",
  byref = FALSE,
  clean = TRUE,
  strict.A = TRUE,
  ...,
  .parallel = FALSE,
```



```

    .paropts = NULL
  )

```

Arguments

<code>x</code>	an R object.
<code>action</code>	character Allowed values "replace" and "add".
<code>byref</code>	logical indicating if new object will be created by reference or by copy of <code>x</code> .
<code>clean</code>	logical replace off-boundary values before conversion
<code>...</code>	not used in current version
<code>strict.A</code>	logical Attempt to compute a true internal absorbance even if "total" transmittance is stored in <code>x</code> .
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

Absorbance, A , is frequently used in chemistry as it is linearly related to the concentration of a solute dissolved in a solvent.

$$A = -\log_{10} \tau$$

where, A absorbance and τ is internal transmittance. By default, if total transmittance, T , is stored in `x`, the returned value computed as

$$A = -\log_{10} T$$

is not strictly absorbance. In this case and in cases when the measured light attenuation is the result of scattering, or when part of measured light is re-emitted after absorption the use of *attenuance* is the IUPAC-recommended name for this quantity.

If `strict.A = TRUE` is passed in the call and total transmittance, T , and total reflectance, ρ , are both available, absorbance is computed as:

$$A = -\log_{10}(T - \rho)/(1 - \rho)$$

where ρ can be either spectral total reflectance stored in `x` as data or a single approximate `Rfr.constant` value stored as part of the metadata.

Value

A copy of `x` with a column A added and other columns possibly deleted except for `w.length`. If `action = "replace"`, in all cases, the additional columns are removed, even if no column needs to be added.

Methods (by class)

- T2A(default): Default method for generic function
- T2A(numeric): Method for numeric vectors
- T2A(filter_spct): Method for filter spectra
- T2A(filter_mspct): Method for collections of filter spectra

Note

The default `A.strict = FALSE` ensures identical behaviour as in 'photobiology' ($\leq 0.11.0$).

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2Afr\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2qmol_multipliers\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

T2Afr

Convert transmittance into absorptance.

Description

Function that converts transmittance (fraction) into absorptance (fraction). If reflectance (fraction) is available, it also allows conversions between internal and total absorptance.

Usage

```
T2Afr(x, action, byref, clean, ...)
```

```
## Default S3 method:
```

```
T2Afr(x, action = NULL, byref = FALSE, clean = FALSE, ...)
```

```
## S3 method for class 'numeric'
```

```
T2Afr(x, action = NULL, byref = FALSE, clean = FALSE, Rfr = NA_real_, ...)
```

```
## S3 method for class 'filter_spct'
```

```
T2Afr(x, action = "add", byref = FALSE, clean = FALSE, ...)
```

```
## S3 method for class 'object_spct'
```

```
T2Afr(x, action = "add", byref = FALSE, clean = FALSE, ...)
```

```
## S3 method for class 'filter_mspct'
```

```
T2Afr(
  x,
  action = "add",
  byref = FALSE,
  clean = FALSE,
  ...,

```

```

    .parallel = FALSE,
    .paropts = NULL
  )

## S3 method for class 'object_mspct'
T2Afr(
  x,
  action = "add",
  byref = FALSE,
  clean = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>x</code>	an R object.
<code>action</code>	character Allowed values "replace" and "add".
<code>byref</code>	logical indicating if new object will be created by reference or by copy of <code>x</code> .
<code>clean</code>	logical replace off-boundary values before conversion.
<code>...</code>	not used in current version.
<code>Rfr</code>	numeric vector. Spectral reflectance o reflectance factor. Set to zero if <code>x</code> is internal reflectance,
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by foreach
<code>.paropts</code>	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

Absorptance, internal transmittance and total reflectance when expressed as fractions, add up to one:

$$1 = \alpha + \tau + \rho$$

where, α is absorptance, τ is internal transmittance and ρ is total reflectance. If any two of these quantities are known, the third one can be computed from them.

On the other hand:

$$1 = \alpha' + T$$

where, $\alpha' = \alpha + \rho$, measured together. In this case, there is not enough information available to compute α .

Thus, method `T2Afr()` computes either α or α' , depending on whether τ or T are contained in the argument passed to x , but neither of them when only τ is known. To know which quantity has been computed, use `getTfrType()` to query whether the computations were based on τ or T .

The R names used are: `Tfr` for τ and `T` are `Tfr`, `Afr` for α and α' , and `Rfr` for ρ . The distinction between τ and T and between α and α' is made based on metadata attributes.

Value

A copy of x with a column `Afr` added and other columns possibly deleted except for `w.length`. If `action = "replace"`, in all cases, the redundant columns are removed, even when column `Afr` was present in the argument passed to x .

Methods (by class)

- `T2Afr(default)`: Default method for generic function
- `T2Afr(numeric)`: Default method for generic function
- `T2Afr(filter_spct)`: Method for filter spectra
- `T2Afr(object_spct)`: Method for object spectra
- `T2Afr(filter_mspct)`: Method for collections of filter spectra
- `T2Afr(object_mspct)`: Method for collections of object spectra

See Also

Other quantity conversion functions: [A2T\(\)](#), [Afr2T\(\)](#), [T2A\(\)](#), [any2T\(\)](#), [as_quantum\(\)](#), [e2q\(\)](#), [e2qmol_multipliers\(\)](#), [e2quantum_multipliers\(\)](#), [q2e\(\)](#)

Examples

```
T2Afr(Ler_leaf.spct)
```

tag

Tag a spectrum

Description

Spectra are tagged by adding variables and attributes containing color definitions, labels, and a factor following the wavebands given in `w.band`. This methods are most useful for plotting realistic computed colors from spectral data.

Usage

```

tag(x, ...)

## Default S3 method:
tag(x, ...)

## S3 method for class 'generic_spct'
tag(
  x,
  w.band = NULL,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = TRUE,
  short.names = TRUE,
  chroma.type = "CMF",
  byref = FALSE,
  ...
)

## S3 method for class 'generic_mspct'
tag(
  x,
  w.band = NULL,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = TRUE,
  short.names = TRUE,
  chroma.type = "CMF",
  byref = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

x	an R object.
...	ignored (possibly used by derived methods).
w.band	waveband or list of waveband objects. The waveband(s) determine the region(s) of the spectrum that are tagged
wb.trim	logical Flag telling if wavebands crossing spectral data boundaries are trimmed or ignored
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
short.names	logical Flag indicating whether to use short or long names for wavebands
chroma.type	character telling whether "CMF", "CC", or "both" should be returned for human vision, or an object of class chroma_spct for any other trichromatic visual system.

byref	logical Flag indicating if new object will be created <i>by reference</i> or <i>by copy</i> of x
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A copy of x expanded with additional columns with color-related information.

Methods (by class)

- tag(default): Default method for generic
- tag(generic_spct): Tag one of generic_spct, and derived classes including source_spct, filter_spct, reflector_spct, object_spct, and response_spct.
- tag(generic_mspct): Tag one of generic_mspct, and derived classes including source_mspct, filter_mspct, reflector_mspct, object_mspct, and response_mspct.

Note

NULL as w.band argument does not add any new tags, instead it removes existing tags if present. NA, the default, as w.band argument removes existing waveband tags if present and sets the wl.color variable. If a waveband object or a list of wavebands is supplied as argument then tagging is based on them, and wl.color is also set.

See Also

Other tagging and related functions: [is_tagged\(\)](#), [untag\(\)](#), [wb2rect_spct\(\)](#), [wb2spct\(\)](#), [wb2tagged_spct\(\)](#)

Examples

```
tag(sun.spct)
tag(sun.spct, list(A = waveband(c(300,3005))))
```

Tfr_fraction

transmittance:transmittance fraction

Description

This function returns the transmittance fraction for a given pair of wavebands of a filter spectrum.

Usage

```
Tfr_fraction(  
  spct,  
  w.band.num,  
  w.band.denom,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  ...  
)  
  
## Default S3 method:  
Tfr_fraction(  
  spct,  
  w.band.num,  
  w.band.denom,  
  scale.factor,  
  wb.trim,  
  use.cached.mult,  
  use.hinges,  
  ...  
)  
  
## S3 method for class 'filter_spct'  
Tfr_fraction(  
  spct,  
  w.band.num = NULL,  
  w.band.denom = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = FALSE,  
  use.hinges = NULL,  
  quantity = "mean",  
  naming = "short",  
  name.tag = NULL,  
  ...  
)  
  
## S3 method for class 'filter_mspct'  
Tfr_fraction(  
  spct,  
  w.band.num = NULL,  
  w.band.denom = NULL,  
  scale.factor = 1,  
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),  
  use.cached.mult = FALSE,  
  use.hinges = NULL,
```

```

quantity = "mean",
naming = "short",
name.tag = NULL,
...,
attr2tb = NULL,
idx = "spct.idx",
.parallel = FALSE,
.paropts = NULL
)

```

Arguments

<code>spct</code>	an object of class "filter_spct".
<code>w.band.num</code>	waveband object or a list of waveband objects used to compute the numerator(s) and denominator(s) of the fraction(s).
<code>w.band.denom</code>	waveband object or a list of waveband objects used to compute the denominator(s) of the fraction(s).
<code>scale.factor</code>	numeric vector of length 1, or length equal to that of <code>w.band</code> . Numeric multiplier applied to returned values.
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
<code>use.cached.mult</code>	logical indicating whether multiplier values should be cached between calls
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
<code>...</code>	other arguments (possibly ignored)
<code>quantity</code>	character One of "total", "average" or "mean".
<code>naming</code>	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
<code>name.tag</code>	character Used to tag the name of the returned values.
<code>attr2tb</code>	character vector, see add_attr2tb for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default `quantity = "mean"` or `quantity = "average"` the ratio is based on two **mean spectral transmittance**, one computed for each waveband.

$$\frac{\overline{\text{Tfr}}_{\lambda}(s, wb_{\text{num}})}{\overline{\text{Tfr}}_{\lambda}(s, wb_{\text{denom}}) + \overline{\text{Tfr}}_{\lambda}(s, wb_{\text{num}})}$$

If the argument is set to `quantity = "total"` the fraction is based on two **integrated transmittance**, one computed for each waveband.

$$\frac{\text{Tfr}(s, wb_{\text{num}})}{\text{Tfr}(s, wb_{\text{denom}}) + \text{Tfr}(s, wb_{\text{num}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[Tfr:Tfr]" is appended if `quantity = "total"` and "[Tfr(wl):Tfr(wl)]" if `quantity = "mean"` or `quantity = "average"`.

A data frame is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to `w.band.num` and `w.band.denom`. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- `Tfr_fraction(default)`: Default for generic function
- `Tfr_fraction(filter_spct)`: Method for `filter_spct` objects
- `Tfr_fraction(filter_mspct)`: Calculates Tfr:Tfr from a `filter_mspct` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use.cached.mult=TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

Other transmittance ratio functions: [Tfr_normdiff\(\)](#), [Tfr_ratio\(\)](#)

Examples

```

Tfr_fraction(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"))
Tfr_fraction(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "total")
Tfr_fraction(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "mean")

```

Tfr_normdiff	<i>transmittance:transmittance normalised difference</i>
--------------	--

Description

This function returns the transmittance normalized difference index for a given pair of wavebands of a filter spectrum.

Usage

```

Tfr_normdiff(
  spct,
  w.band.plus,
  w.band.minus,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## Default S3 method:
Tfr_normdiff(
  spct,
  w.band.plus,
  w.band.minus,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

```

```

## S3 method for class 'filter_spct'
Tfr_normdiff(
  spct,
  w.band.plus = NULL,
  w.band.minus = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...
)

## S3 method for class 'filter_mspct'
Tfr_normdiff(
  spct,
  w.band.plus = NULL,
  w.band.minus = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

<code>spct</code>	an object of class "filter_spct".
<code>w.band.plus</code> , <code>w.band.minus</code>	waveband object(s) or a list(s) of waveband objects used to compute the additive and subtractive transmittance terms of the normalized difference index.
<code>scale.factor</code>	numeric vector of length 1, or length equal to that of <code>w.band</code> . Numeric multiplier applied to returned values.
<code>wb.trim</code>	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
<code>use.cached.mult</code>	logical indicating whether multiplier values should be cached between calls
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before

	integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly ignored)
quantity	character One of "total", "average" or "mean".
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see <code>add_attr2tb</code> for the syntax for <code>attr2tb</code> passed as is to formal parameter <code>col.names</code> .
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
.paropts	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default `quantity = "mean"` or `quantity = "average"` the ratio is based on two **mean spectral photon transmittances**, one computed for each waveband.

$$\frac{\overline{\text{Tfr}}_{\lambda}(s, wb_{\text{plus}}) - \overline{\text{Tfr}}_{\lambda}(s, wb_{\text{minus}})}{\overline{\text{Tfr}}_{\lambda}(s, wb_{\text{plus}}) + \overline{\text{Tfr}}_{\lambda}(s, wb_{\text{minus}})}$$

If the argument is set to `quantity = "total"` the fraction is based on two **photon transmittances**, one computed for each waveband.

$$\frac{\text{Tfr}(s, wb_{\text{plus}}) - \text{Tfr}(s, wb_{\text{minus}})}{\text{Tfr}(s, wb_{\text{plus}}) + \text{Tfr}(s, wb_{\text{minus}})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute `set`. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[Tfr:Tfr]" is appended if `quantity = "total"` and "[Tfr(wl):Tfr(wl)]" if `quantity = "mean"` or `quantity = "average"`.

A `data.frame` is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to `w.band.num` and `w.band.denom`. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- `Tfr_normdiff(default)`: Default for generic function
- `Tfr_normdiff(filter_spct)`: Method for `filter_spct` objects
- `Tfr_normdiff(filter_mspct)`: Calculates `Tfr:Tfr` from a `filter_mspct` object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting `use_cached.mult = TRUE`. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the `w.length` vector.

See Also

[normalized_diff_ind](#), accepts different summary functions.

Other transmittance ratio functions: [Tfr_fraction\(\)](#), [Tfr_ratio\(\)](#)

Examples

```
Tfr_normdiff(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"))
Tfr_normdiff(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "total")
Tfr_normdiff(Ler_leaf_rflt.spct,
             waveband(c(400,500), wb.name = "Blue"),
             waveband(c(600,700), wb.name = "Red"),
             quantity = "mean")
```

Tfr_ratio	<i>transmittance:transmittance ratio</i>
-----------	--

Description

This function returns the transmittance ratio for a given pair of wavebands of a filter spectrum.

Usage

```
Tfr_ratio(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
```

```
    wb.trim,
    use.cached.mult,
    use.hinges,
    ...
)

## Default S3 method:
Tfr_ratio(
  spct,
  w.band.num,
  w.band.denom,
  scale.factor,
  wb.trim,
  use.cached.mult,
  use.hinges,
  ...
)

## S3 method for class 'filter_spct'
Tfr_ratio(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...
)

## S3 method for class 'filter_mspct'
Tfr_ratio(
  spct,
  w.band.num = NULL,
  w.band.denom = NULL,
  scale.factor = 1,
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.cached.mult = FALSE,
  use.hinges = NULL,
  quantity = "mean",
  naming = "short",
  name.tag = NULL,
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
```

```

    .parallel = FALSE,
    .paropts = NULL
  )

```

Arguments

spct	an object of class "filter_spct".
w.band.num	waveband object or a list of waveband objects used to compute the numerator(s) and denominator(s) of the ratio(s).
w.band.denom	waveband object or a list of waveband objects used to compute the denominator(s) of the ratio(s).
scale.factor	numeric vector of length 1, or length equal to that of w.band. Numeric multiplier applied to returned values.
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded
use.cached.mult	logical indicating whether multiplier values should be cached between calls
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	other arguments (possibly ignored)
quantity	character One of "total", "average" or "mean".
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
name.tag	character Used to tag the name of the returned values.
attr2tb	character vector, see add_attr2tb for the syntax for attr2tb passed as is to formal parameter col.names.
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Details

With the default quantity = "mean" or quantity = "average" the ratio is based on two **mean spectral transmittance**, one computed for each waveband.

$$\frac{\overline{\text{Tfr}}_{\lambda}(s, wb_{\text{num}})}{\overline{\text{Tfr}}_{\lambda}(s, wb_{\text{denom}})}$$

If the argument is set to quantity = "total" the ratio is based on two **integrated transmittance**, one computed for each waveband.

$$\frac{Tfr(s, wb_{num})}{Tfr(s, wb_{denom})}$$

Only if the wavelength expanse of the two wavebands is the same, these two ratios are numerically identical.

Value

In the case of methods for individual spectra, a numeric vector with name attribute set. The name is based on the name of the wavebands unless a named list of wavebands is supplied in which case the names of the list elements are used. "[Tfr:Tfr]" is appended if quantity = "total" and "[Tfr(wl):Tfr(wl)]" if quantity = "mean" or quantity = "average".

A data.frame is returned in the case of collections of spectra, containing one column for each fraction definition, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

Fraction definitions are "assembled" from the arguments passed to w.band.num and w.band.denom. If both arguments are lists of waveband definitions, with an equal number of members, then the wavebands are paired to obtain as many fractions as the number of wavebands in each list. Recycling for wavebands takes place when the number of denominator and numerator wavebands differ.

Methods (by class)

- Tfr_ratio(default): Default for generic function
- Tfr_ratio(filter_spct): Method for filter_spct objects
- Tfr_ratio(filter_mspct): Calculates Tfr:Tfr from a filter_mspct object.

Note

The last two parameters control speed optimizations. The defaults should be suitable in most cases. If you will use repeatedly the same SWFs on many spectra measured at exactly the same wavelengths you may obtain some speed up by setting use.cached.mult=TRUE. However, be aware that you are responsible for ensuring that the wavelengths are the same in each call, as the only test done is for the length of the w.length vector.

See Also

Other transmittance ratio functions: [Tfr_fraction\(\)](#), [Tfr_normdiff\(\)](#)

Examples

```
Tfr_ratio(Ler_leaf_rflt.spct,
          waveband(c(400,500), wb.name = "Blue"),
          waveband(c(600,700), wb.name = "Red"))
Tfr_ratio(Ler_leaf_rflt.spct,
          waveband(c(400,500), wb.name = "Blue"),
          waveband(c(600,700), wb.name = "Red"),
          quantity = "total")
Tfr_ratio(Ler_leaf_rflt.spct,
          waveband(c(400,500), wb.name = "Blue"),
```



```
waveband(c(600,700), wb.name = "Red"),
quantity = "mean")
```

`thin_wl`*Thin the density of wavelength values*

Description

Increase the wavelength step in stored spectral data in featureless regions to save storage space.

Usage

```
thin_wl(x, ...)

## Default S3 method:
thin_wl(x, ...)

## S3 method for class 'generic_spct'
thin_wl(
  x,
  max.wl.step = 10,
  max.slope.delta = 0.001,
  span = 21,
  col.names,
  ...
)

## S3 method for class 'source_spct'
thin_wl(
  x,
  max.wl.step = 10,
  max.slope.delta = 0.001,
  span = 21,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'response_spct'
thin_wl(
  x,
  max.wl.step = 10,
  max.slope.delta = 0.001,
  span = 21,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)
```

```
## S3 method for class 'filter_spct'
thin_wl(
  x,
  max.wl.step = 10,
  max.slope.delta = 0.001,
  span = 21,
  qty.out = getOption("photobiology.filter.qty", default = "transmittance"),
  ...
)

## S3 method for class 'reflector_spct'
thin_wl(x, max.wl.step = 10, max.slope.delta = 0.001, span = 21, ...)

## S3 method for class 'solute_spct'
thin_wl(x, max.wl.step = 10, max.slope.delta = 0.001, span = 21, ...)

## S3 method for class 'raw_spct'
thin_wl(
  x,
  max.wl.step = 10,
  max.slope.delta = 0.001,
  span = 21,
  col.names,
  ...
)

## S3 method for class 'cps_spct'
thin_wl(
  x,
  max.wl.step = 10,
  max.slope.delta = 0.001,
  span = 21,
  col.names,
  ...
)

## S3 method for class 'object_spct'
thin_wl(
  x,
  max.wl.step = 10,
  max.slope.delta = 0.001,
  span = 21,
  col.names,
  ...
)

## S3 method for class 'chroma_spct'
```

```

thin_wl(x, ...)

## S3 method for class 'calibration_spct'
thin_wl(x, ...)

## S3 method for class 'generic_mspct'
thin_wl(x, max.wl.step = 10, max.slope.delta = 0.001, span = 21, ...)

## S3 method for class 'chroma_mspct'
thin_wl(x, ...)

## S3 method for class 'calibration_mspct'
thin_wl(x, ...)

```

Arguments

x	An R object
...	additional named arguments passed down to f.
max.wl.step	numeric. Largest allowed wavelength difference between adjacent spectral values in nanometres (nm).
max.slope.delta	numeric in 0 to 1. Largest allowed change in relative slope of the spectral quantity per nm between adjacent pairs of values.
span	integer A peak (or valley) is defined as an element in a sequence which is greater (or smaller) than all other elements within a window of width span centred at that element. Use NULL for the global peak.
col.names	character. Name of the column of x containing the spectral data to check against max.slope.delta. Currently only one column supported.
unit.out	character Allowed values "energy", and "photon", or its alias "quantum".
qty.out	character Allowed values "transmittance", and "absorbance".

Details

The algorithm used for spectra is "naive" in an effort to keep it efficient. It works by iteratively attempting to delete every other observation along wavelengths, based on the criteria for maximum wavelength step and maximum relative step in the spectral variable between adjacent data values.

Value

An object of the same class as x but with a reduced density of wavelength values in those regions where slope is shallow and featureless.

Methods (by class)

- thin_wl(default): Default for generic function
- thin_wl(generic_spct):
- thin_wl(source_spct):

- thin_wl(response_spct):
- thin_wl(filter_spct):
- thin_wl(reflector_spct):
- thin_wl(solute_spct):
- thin_wl(raw_spct):
- thin_wl(cps_spct):
- thin_wl(object_spct):
- thin_wl(chroma_spct):
- thin_wl(calibration_spct):
- thin_wl(generic_mspct):
- thin_wl(chroma_mspct):
- thin_wl(calibration_mspct):

Note

The value of `max.slope.delta` is expressed as relative change in the slope of spectral variable per nanometre. This means that values between 0.0005 and 0.005 tend to work reasonably well. The best value will depend on the wavelength step of the input and noise in data. A moderate smoothing before thinning can sometimes help in the case of noisy data.

The amount of thinning is almost always less than the value of criteria passed as argument as it is based on existing wavelength values. For example if we start with a spectrum with a uniform wavelength step of 1 nm, possible steps in the thinned spectrum are 2, 4, 8, 16, 32, etc. nm. The algorithm, does work with any step sizes, regular or variable in the input. Thinning is most effective for spectra with large "featureless" regions as the algorithm attempts not to discard information, contrary to smoothing or interpolation.

Local peaks and valleys are always preserved, using by default a span of 21 to search for them. See [find_peaks](#).

See Also

Other experimental utility functions: [collect2mspct\(\)](#), [drop_user_cols\(\)](#), [uncollect2spct\(\)](#)

Examples

```
nrow(yellow_gel.spct)
wl_stepsize(yellow_gel.spct)
thinned.spct <- thin_wl(yellow_gel.spct)
nrow(thinned.spct)
wl_stepsize(thinned.spct)
```

times-.generic_spct *Arithmetic Operators*

Description

Multiplication operator for spectra.

Usage

```
## S3 method for class 'generic_spct'
e1 * e2
```

Arguments

e1 an object of class "generic_spct"
e2 an object of class "generic_spct"

See Also

Other math operators and functions: [MathFun](#), [^.generic_spct\(\)](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [slash-.generic_spct](#)

transmittance *Transmittance*

Description

Summary transmittance for supplied wavebands from filter or object spectrum.

Usage

```
transmittance(spct, w.band, quantity, wb.trim, use.hinges, ...)

## Default S3 method:
transmittance(spct, w.band, quantity, wb.trim, use.hinges, ...)

## S3 method for class 'filter_spct'
transmittance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
```

```

    ...
  )

## S3 method for class 'object_spct'
transmittance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = NULL,
  naming = "default",
  ...
)

## S3 method for class 'filter_mspct'
transmittance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = getOption("photobiology.use.hinges", default = NULL),
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx"
)

## S3 method for class 'object_mspct'
transmittance(
  spct,
  w.band = NULL,
  quantity = "average",
  wb.trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = getOption("photobiology.use.hinges", default = NULL),
  naming = "default",
  ...,
  attr2tb = NULL,
  idx = "spct.idx",
  .parallel = FALSE,
  .paropts = NULL
)

```

Arguments

spct	an R object.
w.band	waveband or list of waveband objects or a numeric vector of length two. The waveband(s) determine the region(s) of the spectrum that are summarized. If a numeric range is supplied a waveband object is constructed on the fly from it.

quantity	character string One of "average" or "mean", "total", "contribution", "contribution.pc", "relative" or "relative.pc".
wb.trim	logical if TRUE wavebands crossing spectral data boundaries are trimmed, if FALSE, they are discarded.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
...	ignored (possibly used by derived methods).
naming	character one of "long", "default", "short" or "none". Used to select the type of names to assign to returned value.
attr2tb	character vector, see <code>add_attr2tb</code> for the syntax for attr2tb passed as is to formal parameter <code>col.names</code> .
idx	character Name of the column with the names of the members of the collection of spectra.
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A named numeric vector in the case of methods for individual spectra, with one value for each waveband passed to parameter `w.band`. A `data.frame` in the case of collections of spectra, containing one column for each waveband object, an index column with the names of the spectra, and optionally additional columns with metadata values retrieved from the attributes of the member spectra.

By default values are only integrated, but depending on the argument passed to parameter `quantity` they can be re-expressed as relative fractions or percentages. In the case of vector output, names attribute is set to the name of the corresponding waveband unless a named list is supplied in which case the names of the list members are used.

Methods (by class)

- `transmittance(default)`: Default method
- `transmittance(filter_spct)`: Method for filter spectra
- `transmittance(object_spct)`: Method for object spectra
- `transmittance(filter_mspct)`: Calculates transmittance from a `filter_mspct`
- `transmittance(object_mspct)`: Calculates transmittance from a `object_mspct`

Note

The `use.hinges` parameter controls speed optimization. The defaults should be suitable in most cases. Only the range of wavelengths in the wavebands is used and all BSWFs are ignored.

Examples

```
transmittance(polyester.spct, waveband(c(280, 315)))  
transmittance(polyester.spct, waveband(c(315, 400)))  
transmittance(polyester.spct, waveband(c(400, 700)))
```

Trig*Trigonometric Functions*

Description

Trigonometric functions for object of `generic_spct` and derived classes. \ The functions are applied to the spectral data, not the wavelengths. The quantity in the spectrum to which the function is applied depends on the class of `x` and the current value of output options.

Usage

```
## S3 method for class 'generic_spct'  
cos(x)  
  
## S3 method for class 'generic_spct'  
sin(x)  
  
## S3 method for class 'generic_spct'  
tan(x)  
  
## S3 method for class 'generic_spct'  
acos(x)  
  
## S3 method for class 'generic_spct'  
asin(x)  
  
## S3 method for class 'generic_spct'  
atan(x)
```

Arguments

`x` an object of class "generic_spct" or a derived class.

trimInstrDesc	<i>Trim the "instr.desc" attribute</i>
---------------	--

Description

Function to trim the "instr.desc" attribute of an existing generic_spct object, discarding all fields except for 'spectrometer.name', 'spectrometer.sn', 'bench.grating', 'bench.slit', and calibration name.

Usage

```
trimInstrDesc(  
  x,  
  fields = c("time", "spectrometer.name", "spectrometer.sn", "bench.grating",  
            "bench.slit", "entrance.optics")  
)
```

Arguments

x	a generic_spct object
fields	a character vector with the names of the fields to keep, or if first member is "-", the names of fields to delete; "*" as first member of the vector makes the function a no-op, leaving the spectrum object unaltered.

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a generic_spct object, x is not modified.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrSettings\(\)](#)

trimInstrSettings	<i>Trim the "instr.settings" attribute</i>
-------------------	--

Description

Function to trim the "instr.settings" attribute of an existing generic_spct object, by discarding some fields.

Usage

```
trimInstrSettings(x, fields = "*")
```

Arguments

x	a generic_spct object
fields	a character vector with the names of the fields to keep, or if first member is "-", the names of fields to delete; "*" as first member of the vector makes the function a no-op, leaving the spectrum object unaltered.

Value

x

Note

This function alters x itself by reference and in addition returns x invisibly. If x is not a generic_spct object, x is not modified.

See Also

Other measurement metadata functions: [add_attr2tb\(\)](#), [getFilterProperties\(\)](#), [getHowMeasured\(\)](#), [getInstrDesc\(\)](#), [getInstrSettings\(\)](#), [getSoluteProperties\(\)](#), [getWhatMeasured\(\)](#), [getWhenMeasured\(\)](#), [getWhereMeasured\(\)](#), [get_attributes\(\)](#), [isValidInstrDesc\(\)](#), [isValidInstrSettings\(\)](#), [select_spct_attributes\(\)](#), [setFilterProperties\(\)](#), [setHowMeasured\(\)](#), [setInstrDesc\(\)](#), [setInstrSettings\(\)](#), [setSoluteProperties\(\)](#), [setWhatMeasured\(\)](#), [setWhenMeasured\(\)](#), [setWhereMeasured\(\)](#), [spct_attr2tb\(\)](#), [spct_metadata\(\)](#), [subset_attributes\(\)](#), [trimInstrDesc\(\)](#)

`trim_spct`*Trim (or expand) head and/or tail of a spectrum*

Description

Trim head and tail of a spectrum based on wavelength limits, interpolating the values at the boundaries of the range. Trimming is needed for example to remove short wavelength noise when the measured spectrum extends beyond the known emission spectrum of the measured light source. Occasionally one may want also to expand the wavelength range.

Usage

```
trim_spct(  
  spct,  
  range = NULL,  
  low.limit = NULL,  
  high.limit = NULL,  
  use.hinges = TRUE,  
  fill = NULL,  
  byref = FALSE,  
  verbose = getOption("photobiology.verbose")  
)
```

```
trim_mspct(  
  mspct,  
  range = NULL,  
  low.limit = NULL,  
  high.limit = NULL,  
  use.hinges = TRUE,  
  fill = NULL,  
  byref = FALSE,  
  verbose = getOption("photobiology.verbose"),  
  .parallel = FALSE,  
  .paropts = NULL  
)
```

```
trim2overlap(  
  mspct,  
  use.hinges = TRUE,  
  verbose = getOption("photobiology.verbose"),  
  .parallel = FALSE,  
  .paropts = NULL  
)
```

```
extend2extremes(  
  mspct,  
  use.hinges = TRUE,
```

```

    fill = NA,
    verbose = getOption("photobiology.verbose"),
    .parallel = FALSE,
    .paropts = NULL
  )

```

Arguments

<code>spect</code>	an object of class "generic_spect".
<code>range</code>	a numeric vector of length two, or any other object for which method <code>range()</code> will return a numeric vector of length two.
<code>low.limit</code>	shortest wavelength to be kept (defaults to shortest <code>w.length</code> value).
<code>high.limit</code>	longest wavelength to be kept (defaults to longest <code>w.length</code> value).
<code>use.hinges</code>	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
<code>fill</code>	if <code>fill==NULL</code> then tails are deleted, otherwise tails or <code>s.irrad</code> are filled with the value of <code>fill</code> .
<code>byref</code>	logical indicating if new object will be created by reference or by copy of <code>spect</code> .
<code>verbose</code>	logical.
<code>mspect</code>	an object of class "generic_mspect"
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by <code>foreach</code>
<code>.paropts</code>	a list of additional options passed into the <code>foreach</code> function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

a spectrum object or a collection of spectral objects of the same class as `x` with wavelength heads and tails clipped or extended.

Note

When expanding a spectrum, if `fill==NULL`, then expansion is not performed. `Range` can be "waveband" object, a numeric vector or a list of numeric vectors, or any other user-defined or built-in object for which `range()` returns a numeric vector of length two, that can be interpreted as wavelengths expressed in nm.

See Also

Other trim functions: [clip_wl\(\)](#), [trim_waveband\(\)](#), [trim_wl\(\)](#)

Examples

```

trim_spct(sun.spct, low.limit=300)
trim_spct(sun.spct, low.limit=300, fill=NULL)
trim_spct(sun.spct, low.limit=300, fill=NA)
trim_spct(sun.spct, low.limit=300, fill=0.0)
trim_spct(sun.spct, range = c(300, 400))
trim_spct(sun.spct, range = c(300, NA))
trim_spct(sun.spct, range = c(NA, 400))

```

trim_tails

Trim (or expand) head and/or tail

Description

Trim tails of a spectrum based on wavelength limits, interpolating the values at the boundaries. Trimming is needed for example to remove short wavelength noise when the measured spectrum extends beyond the known emission spectrum of the measured light source. Occasionally one may want also to expand the wavelength range.

Usage

```

trim_tails(
  x,
  y,
  low.limit = min(x),
  high.limit = max(x),
  use.hinges = TRUE,
  fill = NULL,
  verbose = TRUE
)

```

Arguments

x	numeric vector of wavelengths.
y	numeric vector of values for a spectral quantity.
low.limit	smallest x-value to be kept (defaults to smallest x-value in input).
high.limit	largest x-value to be kept (defaults to largest x-value in input).
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
fill	if fill == NULL then tails are deleted, otherwise tails of y are filled with the value of fill.
verbose	logical Use to suppress warnings.

Value

A data.frame with variables x and y.

Note

When expanding a spectrum, if fill == NULL, expansion is not performed with a warning.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [v_insert_hinges\(\)](#), [v_replace_hinges\(\)](#)

Examples

```
head(sun.data)
head(with(sun.data,
  trim_tails(w.length, s.e.irrad, low.limit=300)))
head(with(sun.data,
  trim_tails(w.length, s.e.irrad, low.limit=300, fill=NULL)))
```

 trim_waveband

Trim (or expand) head and/or tail

Description

Trimming of waveband boundaries can be needed when the spectral data do not cover the whole waveband, or wavebands may have to be removed altogether.

Usage

```
trim_waveband(
  w.band,
  range = NULL,
  low.limit = 0,
  high.limit = Inf,
  trim = getOption("photobiology.waveband.trim", default = TRUE),
  use.hinges = TRUE,
  trunc.labels = getOption("photobiology.brief.trunc.names", default = c("", "["))
)
```

Arguments

w.band	an object of class "waveband" or a list of such objects.
range	a numeric vector of length two, or any other object for which function range() will return a numeric vector of two wavelengths (nm).
low.limit	shortest wavelength to be kept (defaults to 0 nm).
high.limit	longest wavelength to be kept (defaults to Inf nm).
trim	logical (default is TRUE which trims the wavebands at the boundary, while FALSE discards wavebands that are partly off-boundary).
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
trunc.labels	character vector of length one or two. The first string will be prepended to the waveband name and label on left truncation and the second appended on right truncation. If the vector is of length one, the same string will be used in both cases.

Details

This function will accept both individual wavebands or list of wavebands. When the input is a list, wavebands outside the range of the range will be removed from the list, and those partly outside the target range either "trimmed" to this edge truncated if trim = TRUE is passed or excluded if trim = FALSE). Waveband objects contain a name and a label that are used to label the returned values of calculations that make use of them. When a waveband object is truncated so that the definition changes, the name and label are also modified so that the change is visible when they are used. The name and label have a string prepended or appended, and what strings are used can be set with an R option.

Value

The returned value is a waveband object or a list of waveband objects depending on whether a single waveband object or a list of waveband objects was supplied as argument to formal parameter w.band. If no waveband is retained, in the first case, a NULL waveband object is returned, and in the second case, a list of length zero is returned. If the input is a named, list, names are preserved in the returned list.

Note

Modification of the name and label stored in the wavebands passed as input is done so that summaries produced with the modified objects can be recognized as different from those computed using the original definitions when the waveband objects are used. When the input is a named list, the names of the retained members of the list are not modified as these are not part of the definitions.

See Also

Other trim functions: [clip_wl\(\)](#), [trim_spct\(\)](#), [trim_wl\(\)](#)

Examples

```
VIS <- waveband(c(380, 760)) # manometers

trim_waveband(VIS, c(400,700))
trim_waveband(VIS, low.limit = 400)
trim_waveband(VIS, high.limit = 700)
trim_waveband(VIS, c(400,700), trunc.labels = c(">", "<"))
trim_waveband(VIS, c(400,700), trunc.labels = "!")
```

trim_wl

Trim head and/or tail of a spectrum

Description

Trim head and tail of a spectrum based on wavelength limits, with interpolation at range boundaries used by default. Expansion is also possible.

Usage

```
trim_wl(x, range, use.hinges, fill, ...)

## Default S3 method:
trim_wl(x, range, use.hinges, fill, ...)

## S3 method for class 'generic_spct'
trim_wl(x, range = NULL, use.hinges = TRUE, fill = NULL, ...)

## S3 method for class 'generic_mspct'
trim_wl(
  x,
  range = NULL,
  use.hinges = TRUE,
  fill = NULL,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'waveband'
trim_wl(
  x,
  range = NULL,
  use.hinges = TRUE,
  fill = NULL,
  trim = getOption("photobiology.waveband.trim", default = TRUE),
  ...
```



```

)

## S3 method for class 'list'
trim_wl(
  x,
  range = NULL,
  use.hinges = TRUE,
  fill = NULL,
  trim = getOption("photobiology.waveband.trim", default = TRUE),
  ...
)

```

Arguments

x	an R object.
range	a numeric vector of length two, or any other object for which function range() will return two.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.
fill	if fill == NULL then tails are deleted, otherwise tails are filled with the value of fill.
...	ignored (possibly used by derived methods).
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the .export and .packages arguments to supply them so that all cluster nodes have the correct environment set up for computing.
trim	logical (default is TRUE which trims the wavebands at the boundary, while FALSE discards wavebands that are partly off-boundary).

Value

A copy of x, usually trimmed or expanded to a different length, either shorter or longer. Possibly with some of the original spectral data values replaced with fill.

Methods (by class)

- trim_wl(default): Default for generic function
- trim_wl(generic_spct): Trim an object of class "generic_spct" or derived.
- trim_wl(generic_mspct): Trim an object of class "generic_mspct" or derived.
- trim_wl(waveband): Trim an object of class "waveband".
- trim_wl(list): Trim a list (of "waveband" objects).

Note

By default the `w.length` values for the first and last rows in the returned object are the values supplied as `range`.

`trim_wl` when applied to waveband objects always inserts hinges when trimming.

`trim_wl` when applied to waveband objects always inserts hinges when trimming.

See Also

Other trim functions: `clip_wl()`, `trim_spct()`, `trim_waveband()`

Examples

```
trim_wl(sun.spct, range = c(400, 500))
trim_wl(sun.spct, range = c(NA, 500))
trim_wl(sun.spct, range = c(400, NA))
```

two_filters.spct

Transmittance spectrum of plastic films

Description

Datasets containing the wavelengths at a 1 nm interval and fractional total transmittance for a clear polyester film and a yellow theatrical "gel".

Usage

two_filters.spct

two_filters.mspct

polyester.spct

yellow_gel.spct

Format

A `filter_spct` object with 611 rows and 2 variables. Individually as `filter_spct` objects, and together as a collection stored in a `filter_mspct` object and in a long-form `filter_spct` object.

An object of class `filter_mspct` (inherits from `generic_mspct`, `list`) with 2 rows and 1 columns.

An object of class `filter_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 454 rows and 2 columns.

An object of class `filter_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 425 rows and 2 columns.

Details

- w.length (nm).
- Tfr (0..1).
- spct.idx (names, only in two_filters.spct).

Note

Package 'photobiologyFilters' contains data sets for hundreds of optical filters and materials in objects of these same classes, ready to be used with package 'photobiology'.

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [water.spct](#), [white_led.source_spct](#)

Examples

```
polyester.spct
yellow_gel.spct
summary(two_filters.mspct)
```

tz_time_diff	<i>Time difference between two time zones</i>
--------------	---

Description

Returns the difference in local time expressed in hours between two time zones at a given instant in time. The difference due to daylight saving time or Summer and Winter time as well as historical changes in time zones are taken into account.

Usage

```
tz_time_diff(
  when = lubridate::now(),
  tz.target = lubridate::tz(when),
  tz.reference = "UTC"
)
```

Arguments

```
when          datetime A time instant
tz.target, tz.reference  character Two time zones using names recognized by functions from package
                        'lubridate'
```

Value

A numeric value.

Note

This function is implemented using functions from package 'lubridate'. For details on the handling of time zones, please, consult the documentation for [Sys.timezone](#) about system differences in time zone names and handling.

uncollect2spct	<i>Extract all members from a collection</i>
----------------	--

Description

Extract all members from a collection into separate objects in the parent frame of the call.

Usage

```
uncollect2spct(x, ...)

## Default S3 method:
uncollect2spct(x, ...)

## S3 method for class 'generic_mspct'
uncollect2spct(
  x,
  name.tag = ".spct",
  ignore.case = FALSE,
  check.names = TRUE,
  check.override = TRUE,
  ...
)
```

Arguments

x	An R object
...	additional named arguments passed down to f.
name.tag	character. A string used as tag for the names of the objects. If of length zero, names of members are used as named of objects. Otherwise the tag is appended, unless already present in the member name.
ignore.case	logical. If FALSE, the pattern matching used for name.tag is case sensitive and if TRUE, case is ignored during matching.
check.names	logical. If TRUE then the names of the objects created are checked to ensure that they are syntactically valid variable names and unique. If necessary they are adjusted (by make.names) so that they are, and if FALSE names are used as is.

check.overwrite

logical. If TRUE trigger an error if an existing object would be overwritten, and if FALSE silently overwrite objects.

Value

Utility used for its side effects, invisibly returns a character vector with the names of the objects created.

Methods (by class)

- `uncollect2spct(default)`: Default for generic function
- `uncollect2spct(generic_mspct)`:

See Also

Other experimental utility functions: [collect2mspct\(\)](#), [drop_user_cols\(\)](#), [thin_wl\(\)](#)

Examples

```
my.msct <- source_mspct(list(sun1.spct = sun.spct, sun2.spct = sun.spct))
uncollect2spct(my.msct)
ls(pattern = "*.spct")
```

untag

Remove tags

Description

Remove tags from an R object if present, otherwise return the object unchanged.

Usage

```
untag(x, ...)
```

Default S3 method:

```
untag(x, ...)
```

S3 method for class 'generic_spct'

```
untag(x, byref = FALSE, ...)
```

S3 method for class 'generic_mspct'

```
untag(x, byref = FALSE, ...)
```

Arguments

x an R object.
 ... ignored (possibly used by derived methods).
 byref logical indicating if new object will be created by reference or by copy of x

Value

if x contains tag data they are removed and the "spct.tags" attribute is set to NA, while if x has no tags, it is not modified. In either case, the byref argument is respected: in all cases if byref = FALSE a copy of x is returned.

Methods (by class)

- untag(default): Default for generic function
- untag(generic_spct): Specialization for generic_spct
- untag(generic_mspect): Specialization for generic_spct

See Also

Other tagging and related functions: [is_tagged\(\)](#), [tag\(\)](#), [wb2rect_spct\(\)](#), [wb2spct\(\)](#), [wb2tagged_spct\(\)](#)

 upgrade_spct

Upgrade one spectral object

Description

Update the spectral class names of objects to those used in photobiology ($\geq 0.6.0$) and add 'version' attribute as used in photobiology ($\geq 0.7.0$).

Usage

```
upgrade_spct(object)
```

Arguments

object generic.spct A single object to upgrade

Value

The modified object (invisibly).

Note

The object is modified by reference. The class names with ending ".spct" replaced by their new equivalents ending in "_spct".

See Also

Other upgrade from earlier versions: [is.old_spct\(\)](#), [upgrade_spectra\(\)](#)

upgrade_spectra	<i>Upgrade one or more spectral objects</i>
-----------------	---

Description

Update the spectral class names of objects to those used in photobiology ($\geq 0.6.0$).

Usage

```
upgrade_spectra(obj.names = ls(parent.frame()))
```

Arguments

`obj.names` char Names of objects to upgrade as a vector of character strings

Value

The modified object (invisibly).

Note

The objects are modified by reference. The class names with ending ".spct" are replaced by their new equivalents ending in "_spct". `object.names` can safely include names of any R object. Names of objects which do not belong to any the old .spct classes are ignored. This makes it possible to supply as argument the output from `ls`, the default, or its equivalent objects.

See Also

Other upgrade from earlier versions: [is.old_spct\(\)](#), [upgrade_spct\(\)](#)

using_Tfr	<i>Use photobiology options</i>
-----------	---------------------------------

Description

Execute an R expression, possibly compound, using a certain setting for spectral data related options.

Usage

```
using_Tfr(expr)
using_Afr(expr)
using_A(expr)
using_energy(expr)
using_photon(expr)
using_quantum(expr)
```

Arguments

expr an R expression to execute.

Value

The value returned by the execution of expression.

References

Based on withOptions() as offered by Thomas Lumley, and listed in <https://www.burns-stat.com/the-options-mechanism-in-r/>, section Deep End, of "The Options mechanism in R" by Patrick Burns.

validate_geocode	<i>Validate a geocode</i>
------------------	---------------------------

Description

Test validity of a geocode or ensure that a geocode is valid.

Usage

```
validate_geocode(geocode)
is_valid_geocode(geocode)
length_geocode(geocode)
na_geocode()
```

Arguments

geocode data.frame with geocode data in columns "lat", "lon", and possibly also "address".

Details

`validate_geocode` Converts to tibble, checks data bounds, converts address to character if it is not already a character vector, or add character NAs if the address column is missing.

`is_valid_geocode` Checks if a geocode is valid, returning 0L if not, and the number of row otherwise.

Value

A valid geocode stored in a tibble.

FALSE for invalid, TRUE for valid.

FALSE for invalid, number of rows for valid.

A `geo_code` tibble with all fields set to suitable NAs.

Examples

```
validate_geocode(NA)
validate_geocode(data.frame(lon = -25, lat = 66))

is_valid_geocode(NA)
is_valid_geocode(1L)
is_valid_geocode(data.frame(lon = -25, lat = 66))

na_geocode()
```

valleys

Valleys or local minima

Description

Function that returns a subset of an R object with observations corresponding to local maxima.

Usage

```
valleys(x, span, ignore_threshold, strict, ...)

## Default S3 method:
valleys(x, span = NA, ignore_threshold = NA, strict = NA, na.rm = FALSE, ...)

## Default S3 method:
valleys(x, span = NA, ignore_threshold = NA, strict = NA, na.rm = FALSE, ...)

## S3 method for class 'numeric'
valleys(x, span = 5, ignore_threshold, strict = TRUE, na.rm = FALSE, ...)

## S3 method for class 'data.frame'
```

```
valleys(  
  x,  
  span = 5,  
  ignore_threshold = 0,  
  strict = TRUE,  
  na.rm = FALSE,  
  x.var.name = NULL,  
  y.var.name = NULL,  
  var.name = y.var.name,  
  refine.wl = FALSE,  
  method = "spline",  
  ...  
)  
  
## S3 method for class 'generic_spct'  
valleys(  
  x,  
  span = 5,  
  ignore_threshold = 0,  
  strict = TRUE,  
  na.rm = FALSE,  
  var.name = NULL,  
  refine.wl = FALSE,  
  method = "spline",  
  ...  
)  
  
## S3 method for class 'source_spct'  
valleys(  
  x,  
  span = 5,  
  ignore_threshold = 0,  
  strict = TRUE,  
  na.rm = FALSE,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),  
  refine.wl = FALSE,  
  method = "spline",  
  ...  
)  
  
## S3 method for class 'response_spct'  
valleys(  
  x,  
  span = 5,  
  ignore_threshold = 0,  
  strict = TRUE,  
  na.rm = FALSE,  
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
```

```
    refine.wl = FALSE,
    method = "spline",
    ...
)

## S3 method for class 'filter_spct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'reflector_spct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'solute_spct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'cps_spct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
```

```
na.rm = FALSE,
var.name = "cps",
refine.wl = FALSE,
method = "spline",
...
)

## S3 method for class 'raw_spct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  var.name = "counts",
  refine.wl = FALSE,
  method = "spline",
  ...
)

## S3 method for class 'generic_mspct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  var.name = NULL,
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'source_mspct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

```
)

## S3 method for class 'response_mspct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'filter_mspct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'reflector_mspct'
valleys(
  x,
  span = 5,
  ignore_threshold = 0,
  strict = TRUE,
  na.rm = FALSE,
  refine.wl = FALSE,
  method = "spline",
  ...,
  .parallel = FALSE,
  .paropts = NULL
)

## S3 method for class 'solute_mspct'
valleys(
```

```
x,  
span = 5,  
ignore_threshold = 0,  
strict = TRUE,  
na.rm = FALSE,  
refine.wl = FALSE,  
method = "spline",  
...,  
.parallel = FALSE,  
.paropts = NULL  
)  
  
## S3 method for class 'cps_mspct'  
valleys(  
  x,  
  span = 5,  
  ignore_threshold = 0,  
  strict = TRUE,  
  na.rm = FALSE,  
  var.name = "cps",  
  refine.wl = FALSE,  
  method = "spline",  
  ...,  
  .parallel = FALSE,  
  .paropts = NULL  
)  
  
## S3 method for class 'raw_mspct'  
valleys(  
  x,  
  span = 5,  
  ignore_threshold = 0,  
  strict = TRUE,  
  na.rm = FALSE,  
  var.name = "counts",  
  refine.wl = FALSE,  
  method = "spline",  
  ...,  
  .parallel = FALSE,  
  .paropts = NULL  
)
```

Arguments

x	an R object
span	integer A valley is defined as an element in a sequence which is smaller than all other elements within a window of width span centered at that element. Use NULL for the global peak.

<code>ignore_threshold</code>	numeric Value between 0.0 and 1.0 indicating the relative size compared to tallest peak threshold below which peaks will be ignored. Negative values set a threshold so that the tallest peaks are ignored, instead of the shortest.
<code>strict</code>	logical If TRUE, an element must be strictly greater than all other values in its window to be considered a peak.
<code>...</code>	ignored
<code>na.rm</code>	logical indicating whether NA values should be stripped before searching for peaks.
<code>var.name, x.var.name, y.var.name</code>	character Name of column where to look for valleys.
<code>refine.wl</code>	logical Flag indicating if valley location should be refined by fitting a function.
<code>method</code>	character String with the name of a method. Currently only spline interpolation is implemented.
<code>unit.out</code>	character One of "energy" or "photon"
<code>filter.qty</code>	character One of "transmittance" or "absorbance"
<code>.parallel</code>	if TRUE, apply function in parallel, using parallel backend provided by foreach
<code>.paropts</code>	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A subset of `x` with rows corresponding to local minima.

Methods (by class)

- `valleys(default)`: Default function usable on numeric vectors.
- `valleys(default)`: Default returning always NA.
- `valleys(numeric)`: Default function usable on numeric vectors.
- `valleys(data.frame)`: Method for "data.frame" objects.
- `valleys(generic_spct)`: Method for "generic_spct" objects.
- `valleys(source_spct)`: Method for "source_spct" objects.
- `valleys(response_spct)`: Method for "response_spct" objects.
- `valleys(filter_spct)`: Method for "filter_spct" objects.
- `valleys(reflector_spct)`: Method for "reflector_spct".
- `valleys(solute_spct)`: Method for "solute_spct" objects.
- `valleys(cps_spct)`: Method for "cps_spct" objects.
- `valleys(raw_spct)`: Method for "raw_spct" objects.
- `valleys(generic_mspct)`: Method for "generic_mspct" objects.
- `valleys(source_mspct)`: Method for "source_mspct" objects.

- `valleys(response_mspct)`: Method for "cps_mspct" objects.
- `valleys(filter_mspct)`: Method for "filter_mspct" objects.
- `valleys(reflector_mspct)`: Method for "reflector_mspct" objects.
- `valleys(solute_mspct)`: Method for "solute_mspct" objects.
- `valleys(cps_mspct)`: Method for "cps_mspct" objects.
- `valleys(raw_mspct)`: Method for "raw_mspct" objects.

See Also

Other peaks and valleys functions: [find_peaks\(\)](#), [find_spikes\(\)](#), [get_peaks\(\)](#), [peaks\(\)](#), [replace_bad_pixs\(\)](#), [spikes\(\)](#), [wls_at_target\(\)](#)

Examples

```
valleys(sun.spct, span = 50)
```

```
valleys(sun.spct)
```

<code>verbose_as_default</code>	<i>Set error reporting options</i>
---------------------------------	------------------------------------

Description

Set error reporting related options easily.

Usage

```
verbose_as_default(flag = TRUE)
```

```
strict_range_as_default(flag = TRUE)
```

Arguments

`flag` logical.

Value

Previous value of the modified option.

v_insert_hinges	<i>Insert spectral data values at new wavelength values.</i>
-----------------	--

Description

Inserting wavelengths values immediately before and after a discontinuity in the SWF, greatly reduces the errors caused by interpolating the weighted irradiance during integration of the effective spectral irradiance. This is specially true when data have a relatively large wavelength step size and/or when the weighting function used has discontinuities in its value or slope. This function differs from `insert_hinges()` in that it returns a vector of y values instead of a tibble.

Usage

```
v_insert_hinges(x, y, h)
```

Arguments

x	numeric vector (sorted in increasing order).
y	numeric vector.
h	a numeric vector giving the wavelengths at which the y values should be inserted by interpolation, no interpolation is indicated by an empty numeric vector (<code>numeric(0)</code>).

Value

A numeric vector with the numeric values of y, but longer. Unless the hinge values were already present in y, each inserted hinge, expands the vector by two values.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_replace_hinges\(\)](#)

v_replace_hinges	<i>Overwrite spectral data values at existing wavelength values.</i>
------------------	--

Description

Overwriting spectral data with interpolated values at wavelengths values containing bad data is needed when cleaning spectral data. This function differs from `insert_hinges()` in that it returns a vector of y values instead of a tibble.

Usage

```
v_replace_hinges(x, y, h)
```

Arguments

x numeric vector (sorted in increasing order).
y numeric vector.
h a numeric vector giving the wavelengths at which the y values should be replaced by interpolation, no interpolation is indicated by an empty numeric vector (`numeric(0)`).

Value

A numeric vector with the numeric values of y with values at the hinges replaced by interpolation of neighbours.

See Also

Other low-level functions operating on numeric vectors.: [as_energy\(\)](#), [as_quantum_mol\(\)](#), [calc_multipliers\(\)](#), [div_spectra\(\)](#), [energy_irradiance\(\)](#), [energy_ratio\(\)](#), [insert_hinges\(\)](#), [integrate_xy\(\)](#), [interpolate_spectrum\(\)](#), [irradiance\(\)](#), [l_insert_hinges\(\)](#), [oper_spectra\(\)](#), [photon_irradiance\(\)](#), [photon_ratio\(\)](#), [photons_energy_ratio\(\)](#), [prod_spectra\(\)](#), [s_e_irrad2rgb\(\)](#), [split_energy_irradiance\(\)](#), [split_photon_irradiance\(\)](#), [subt_spectra\(\)](#), [sum_spectra\(\)](#), [trim_tails\(\)](#), [v_insert_hinges\(\)](#)

water.spct

Molar spectral attenuation coefficient of water

Description

A dataset containing the wavelengths at a 2 nm interval and the corresponding attenuation coefficients.

Usage

```
water.spct
```

Format

A `solute_spct` object with 251 rows and 2 variables

Details

- w.length (nm), range 300 to 800 nm.
- K.mole (cm-1/M)

Author(s)

Buiteveld et al. (1994) (original data)

References

H. Buiteveld and J. M. H. Hakvoort and M. Donze (1994) "The optical properties of pure water," in SPIE Proceedings on Ocean Optics XII, edited by J. S. Jaffe, 2258, 174–183.

<https://omlc.org/spectra/water/>

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [white_led.source_spct](#)

Examples

```
head(water.spct)
summary(water.spct)
solute_properties(water.spct)
cat(comment(water.spct))
```

water_vp_sat

Water vapour pressure

Description

Approximate water pressure in air as a function of temperature, and its inverse the calculation of dewpoint.

Usage

```
water_vp_sat(
  temperature,
  over.ice = FALSE,
  method = "tetens",
  check.range = TRUE
)
```

```
water_dp(water.vp, over.ice = FALSE, method = "tetens", check.range = TRUE)
```

```
water_fp(water.vp, over.ice = TRUE, method = "tetens", check.range = TRUE)
```

```
water_vp2mvc(water.vp, temperature)
```

```
water_mvc2vp(water.mvc, temperature)
```

```

water_vp2RH(
  water.vp,
  temperature,
  over.ice = FALSE,
  method = "tetens",
  pc = TRUE,
  check.range = TRUE
)

```

```

water_RH2vp(
  relative.humidity,
  temperature,
  over.ice = FALSE,
  method = "tetens",
  pc = TRUE,
  check.range = TRUE
)

```

```

water_vp_sat_slope(
  temperature,
  over.ice = FALSE,
  method = "tetens",
  check.range = TRUE,
  temperature.step = 0.1
)

```

```

psychrometric_constant(atmospheric.pressure = 101325)

```

Arguments

temperature	numeric vector of air temperatures (C).
over.ice	logical vector Is the estimate for equilibrium with liquid water or with ice.
method	character Currently "tetens", modified "magnus", "wexler" and "goff.gratch" equations are supported.
check.range	logical Flag indicating whether to check or not that arguments for temperature are within the range of validity of the method used.
water.vp	numeric vector of water vapour pressure in air (Pa).
water.mvc	numeric vector of water vapour concentration as mass per volume (gm^{-3}).
pc	logical flag for result returned as percent or not.
relative.humidity	numeric Relative humidity as fraction of 1.
temperature.step	numeric Delta or step used to estimate the slope as a finite difference (C).
atmospheric.pressure	numeric Atmospheric pressure (Pa).

Details

Function `water_vp_sat()` provides implementations of several well known equations for the estimation of saturation vapor pressure in air. Functions `water_dp()` and `water_fp()` use the inverse of these equations to compute the dew point or frost point from water vapour pressure in air. The inverse functions are either analytical solutions or fitted approximations. None of these functions are solved numerically by iteration.

Method "tetens" implements Tetens' (1930) equation for the cases of equilibrium with a water and an ice surface. Method "magnus" implements the modified Magnus equations of Alduchov and Eskridge (1996, eqs. 21 and 23). Method "wexler" implements the equations proposed by Wexler (1976, 1977), and their inverse according to Hardy (1998). Method "goff.gratch" implements the equations of Goff and Gratch (1946) with the minor updates of Goff (1956).

The equations are approximations, and in spite of their different names, Tetens' and Magnus' equations have the same form with the only difference in the values of the parameters. However, the modified Magnus equation is more accurate as Tetens equation suffers from some bias errors at extreme low temperatures (< -40 C). In contrast Magnus equations with recently fitted values for the parameters are usable for temperatures from -80 C to $+50$ C over water and -80 C to 0 C over ice. The Goff Gratch equation is more complex and is frequently used as a reference in comparison as it is considered reliable over a broad range of temperatures. Wexler's equations are computationally simpler and fitted to relatively recent data. There is little difference at temperatures in the range -20 C to $+50$ C, and differences become large at extreme temperatures. Temperatures outside the range where estimations are highly reliable for each equation return NA, unless extrapolation is enabled by passing FALSE as argument to parameter `check.range`.

The switch between equations for ice or water cannot be based on air temperature, as it depends on the presence or not of a surface of liquid water. It must be set by passing an argument to parameter `over.ice` which defaults to FALSE.

Tetens equation is still very frequently used, and is for example the one recommended by FAO for computing potential evapotranspiration. For this reason it is used as default here.

Value

A numeric vector of partial pressures in pascal (Pa) for `water_vp_sat()` and `water_mvc2vp()`, a numeric vector of dew point temperatures (C) for `water_dp()` and numeric vector of mass per volume concentrations (gm^{-3}) for `water_vp2mvc()`. `water_vp_sat()` and `psychrometric_constant()` both return numeric vectors of pressure per degree of temperature (PaC^{-1})

Note

The inverse of the Goff Gratch equation has yet to be implemented.

References

- Tetens, O., 1930. Uber einige meteorologische Begriffe. Zeitschrift fur Geophysik, Vol. 6:297.
- Goff, J. A., and S. Gratch (1946) Low-pressure properties of water from -160 to 212 F, in Transactions of the American Society of Heating and Ventilating Engineers, pp 95-122, presented at the 52nd annual meeting of the American Society of Heating and Ventilating Engineers, New York, 1946.

Wexler, A. (1976) Vapor Pressure Formulation for Water in Range 0 to 100°C. A Revision, Journal of Research of the National Bureau of Standards: A. Physics and Chemistry, September-December 1976, Vol. 80A, Nos.5 and 6, 775-785

Wexler, A., (1977) Vapor Pressure Formulation for Ice, Journal of Research of the National Bureau of Standards - A. Physics and Chemistry, Vol. 81A, No. 1, 5-19

Alduchov, O. A., Eskridge, R. E., 1996. Improved Magnus Form Approximation of Saturation Vapor Pressure. Journal of Applied Meteorology, 35: 601-609 .

Hardy, Bob (1998) ITS-90 formulations for vapor pressure, frostpoint temperature, dewpoint temperature, and enhancement factors in the range -100 TO +100 C. The Proceedings of the Third International Symposium on Humidity & Moisture, Teddington, London, England, April 1998. <https://www.decatour.de/javascript/dew/resources/its90formulas.pdf>

Monteith, J., Unsworth, M. (2008) Principles of Environmental Physics. Academic Press, Amsterdam.

Allen R G, Pereira L S, Raes D, Smith M. (1998) Crop evapotranspiration: Guidelines for computing crop water requirements. FAO Irrigation and drainage paper 56. Rome: FAO.

[Equations describing the physical properties of moist air](<http://www.conservaionphysics.org/atmcalc/atmoclc2.pdf>)

Examples

```
water_vp_sat(20) # C -> Pa
water_vp_sat(temperature = c(0, 10, 20, 30, 40)) # C -> Pa
water_vp_sat(temperature = -10) # over water!!
water_vp_sat(temperature = -10, over.ice = TRUE)
water_vp_sat(temperature = 20) / 100 # C -> mbar

water_vp_sat(temperature = 20, method = "magnus") # C -> Pa
water_vp_sat(temperature = 20, method = "tetens") # C -> Pa
water_vp_sat(temperature = 20, method = "wexler") # C -> Pa
water_vp_sat(temperature = 20, method = "goff.gratch") # C -> Pa

water_vp_sat(temperature = -20, over.ice = TRUE, method = "magnus") # C -> Pa
water_vp_sat(temperature = -20, over.ice = TRUE, method = "tetens") # C -> Pa
water_vp_sat(temperature = -20, over.ice = TRUE, method = "wexler") # C -> Pa
water_vp_sat(temperature = -20, over.ice = TRUE, method = "goff.gratch") # C -> Pa

water_dp(water.vp = 1000) # Pa -> C
water_dp(water.vp = 1000, method = "magnus") # Pa -> C
water_dp(water.vp = 1000, method = "wexler") # Pa -> C
water_dp(water.vp = 500, over.ice = TRUE) # Pa -> C
water_dp(water.vp = 500, method = "wexler", over.ice = TRUE) # Pa -> C

water_fp(water.vp = 300) # Pa -> C
water_dp(water.vp = 300, over.ice = TRUE) # Pa -> C

water_vp2RH(water.vp = 1500, temperature = 20) # Pa, C -> RH %
water_vp2RH(water.vp = 1500, temperature = c(20, 30)) # Pa, C -> RH %
water_vp2RH(water.vp = c(600, 1500), temperature = 20) # Pa, C -> RH %

water_vp2mvc(water.vp = 1000, temperature = 20) # Pa -> g m-3
```

```
water_mvc2vp(water.mvc = 30, temperature = 40) # g m-3 -> Pa  
water_dp(water.vp = water_mvc2vp(water.mvc = 10, temperature = 30)) # g m-3 -> C  
water_vp_sat_slope(temperature = 20) # C -> Pa / C  
psychrometric_constant(atmospheric.pressure = 81.8e3) # Pa -> Pa / C
```

waveband	<i>Waveband constructor method</i>
----------	------------------------------------

Description

Constructor for "waveband" objects that can be used as input when calculating irradiances.

Usage

```
waveband(  
  x = NULL,  
  weight = NULL,  
  SWF.e.fun = NULL,  
  SWF.q.fun = NULL,  
  norm = NULL,  
  SWF.norm = NULL,  
  hinges = NULL,  
  wb.name = NULL,  
  wb.label = wb.name  
)
```

```
new_waveband(  
  w.low,  
  w.high,  
  weight = NULL,  
  SWF.e.fun = NULL,  
  SWF.q.fun = NULL,  
  norm = NULL,  
  SWF.norm = NULL,  
  hinges = NULL,  
  wb.name = NULL,  
  wb.label = wb.name  
)
```

Arguments

<code>x</code>	any R object on which applying the method <code>range()</code> yields an vector of two numeric values, describing a range of wavelengths [<i>nm</i>].
<code>weight</code>	a character string "SWF" or "BSWF", use NULL (the default) to indicate no weighting used when calculating irradiance.
<code>SWF.e.fun</code> , <code>SWF.q.fun</code>	a functions giving multipliers for a spectral weighting function (energy and quantum, respectively) as a function of wavelength [<i>nm</i>].
<code>norm</code>	a single numeric value indicating the wavelength [<i>nm</i>] at which the SWF should be normalized to 1.0; NULL is interpreted as no normalization.
<code>SWF.norm</code>	a numeric value giving the native normalization wavelength [<i>nm</i>] used by <code>SWF.e.fun</code> and <code>SWF.q.fun</code> .
<code>hinges</code>	a numeric vector giving the wavelengths at which values in <code>s.irrad</code> should be inserted by interpolation before integration is attempted. No interpolation is indicated by an empty vector (<code>numeric(0)</code>), while interpolation at both boundaries of the band is indicated by NULL.
<code>wb.name</code>	character string giving the name for the waveband defined, default is NULL for an automatically generated name.
<code>wb.label</code>	character string giving the label of the waveband to be used for labelling computed summaries or plots, default is <code>wb.name</code> . (This is usually a shorter character string than <code>wb.name</code> .)
<code>w.low</code> , <code>w.high</code>	numeric value, wavelengths at the short end and long ends of the wavelength band [<i>nm</i>].

Details

Objects of class `waveband` are used to store the different bits of information needed to compute summaries from spectral data by integration over wavelengths. The wavelength ranges, possible spectral weighting functions (SWF) or biological spectral weighting functions (BSWF), their normalization wavelengths and names and labels used for reporting the results are all stored in `waveband` objects. This facilitates the use of functions that compute summaries, as well as ensures consistency in computations and labelling, as all the bits of information are passed together. Class "waveband" is derived from R class `list`.

Value

a `waveband` object

Functions

- `new_waveband()`: A less flexible variant

See Also

Other `waveband` constructors: [split_bands\(\)](#)

Examples

```

waveband(c(400,700))

new_waveband(400,700)

```

waveband_ratio	<i>Photon or energy ratio</i>
----------------	-------------------------------

Description

This function gives the (energy or photon) irradiance ratio between two given wavebands of a radiation spectrum.

Usage

```

waveband_ratio(
  w.length,
  s.irrad,
  w.band.num = NULL,
  w.band.denom = NULL,
  unit.out.num = NULL,
  unit.out.denom = unit.out.num,
  unit.in = "energy",
  check.spectrum = TRUE,
  use.cached.mult = FALSE,
  use.hinges = getOption("photobiology.use.hinges", default = NULL)
)

```

Arguments

w.length	numeric Vector of wavelengths [<i>nm</i>].
s.irrad	numeric vector of spectral irradiances in [$W m^{-2} nm^{-1}$] or [$mol s^{-1} sm^{-2} nm^{-1}$] as indicated by the argument passed to <code>unit.in</code> .
w.band.num, w.band.denom	waveband objects used to compute the numerator and denominator of the ratio.
unit.out.num, unit.out.denom	character Base of expression used to compute the numerator and denominator of the ratio. Allowed values "energy", and "photon", or its alias "quantum".
unit.in	character Allowed values "energy", and "photon", or its alias "quantum".
check.spectrum	logical Flag indicating whether to sanity check input data, default is TRUE.
use.cached.mult	logical Flag indicating whether multiplier values should be cached between calls.
use.hinges	logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

Value

a single numeric value giving the ratio

Note

The default for both w.band parameters is a waveband covering the whole range of w.length. From version 0.9.19 onwards use of this default does not trigger a warning, but instead is used silently.

Examples

```
# photon:photon ratio
with(sun.data,
     waveband_ratio(w.length, s.e.irrad,
                    new_waveband(400,500),
                    new_waveband(400,700), "photon"))
# energy:energy ratio
with(sun.data,
     waveband_ratio(w.length, s.e.irrad,
                    new_waveband(400,500),
                    new_waveband(400,700), "energy"))
# energy:photon ratio
with(sun.data,
     waveband_ratio(w.length, s.e.irrad,
                    new_waveband(400,700),
                    new_waveband(400,700),
                    "energy", "photon"))
# photon:photon ratio waveband : whole spectrum
with(sun.data,
     waveband_ratio(w.length, s.e.irrad,
                    new_waveband(400,500),
                    unit.out.num="photon"))
# photon:photon ratio of whole spectrum should be equal to 1.0
with(sun.data,
     waveband_ratio(w.length, s.e.irrad,
                    unit.out.num="photon"))
```

 wb2rect_spct

 Create tagged spectrum from wavebands

Description

Create a generic_spct object with wavelengths from the range of wavebands in a list. The spectrum is suitable for plotting labels, symbols, rectangles or similar, as the midpoint of each waveband is added to the spectrum.

Usage

```
wb2rect_spct(w.band, short.names = TRUE, chroma.type = "CMF")
```

```
fast_wb2rect_spct(w.band, chroma.type = "CMF", simplify = TRUE)
```

Arguments

w.band	waveband or list of waveband objects The waveband(s) determine the wavelengths in variable w.length of the returned spectrum
short.names	logical Flag indicating whether to use short or long names for wavebands
chroma.type	character telling whether "CMF", "CC", or "both" should be returned for human vision, or an object of class chroma_spct for any other trichromatic visual system.
simplify	logical Flag indicating whether to merge neighboring rectangles of equal color. Simplification is done only for narrow wavebands.

Value

A generic_spectrogram object, with columns w.length, wl.low, wl.hi, wl.color, wb.color and wb.name. The w.length values are the midpoint of the wavebands, wl.low and wl.high give the boundaries of the wavebands, wl.color the color definition corresponding to the wavelength at the center of the waveband and wb.color the color of the waveband as a whole (assuming a flat energy irradiance spectrum). Different spectral data variables are set to zero and added making the returned value compatible with classes derived from generic_spct.

Note

Function fast_wb2rect_spct() differs from wb2rect_spct() in that it computes colors for narrow wavebands based on the midpoint wavelength and uses vectorization when possible. It always returns color definitions with short names, which are also used as waveband names for narrow wavebands and merged wavebands. The purpose of merging of rectangles is to speed up rendering and to reduce the size of vector graphics output. This function should be used with care as the color definitions returned are only approximate and original waveband names can be lost.

See Also

Other tagging and related functions: [is_tagged\(\)](#), [tag\(\)](#), [untag\(\)](#), [wb2spct\(\)](#), [wb2tagged_spct\(\)](#)

 wb2spct

Create spectrum from wavebands

Description

Create a generic_spct object with wavelengths from wavebands in a list.

Usage

```
wb2spct(w.band)
```

Arguments

w.band waveband or list of waveband objects The waveband(s) determine the wavelengths in variable w.length of the returned spectrum

Value

A generic.spectrum object, with columns w.length set to the *union* of all boundaries and hinges defined in the waveband(s). Different spectral data variables are set to zero and added making the returned value compatible with classes derived from generic_spct.

See Also

Other tagging and related functions: [is_tagged\(\)](#), [tag\(\)](#), [untag\(\)](#), [wb2rect_spct\(\)](#), [wb2tagged_spct\(\)](#)

wb2tagged_spct *Create tagged spectrum from wavebands*

Description

Create a tagged generic_spct object with wavelengths from the range of wavebands in a list, and names of the same bands as factor levels, and corresponding color definitions. The spectrum is not suitable for plotting labels, symbols, rectangles or similar, as the midpoint of each waveband is not added to the spectrum.

Usage

```
wb2tagged_spct(
  w.band,
  use.hinges = TRUE,
  short.names = TRUE,
  chroma.type = "CMF",
  ...
)
```

Arguments

w.band waveband or list of waveband objects The waveband(s) determine the region(s) of the spectrum that are tagged and the wavelengths returned in variable w.length.

use.hinges logical Flag indicating whether to insert "hinges" into the spectral data before integration so as to reduce interpolation errors at the boundaries of the wavebands.

short.names logical Flag indicating whether to use short or long names for wavebands.

chroma.type character telling whether "CMF", "CC", or "both" should be returned for human vision, or an object of class chroma_spct for any other trichromatic visual system.

... ignored (possibly used by derived methods).

Value

A spectrum as returned by `wb2spct` but additionally tagged using function `tag`

See Also

Other tagging and related functions: `is_tagged()`, `tag()`, `untag()`, `wb2rect_spct()`, `wb2spct()`

`wb_trim_as_default` *Set computation options*

Description

Set computation related options easily.

Usage

```
wb_trim_as_default(flag = TRUE)
```

```
use_cached_mult_as_default(flag = TRUE)
```

Arguments

`flag` logical.

Value

Previous value of the modified option.

`white_led.source_spct` *White led bulb spectrum*

Description

Datasets containing wavelengths and the corresponding spectral irradiance data for an Osram warm white led lamp, and the corresponding raw instrument counts and counts per second data underlying them.

Usage

```
white_led.source_spct
```

```
white_led.cps_spct
```

```
white_led.raw_spct
```

Format

A `source_spct` object with 1421 rows and 2 columns, a `cps_spct` object with 2068 rows and 2 columns, and a `raw_spct` object with 2068 rows and 4 columns.

An object of class `cps_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 2068 rows and 2 columns.

An object of class `raw_spct` (inherits from `generic_spct`, `tbl_df`, `tbl`, `data.frame`) with 2068 rows and 4 columns.

Details

- `w.length` (nm), range 250 to 900 nm.
- `s.e.irrad` ($\text{W m}^{-2} \text{nm}^{-1}$)

or

- `w.length` (nm), range 188 to 1117 nm.
- `cps`

or

- `w.length` (nm), range 188 to 1117 nm.
- `counts_1`
- `counts_2`
- `counts_3`

See Also

Other Spectral data examples: [A.illuminant.spct](#), [D65.illuminant.spct](#), [Ler_leaf.spct](#), [black_body.spct](#), [ccd.spct](#), [clear.spct](#), [filter_cps.mspct](#), [green_leaf.spct](#), [phenylalanine.spct](#), [photodiode.spct](#), [sun.spct](#), [sun_daily.spct](#), [sun_evening.spct](#), [two_filters.spct](#), [water.spct](#)

Examples

```
white_led.source_spct
```

w12wavenumber

Wavelength conversions

Description

Convert wavelength (nm) into wave number, frequency (Hz) or energy per photon (J, or eV) and back.

Usage

```
w12wavenumber(w.length, unit.exponent = 0)

wavenumber2wl(wavenumber, unit.exponent = 0)

w12frequency(w.length, unit.exponent = 0)

frequency2wl(frequency, unit.exponent = 0)

w12energy(w.length, unit.exponent = 0, unit = "joule")

energy2wl(photon.energy, unit.exponent = 0, unit = "joule")
```

Arguments

w.length	numeric wavelength (nm)
unit.exponent	integer Exponent of the scale multiplier implicit in result, e.g., use 3 for kJ.
wavenumber	numeric Wave number in waves per metre, possibly with a scale factor according to unit.exponent.
frequency	numeric Frequency in Hz, possibly with the scale factor according to unit.exponent.
unit	character One of "joule" or "eV".
photon.energy	numeric Energy of one photon in joule or eV, possibly with a scale factor according to unit.exponent.

Details

These functions always expect as input and return wavelengths expressed in nanometres (nm) as all other functions in the R for photobiology suite of packages. Conversions depend on Planck's constant, h , the speed of light in vacuum, c , and Avogadro's number, N_A . The values used for these constants have at least nine significant digits.

Examples

```
w12wavenumber(600) # wavelength in nm -> wave number
wavenumber2wl(1666666.66) # wave number -> wavelength in nm
w12frequency(600) # wavelength in nm -> wave frequency (Hz)
frequency2wl(499654096666667) # wave frequency (Hz) -> wavelength in nm
w12energy(600) # wavelength in nm -> energy of one photon (J)
w12energy(600, unit = "eV") # wavelength in nm -> energy of one photon (eV)
w12energy(600,
  unit.exponent = -3,
  unit = "eV") # wavelength in nm -> energy of one photon (meV)
energy2wl(2066.40330,
  unit.exponent = -3,
  unit = "eV") # energy of one photon (meV) -> wavelength (nm)
```

wls_at_target

Find wavelengths values corresponding to a target spectral value

Description

Find wavelength values corresponding to a target spectral value in a spectrum. The name of the column of the spectral data to be used is inferred from the class of `x` and the argument passed to `unit.out` or `filter.qty` or their defaults that depend on R options set.

Usage

```
wls_at_target(
  x,
  target = NULL,
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  ...
)

## Default S3 method:
wls_at_target(
  x,
  target = NULL,
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  ...
)

## S3 method for class 'data.frame'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  x.var.name = NULL,
  y.var.name = NULL,
  ...
)

## S3 method for class 'generic_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
```



```
    idfactor = length(target) > 1,
    na.rm = FALSE,
    col.name = NULL,
    y.var.name = col.name,
    ...
)

## S3 method for class 'source_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'response_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  unit.out = getOption("photobiology.radiation.unit", default = "energy"),
  ...
)

## S3 method for class 'filter_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  filter.qty = getOption("photobiology.filter.qty", default = "transmittance"),
  ...
)

## S3 method for class 'reflector_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  ...
)
```

```
)

## S3 method for class 'solute_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  ...
)

## S3 method for class 'cps_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  ...
)

## S3 method for class 'raw_spct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  ...
)

## S3 method for class 'generic_mspct'
wls_at_target(
  x,
  target = "0.5max",
  interpolate = FALSE,
  idfactor = length(target) > 1,
  na.rm = FALSE,
  ...,
  .parallel = FALSE,
  .paropts = NULL
)
```

Arguments

x data.frame or spectrum object.

target numeric or character vector. A numeric value indicates the spectral quantity

	value for which wavelengths are to be searched. A character string representing a number is converted to numeric. A character value representing a number followed by a function name, will be also accepted and decoded, such that "0.1max" is interpreted as targeting one tenth of the maximum value in the column. The character strings "half.maximum" and "HM" are synonyms for "0.5max" while "half.range" and "HR" are synonyms for "0.5range".
interpolate	logical Indicating whether the nearest wavelength value in <code>x</code> should be returned or a value calculated by linear interpolation between wavelength values straddling the target.
idfactor	logical or character Generates an index column of factor type. If <code>idfactor = TRUE</code> then the column is auto named <code>target.idx</code> . Alternatively the column name can be directly passed as argument to <code>idfactor</code> as a character string.
na.rm	logical indicating whether NA values should be stripped before searching for the target.
...	currently ignored.
<code>x.var.name, y.var.name, col.name</code>	character The name of the columns in which to search for the target value. Use of <code>col.name</code> is deprecated, and is a synonym for <code>y.var.name</code> .
unit.out	character One of "energy" or "photon"
filter.qty	character One of "transmittance" or "absorbance"
.parallel	if TRUE, apply function in parallel, using parallel backend provided by foreach
.paropts	a list of additional options passed into the foreach function when parallel computation is enabled. This is important if (for example) your code relies on external data or packages: use the <code>.export</code> and <code>.packages</code> arguments to supply them so that all cluster nodes have the correct environment set up for computing.

Value

A `data.frame`, a spectrum object or a collection of spectra object of the same class as `x` with fewer rows, possibly even no rows. If FALSE is passed to `interpolate` a subset of `x` is returned, otherwise a new object of the same class containing interpolated wavelengths for the target value is returned. As 'target' accepts a vector or list as argument, a factor can be added to the output with the corresponding target value.

Methods (by class)

- `wls_at_target(default)`: Default returning always an empty object of the same class as `x`.
- `wls_at_target(data.frame)`: Method for "data.frame" objects.
- `wls_at_target(generic_spct)`: Method for "generic_spct" objects.
- `wls_at_target(source_spct)`: Method for "source_spct" objects.
- `wls_at_target(response_spct)`: Method for "response_spct" objects.
- `wls_at_target(filter_spct)`: Method for "filter_spct" objects.
- `wls_at_target(reflector_spct)`: Method for "reflector_spct" objects.
- `wls_at_target(solute_spct)`: Method for "solute_spct" objects.

- `wls_at_target(cps_spct)`: Method for "cps_spct" objects.
- `wls_at_target(raw_spct)`: Method for "raw_spct" objects.
- `wls_at_target(generic_mspct)`: Method for "generic_mspct" objects.

Note

When interpolation is used, only column `w.length` and the column against which the target value was compared are included in the returned object, otherwise, all columns in `x` are returned. We implement support for `data.frame` to simplify the coding of 'ggplot2' stats using this function.

See Also

Other peaks and valleys functions: [find_peaks\(\)](#), [find_spikes\(\)](#), [get_peaks\(\)](#), [peaks\(\)](#), [replace_bad_pixs\(\)](#), [spikes\(\)](#), [valleys\(\)](#)

Examples

```
wls_at_target(sun.spct, target = 0.1)
wls_at_target(sun.spct, target = 2e-6, unit.out = "photon")
wls_at_target(polyester.spct, target = "HM")
wls_at_target(polyester.spct, target = "HM", interpolate = TRUE)
wls_at_target(polyester.spct, target = "HM", idfactor = "target")
wls_at_target(polyester.spct, target = "HM", filter.qty = "absorbance")
```

wl_max

Wavelength maximum

Description

A method specialization that returns the wavelength maximum [*nm*] from objects of classes `waveband` or of class `generic_spct` or derived.

Usage

```
wl_max(x, na.rm = FALSE)

## S3 method for class 'waveband'
max(..., na.rm = FALSE)

## S3 method for class 'generic_spct'
max(..., na.rm = FALSE)

## S3 method for class 'generic_mspct'
max(..., na.rm = FALSE, idx = "spct.idx")
```

Arguments

x	generic_spct, generic_mspct or waveband object.
na.rm	ignored
...	numeric, waveband or generic_spct arguments.
idx	character Name of the column with the names of the members of the collection of spectra.

Value

a length-one vector for individual objects or numeric vectors or a data frame for collections of spectra.

Methods (by class)

- max(generic_spct):
- max(generic_mspct):

Examples

```
max(sun.spct)
wl_max(sun.spct)
```

wl_midpoint	<i>Midpoint</i>
-------------	-----------------

Description

A method that returns the wavelength [*nm*] (or value) at the center of the wavelength range of objects of classes waveband or of class generic_spct or derived (or the midpoint from a numeric vector).

Usage

```
wl_midpoint(x, ...)

midpoint(x, ...)

## Default S3 method:
midpoint(x, ...)

## S3 method for class 'numeric'
midpoint(x, ...)

## S3 method for class 'waveband'
midpoint(x, ...)
```

```
## S3 method for class 'generic_spct'
midpoint(x, ...)

## S3 method for class 'generic_mspct'
midpoint(x, ..., idx = "spct.idx")
```

Arguments

x	an R object
...	not used in current version
idx	character Name of the column with the names of the members of the collection of spectra.

Value

A numeric value equal to $\max(x) - \min(x) / 2$. In the case of spectral objects a wavelength [*nm*]. For any other R object, according to available definitions of [min](#) and [max](#).

Methods (by class)

- `midpoint(default)`: Default method for generic function
- `midpoint(numeric)`: Default method for generic function
- `midpoint(waveband)`: Wavelength at center of a "waveband".
- `midpoint(generic_spct)`: Method for "generic_spct".
- `midpoint(generic_mspct)`: Method for "generic_mspct" objects.

See Also

Other wavelength summaries: [wl_min\(\)](#), [wl_range\(\)](#), [wl_stepsize\(\)](#)
 Other wavelength summaries: [wl_min\(\)](#), [wl_range\(\)](#), [wl_stepsize\(\)](#)
 Other wavelength summaries: [wl_min\(\)](#), [wl_range\(\)](#), [wl_stepsize\(\)](#)

Examples

```
midpoint(10:20)
midpoint(sun.spct)
wl_midpoint(sun.spct)

midpoint(sun.spct)
```

wl_min	<i>Wavelength minimum</i>
--------	---------------------------

Description

A method specialization that returns the wavelength minimum [*nm*] from objects of classes `waveband` or of class `generic_spct` or derived.

Usage

```
wl_min(x, na.rm = FALSE)

## S3 method for class 'waveband'
min(..., na.rm = FALSE)

## S3 method for class 'generic_spct'
min(..., na.rm = FALSE)

## S3 method for class 'generic_mspct'
min(..., na.rm = FALSE, idx = "spct.idx")
```

Arguments

<code>x</code>	generic_spct, generic_mspct or waveband object.
<code>na.rm</code>	ignored
<code>...</code>	not used in current version
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.

Value

a length-one vector for individual objects or numeric vectors or a data frame for collections of spectra.

Methods (by class)

- `min(generic_spct)`:
- `min(generic_mspct)`:

See Also

Other wavelength summaries: [wl_midpoint\(\)](#), [wl_range\(\)](#), [wl_stepsize\(\)](#)

Examples

```
min(sun.spct)
wl_min(sun.spct)
```

wl_range	<i>Wavelength range</i>
----------	-------------------------

Description

A method specialization that returns the wavelength range [*nm*] from objects of classes `waveband` or of class `generic_spct` or derived.

Usage

```
wl_range(x, na.rm = FALSE)

## S3 method for class 'waveband'
range(..., na.rm = FALSE)

## S3 method for class 'generic_spct'
range(..., na.rm = FALSE)

## S3 method for class 'generic_mspct'
range(..., na.rm = FALSE, idx = "spct.idx")
```

Arguments

<code>x</code>	generic_spct, generic_mspct or waveband object.
<code>na.rm</code>	ignored
<code>...</code>	a single R object
<code>idx</code>	character Name of the column with the names of the members of the collection of spectra.

Value

a length-two vector for individual objects or numeric vectors or a data frame for collections of spectra.

Methods (by class)

- `range(generic_spct):`
- `range(generic_mspct):`

See Also

Other wavelength summaries: [wl_midpoint\(\)](#), [wl_min\(\)](#), [wl_stepsize\(\)](#)

Examples

```

range(sun.spct)
wl_range(sun.spct)

range(sun.spct)

```

wl_stepsize	<i>Stepsize</i>
-------------	-----------------

Description

Method returning the range of step sizes in an object; i.e., the Range of differences between successive sorted values. In particular the wavelength step sizes [*nm*] of objects of class `generic_spct` or derived (or the step sizes of values in a numeric vector).

Usage

```

wl_stepsize(x, ...)

stepsize(x, ...)

## Default S3 method:
stepsize(x, ...)

## S3 method for class 'numeric'
stepsize(x, ...)

## S3 method for class 'generic_spct'
stepsize(x, ...)

## S3 method for class 'generic_mspct'
stepsize(x, ..., idx = "spct.idx")

```

Arguments

x	an R object
...	not used in current version
idx	character Name of the column with the names of the members of the collection of spectra.

Value

A numeric vector of length 2 with min and maximum stepsize values.

Methods (by class)

- `stepsize(default)`: Default function usable on numeric vectors.
- `stepsize(numeric)`: Method for numeric vectors.
- `stepsize(generic_spct)`: Method for "generic_spct" objects.
- `stepsize(generic_mspct)`: Method for "generic_mspct" objects.

See Also

Other wavelength summaries: [wl_midpoint\(\)](#), [wl_min\(\)](#), [wl_range\(\)](#)

Examples

```
stepsize(sun.spct)
wl_stepsize(sun.spct)

stepsize(sun.spct)
```

w_length2rgb

Wavelength to rgb color conversion

Description

Calculates rgb values from spectra based on human color matching functions

Usage

```
w_length2rgb(w.length, sens = photobiology::cixyzCMF2.spct, color.name = NULL)
```

Arguments

w.length	numeric Vector of wavelengths [<i>nm</i>].
sens	chroma_spct Used as chromaticity definition.
color.name	character Used for naming the rgb color definition.

Value

A vector of colors defined using `rgb()`. The numeric values of the RGB components can be obtained using function `col2rgb()`.

See Also

Other color functions: [rgb_spct\(\)](#), [w_length_range2rgb\(\)](#)

Examples

```
col2rgb(w_length2rgb(580))
col2rgb(w_length2rgb(c(400, 500, 600, 700)))
col2rgb(w_length2rgb(c(400, 500, 600, 700), color.name=c("a", "b", "c", "d")))
col2rgb(w_length2rgb(c(400, 500, 600, 700), color.name="a"))
```

w_length_range2rgb	<i>Wavelength range to rgb color conversion</i>
--------------------	---

Description

Calculates rgb values from spectra based on human color matching functions

Usage

```
w_length_range2rgb(
  w.length,
  sens = photobiology::ciexyzCMF2.spct,
  color.name = NULL
)
```

Arguments

w.length	numeric vector of wavelengths (nm) of length 2. If longer, its range is used.
sens	chroma_spct Used as the chromaticity definition.
color.name	character Used for naming the rgb color definition(s) returned.

Value

A vector of colors defined using `rgb()`. The numeric values of the RGB components can be obtained by calling function `col2rgb`.

See Also

Other color functions: `rgb_spct()`, `w_length2rgb()`

Examples

```
col2rgb(w_length_range2rgb(c(500, 600)))
col2rgb(w_length_range2rgb(550))
col2rgb(w_length_range2rgb(500:600))
```

^.generic_spct *Arithmetic Operators*

Description

Power operator for spectra.

Usage

```
## S3 method for class 'generic_spct'  
e1 ^ e2
```

Arguments

e1 an object of class "generic_spct"
e2 a numeric vector. possibly of length one.

See Also

Other math operators and functions: [MathFun](#), [convolve_each\(\)](#), [div-.generic_spct](#), [log\(\)](#), [minus-.generic_spct](#), [mod-.generic_spct](#), [plus-.generic_spct](#), [round\(\)](#), [sign\(\)](#), [slash-.generic_spct](#), [times-.generic_spct](#)

Index

- * **Coercion methods for collections of spectra**
 - as.calibration_mspct, [24](#)
 - as.chroma_mspct, [26](#)
 - as.cps_mspct, [28](#)
 - as.filter_mspct, [30](#)
 - as.generic_mspct, [33](#)
 - as.object_mspct, [37](#)
 - as.raw_mspct, [40](#)
 - as.reflector_mspct, [42](#)
 - as.response_mspct, [45](#)
 - as.solute_mspct, [48](#)
 - as.source_mspct, [51](#)
 - split2mspct, [356](#)
 - subset2mspct, [367](#)
- * **Evapotranspiration and energy balance related functions.**
 - ET_ref, [123](#)
 - net_irradiance, [231](#)
- * **K attribute functions**
 - getKType, [172](#)
 - setKType, [320](#)
- * **Local solar time functions**
 - as.solar_date, [47](#)
 - is.solar_time, [207](#)
 - print.solar_time, [259](#)
 - solar_time, [340](#)
- * **Reflectance ratio functions**
 - Rfr_fraction, [294](#)
 - Rfr_normdiff, [298](#)
 - Rfr_ratio, [302](#)
- * **Spectral data examples**
 - A.illuminant.spct, [10](#)
 - black_body.spct, [59](#)
 - ccd.spct, [62](#)
 - clear.spct, [79](#)
 - D65.illuminant.spct, [95](#)
 - green_leaf.spct, [186](#)
 - Ler_leaf.spct, [219](#)
 - phenylalanine.spct, [250](#)
 - photodiode.spct, [251](#)
 - sun.spct, [373](#)
 - sun_daily.spct, [377](#)
 - sun_evening.spct, [378](#)
 - two_filters.spct, [434](#)
 - water.spct, [450](#)
 - white_led.source_spct, [461](#)
- * **Time of day functions**
 - as_tod, [57](#)
 - format.tod_time, [154](#)
 - print.tod_time, [260](#)
- * **Visual response data examples**
 - beesxyzCMF.spct, [58](#)
 - ciev10.spct, [69](#)
 - ciev2.spct, [69](#)
 - ciexyzCC10.spct, [70](#)
 - ciexyzCC2.spct, [71](#)
 - ciexyzCMF10.spct, [72](#)
 - ciexyzCMF2.spct, [73](#)
 - cone_fundamentals10.spct, [86](#)
- * **astronomy related functions**
 - day_night, [96](#)
 - format.solar_time, [154](#)
 - sun_angles, [374](#)
- * **auxiliary functions**
 - normalize_range_arg, [241](#)
- * **collections of spectra classes family**
 - generic_mspct, [166](#)
- * **color functions**
 - rgb_spct, [305](#)
 - w_length2rgb, [474](#)
 - w_length_range2rgb, [475](#)
- * **constructors of spectral objects**
 - as.calibration_spct, [25](#)
 - as.chroma_spct, [27](#)
 - as.cps_spct, [29](#)
 - as.filter_spct, [32](#)
 - as.generic_spct, [36](#)

- as.object_spct, 39
- as.raw_spct, 41
- as.reflector_spct, 44
- as.response_spct, 46
- as.solute_spct, 50
- as.source_spct, 53
- source_spct, 341
- * **conversion of collections of spectra**
 - join_mspct, 216
- * **data validity check functions**
 - check_spct, 64
 - check_spectrum, 67
 - check_w.length, 68
 - enable_check_spct, 116
- * **datasets**
 - A.illuminant.spct, 10
 - beesxyzCMF.spct, 58
 - black_body.spct, 59
 - ccd.spct, 62
 - ciev10.spct, 69
 - ciev2.spct, 69
 - ciexyzCC10.spct, 70
 - ciexyzCC2.spct, 71
 - ciexyzCMF10.spct, 72
 - ciexyzCMF2.spct, 73
 - clear.spct, 79
 - cone_fundamentals10.spct, 86
 - D2.UV653, 93
 - D65.illuminant.spct, 95
 - green_leaf.spct, 186
 - Ler_leaf.spct, 219
 - phenylalanine.spct, 250
 - photodiode.spct, 251
 - r4p_pkgs, 284
 - sun.spct, 373
 - sun_daily.spct, 377
 - sun_evening.spct, 378
 - two_filters.spct, 434
 - water.spct, 450
 - white_led.source_spct, 461
- * **despike and valleys functions**
 - despike, 101
- * **experimental utility functions**
 - collect2mspct, 81
 - drop_user_cols, 112
 - thin_wl, 417
 - uncollect2spct, 436
- * **idfactor attribute functions**
 - getIdFactor, 170
 - setIdFactor, 317
- * **illumination functions**
 - illuminance, 189
- * **internal.**
 - v_insert_hinges, 449
 - v_replace_hinges, 449
- * **interpolate functions**
 - interpolate_wl, 196
- * **irradiance functions**
 - e_fluence, 129
 - e_irrad, 135
 - fluence, 151
 - irrad, 198
 - q_fluence, 268
 - q_irrad, 274
- * **low-level functions operating on numeric vectors.**
 - as_energy, 55
 - as_quantum_mol, 56
 - calc_multipliers, 60
 - div_spectra, 110
 - energy_irradiance, 117
 - energy_ratio, 119
 - insert_hinges, 191
 - integrate_xy, 193
 - interpolate_spectrum, 195
 - irradiance, 201
 - oper_spectra, 242
 - photon_irradiance, 253
 - photon_ratio, 254
 - photons_energy_ratio, 252
 - prod_spectra, 261
 - s_e_irrad2rgb, 379
 - split_energy_irradiance, 360
 - split_photon_irradiance, 363
 - subt_spectra, 368
 - sum_spectra, 372
 - trim_tails, 429
 - v_insert_hinges, 449
 - v_replace_hinges, 449
- * **math operators and functions**
 - ^.generic_spct, 476
 - convolve_each, 91
 - div-.generic_spct, 110
 - log, 220
 - MathFun, 223
 - minus-.generic_spct, 226

- mod-.generic_spct, 226
- plus-.generic_spct, 256
- round, 307
- sign, 336
- slash-.generic_spct, 337
- times-.generic_spct, 421
- * **measurement metadata functions**
 - add_attr2tb, 18
 - get_attributes, 183
 - getFilterProperties, 167
 - getHowMeasured, 169
 - getInstrDesc, 171
 - getInstrSettings, 171
 - getSoluteProperties, 176
 - getWhatMeasured, 179
 - getWhenMeasured, 180
 - getWhereMeasured, 182
 - isValidInstrDesc, 209
 - isValidInstrSettings, 209
 - select_spct_attributes, 308
 - setFilterProperties, 310
 - setHowMeasured, 316
 - setInstrDesc, 318
 - setInstrSettings, 319
 - setSoluteProperties, 327
 - setWhatMeasured, 332
 - setWhenMeasured, 333
 - setWhereMeasured, 334
 - spct_attr2tb, 347
 - spct_metadata, 348
 - trimInstrDesc, 425
 - trimInstrSettings, 426
- * **multiple.wl attribute functions**
 - getMultipleWl, 173
 - setMultipleWl, 321
- * **peaks and valleys functions**
 - find_peaks, 145
 - find_spikes, 146
 - get_peaks, 185
 - peaks, 243
 - replace_bad_pixs, 290
 - spikes, 351
 - valleys, 441
 - wls_at_target, 464
- * **photon and energy ratio functions**
 - e_fraction, 131
 - e_ratio, 138
 - eq_ratio, 120
 - q_fraction, 271
 - q_ratio, 278
 - qe_ratio, 266
- * **quantity conversion functions**
 - A2T, 11
 - Afr2T, 21
 - any2T, 23
 - as_quantum, 55
 - e2q, 113
 - e2qmol_multipliers, 115
 - e2quantum_multipliers, 115
 - q2e, 264
 - T2A, 400
 - T2Afr, 402
- * **query units functions**
 - is_absorbance_based, 210
 - is_mole_based, 212
 - is_photon_based, 214
- * **rescaling functions**
 - fscale, 155
 - fshift, 161
 - getNormalized, 174
 - getScaled, 175
 - is_normalized, 213
 - is_scaled, 215
 - normalize, 233
 - setNormalized, 322
 - setScaled, 326
- * **response functions**
 - e_response, 141
 - q_response, 281
 - response, 291
- * **set and unset 'multi spectral' class functions**
 - rmDerivedMspct, 306
 - shared_member_class, 336
- * **set and unset spectral class functions**
 - rmDerivedSpct, 306
 - setGenericSpct, 312
- * **split a spectrum into regions functions**
 - split_irradiance, 362
- * **tagging and related functions**
 - is_tagged, 215
 - tag, 404
 - untag, 437
 - wb2rect_spct, 458
 - wb2spct, 459
 - wb2tagged_spct, 460

- * **time attribute functions**
 - checkTimeUnit, 63
 - convertThickness, 89
 - convertTimeUnit, 90
 - getTimeUnit, 178
 - setTimeUnit, 331
- * **transmittance ratio functions**
 - Tfr_fraction, 406
 - Tfr_normdiff, 410
 - Tfr_ratio, 413
- * **trim functions**
 - clip_wl, 80
 - trim_spct, 427
 - trim_waveband, 430
 - trim_wl, 432
- * **upgrade from earlier versions**
 - is_old_spct, 206
 - upgrade_spct, 438
 - upgrade_spectra, 439
- * **waveband attributes**
 - is_effective, 211
 - labels, 218
 - normalization, 232
- * **waveband constructors**
 - split_bands, 359
 - waveband, 455
- * **wavelength summaries**
 - wl_midpoint, 469
 - wl_min, 471
 - wl_range, 472
 - wl_stepsize, 473
- *.generic_spct (times-.generic_spct), 421
- + .generic_spct (plus-.generic_spct), 256
- .generic_spct (minus-.generic_spct), 226
- /.generic_spct (slash-.generic_spct), 337
- [.chroma_spct (Extract), 126
- [.cps_spct (Extract), 126
- [.filter_spct (Extract), 126
- [.generic_mspct (Extract_mspct), 128
- [.generic_spct (Extract), 126
- [.object_spct (Extract), 126
- [.raw_spct (Extract), 126
- [.reflector_spct (Extract), 126
- [.response_spct (Extract), 126
- [.solute_spct (Extract), 126
- [.source_spct (Extract), 126
- [<-.generic_mspct (Extract_mspct), 128
- [<-.generic_spct (Extract), 126
- [[<-.generic_mspct (Extract_mspct), 128
- \$<-.generic_mspct (Extract_mspct), 128
- \$<-.generic_spct (Extract), 126
- %/.generic_spct (div-.generic_spct), 110
- %/.generic_spct (mod-.generic_spct), 226
- ^.generic_spct, 91, 110, 221, 223, 226, 256, 308, 336, 337, 421, 476
- A.illuminant.spct, 10, 59, 63, 80, 95, 187, 220, 251, 252, 374, 378, 379, 435, 451, 462
- A2T, 11, 22, 23, 56, 115, 116, 265, 402, 404
- A_as_default (energy_as_default), 117
- abs.generic_spct (MathFun), 223
- absorbance, 12, 240
- absorptance, 15
- acos.generic_spct (Trig), 424
- add_attr2tb, 14, 17, 18, 121, 130, 133, 137, 140, 143, 153, 168, 170–172, 177, 180, 181, 183, 184, 190, 200, 209, 210, 267, 270, 273, 276, 279, 283, 288, 293, 295, 300, 303, 309, 312, 317, 319, 320, 328, 332, 334, 335, 348, 349, 408, 412, 415, 423, 425, 426
- address2tb (add_attr2tb), 18
- Afr2T, 12, 21, 23, 56, 115, 116, 265, 402, 404
- Afr_as_default (energy_as_default), 117
- any2A (any2T), 23
- any2Afr (any2T), 23
- any2T, 12, 22, 23, 56, 115, 116, 265, 402, 404
- as.calibration_mspct, 24, 27, 29, 32, 35, 38, 41, 44, 46, 49, 53, 359, 368
- as.calibration_spct, 25, 28, 30, 33, 36, 39, 42, 45, 47, 51, 54, 347
- as.chroma_mspct, 25, 26, 29, 32, 35, 38, 41, 44, 46, 49, 53, 359, 368
- as.chroma_spct, 26, 27, 30, 33, 36, 39, 42, 45, 47, 51, 54, 347
- as.cps_mspct, 25, 27, 28, 32, 35, 38, 41, 44, 46, 49, 53, 359, 368
- as.cps_spct, 26, 28, 29, 33, 36, 39, 42, 45, 47, 51, 54, 347
- as.filter_mspct, 25, 27, 29, 30, 35, 38, 41, 44, 46, 49, 53, 359, 368

- as.filter_spct, 26, 28, 30, 32, 36, 39, 42, 45, 47, 51, 54, 347
- as.generic_mspct, 25, 27, 29, 32, 33, 38, 41, 44, 46, 49, 53, 359, 368
- as.generic_spct, 26, 28, 30, 33, 36, 39, 42, 45, 47, 51, 54, 347
- as.matrix_mspct, 36
- as.matrix.generic_mspct (as.matrix_mspct), 36
- as.object_mspct, 25, 27, 29, 32, 35, 37, 41, 44, 46, 49, 53, 359, 368
- as.object_spct, 26, 28, 30, 33, 36, 39, 42, 45, 47, 51, 54, 347
- as.raw_mspct, 25, 27, 29, 32, 35, 38, 40, 44, 46, 49, 53, 359, 368
- as.raw_spct, 26, 28, 30, 33, 36, 39, 41, 45, 47, 51, 54, 347
- as.reflector_mspct, 25, 27, 29, 32, 35, 38, 41, 42, 46, 49, 53, 359, 368
- as.reflector_spct, 26, 28, 30, 33, 36, 39, 42, 44, 47, 51, 54, 347
- as.response_mspct, 25, 27, 29, 32, 35, 38, 41, 44, 45, 49, 53, 359, 368
- as.response_spct, 26, 28, 30, 33, 36, 39, 42, 45, 46, 51, 54, 347
- as.solar_date, 47, 207, 259, 341
- as.solute_mspct, 25, 27, 29, 32, 35, 38, 41, 44, 46, 48, 53, 359, 368
- as.solute_spct, 26, 28, 30, 33, 36, 39, 42, 45, 47, 50, 54, 347
- as.source_mspct, 25, 27, 29, 32, 35, 38, 41, 44, 46, 49, 51, 359, 368
- as.source_spct, 26, 28, 30, 33, 36, 39, 42, 45, 47, 51, 53, 347
- as_energy, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 380, 430, 449, 450
- as_quantum, 12, 22, 23, 55, 115, 116, 265, 402, 404
- as_quantum_mol, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 380, 430, 449, 450
- as_tod, 57, 154, 260, 341
- asin.generic_spct (Trig), 424
- atan.generic_spct (Trig), 424
- average_spct, 58
- beesxyzCMF.spct, 58, 69–73, 87
- black_body.spct, 11, 59, 63, 80, 95, 187, 220, 251, 252, 374, 378, 379, 435, 451, 462
- BSWF_used2tb (add_attr2tb), 18
- c, 60
- calc_filter_multipliers (defunct), 100
- calc_multipliers, 55, 56, 60, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 380, 430, 449, 450
- calc_source_output, 61
- calibration_mspct (generic_mspct), 166
- calibration_spct (source_spct), 341
- ccd.spct, 11, 59, 62, 80, 95, 187, 220, 251, 252, 374, 378, 379, 435, 451, 462
- ceiling.generic_spct (round), 307
- check_spct, 64, 68, 116, 315
- check_spectrum, 67, 67, 68, 116, 361, 363, 364
- check_w.length, 67, 68, 68, 116
- checkTimeUnit, 63, 89, 90, 179, 331
- chroma_mspct (generic_mspct), 166
- chroma_spct (source_spct), 341
- ciev10.spct, 59, 69, 70–73, 87
- ciev2.spct, 59, 69, 69, 71–73, 87
- cixyzCC10.spct, 59, 69, 70, 70, 72, 73, 87
- cixyzCC2.spct, 59, 69–71, 71, 73, 87
- cixyzCMF10.spct, 59, 69–72, 72, 73, 87
- cixyzCMF2.spct, 59, 69–73, 73, 87
- class_spct, 74
- clean, 74
- clear.spct, 11, 59, 63, 79, 95, 187, 220, 251, 252, 374, 378, 379, 435, 451, 462
- clear_body.spct (black_body.spct), 59
- clip_wl, 80, 428, 431, 434
- col2rgb, 380, 475
- collect2mspct, 81, 113, 420, 437
- color (color_of), 83
- color_of, 83
- colour_of (color_of), 83
- comment2tb (add_attr2tb), 18
- compare_spct, 85
- cone_fundamentals10.mspct (cone_fundamentals10.spct), 86
- cone_fundamentals10.spct, 59, 69–73, 86
- convertTfrType, 88, 89, 330
- convertThickness, 64, 89, 90, 179, 331

- convertTimeUnit, [64](#), [89](#), [90](#), [179](#), [331](#)
 convolve_each, [91](#), [110](#), [221](#), [223](#), [226](#), [256](#),
 [308](#), [336](#), [337](#), [421](#), [476](#)
 copy_attributes, [91](#)
 cor, [400](#)
 cos.generic_spct (Trig), [424](#)
 cps2irrad, [92](#)
 cps2Rfr (cps2irrad), [92](#)
 cps2Tfr (cps2irrad), [92](#)
 cps_mspct (generic_mspct), [166](#)
 cps_spct (source_spct), [341](#)

 D2.UV586 (D2.UV653), [93](#)
 D2.UV653, [93](#)
 D2.UV654 (D2.UV653), [93](#)
 D2_spectrum, [93](#), [94](#)
 D65.illuminant.spct, [11](#), [59](#), [63](#), [80](#), [95](#),
 [187](#), [220](#), [251](#), [252](#), [374](#), [378](#), [379](#),
 [435](#), [451](#), [462](#)
 day_length (day_night), [96](#)
 day_night, [96](#), [154](#), [376](#)
 day_night_fast (day_night), [96](#)
 defunct, [100](#)
 despike, [101](#)
 diffraction_double_slit
 (diffraction_single_slit), [108](#)
 diffraction_single_slit, [108](#)
 dim.generic_mspct, [109](#)
 dim<- .generic_mspct
 (dim.generic_mspct), [109](#)
 disable_check_spct (enable_check_spct),
 [116](#)
 distance_to_sun (sun_angles), [374](#)
 div-.generic_spct, [110](#)
 div_spectra, [55](#), [56](#), [61](#), [110](#), [118](#), [120](#), [191](#),
 [193](#), [196](#), [202](#), [243](#), [253–255](#), [262](#),
 [361](#), [364](#), [369](#), [373](#), [380](#), [430](#), [449](#),
 [450](#)
 drop_user_cols, [82](#), [112](#), [420](#), [437](#)

 e2q, [12](#), [22](#), [23](#), [56](#), [113](#), [115](#), [116](#), [265](#), [402](#),
 [404](#)
 e2qmol_multipliers, [12](#), [22](#), [23](#), [56](#), [115](#),
 [115](#), [116](#), [265](#), [402](#), [404](#)
 e2quantum_multipliers, [12](#), [22](#), [23](#), [56](#), [115](#),
 [115](#), [265](#), [402](#), [404](#)
 e_fluence, [129](#), [137](#), [153](#), [201](#), [271](#), [277](#)
 e_fraction, [122](#), [131](#), [141](#), [268](#), [274](#), [281](#)
 e_irrad, [131](#), [135](#), [153](#), [201](#), [271](#), [277](#)

 e_ratio, [122](#), [134](#), [138](#), [268](#), [274](#), [281](#)
 e_response, [141](#), [283](#), [294](#)
 enable_check_spct, [67](#), [68](#), [116](#), [315](#)
 energy2wl (wl2wavenumber), [462](#)
 energy_as_default, [117](#)
 energy_irradiance, [55](#), [56](#), [61](#), [111](#), [117](#),
 [120](#), [191](#), [193](#), [196](#), [202](#), [243](#),
 [253–255](#), [262](#), [361](#), [364](#), [369](#), [373](#),
 [380](#), [430](#), [449](#), [450](#)
 energy_ratio, [55](#), [56](#), [61](#), [111](#), [118](#), [119](#), [191](#),
 [193](#), [196](#), [202](#), [243](#), [253–255](#), [262](#),
 [361](#), [364](#), [369](#), [373](#), [380](#), [430](#), [449](#),
 [450](#)
 eq_ratio, [120](#), [134](#), [141](#), [268](#), [274](#), [281](#)
 ET_ref, [123](#), [232](#)
 ET_ref_day (ET_ref), [123](#)
 exp.generic_spct (log), [220](#)
 expanse (spread), [364](#)
 extend2extremes (trim_spct), [427](#)
 Extract, [126](#), [127](#), [128](#)
 Extract_mspct, [128](#)
 Extremes, [392](#)

 f_mspct (defunct), [100](#)
 fast_color_of_wb (color_of), [83](#)
 fast_color_of_wl (color_of), [83](#)
 fast_wb2rect_spct (wb2rect_spct), [458](#)
 FEL.BN.9101.165 (D2.UV653), [93](#)
 FEL_spectrum, [93](#), [144](#)
 filter_cps_mspct, [11](#), [59](#), [63](#), [80](#), [95](#), [187](#),
 [220](#), [251](#), [252](#), [374](#), [378](#), [379](#), [435](#),
 [451](#), [462](#)
 filter_mspct (generic_mspct), [166](#)
 filter_properties
 (getFilterProperties), [167](#)
 filter_properties2tb (add_attr2tb), [18](#)
 filter_properties<-
 (setFilterProperties), [310](#)
 filter_spct, [89](#), [330](#)
 filter_spct (source_spct), [341](#)
 find_peaks, [145](#), [147](#), [186](#), [250](#), [291](#), [356](#),
 [420](#), [448](#), [468](#)
 find_spikes, [107](#), [146](#), [146](#), [186](#), [250](#), [291](#),
 [356](#), [448](#), [468](#)
 find_wls, [148](#)
 findMultipleWl, [145](#), [321](#)
 fit_peaks, [149](#)
 fit_valleys (fit_peaks), [149](#)
 floor.generic_spct (round), [307](#)

- fluence, [131](#), [137](#), [151](#), [201](#), [271](#), [277](#)
 format, [155](#), [370](#)
 format.solar_time, [99](#), [154](#), [376](#)
 format.tod_time, [57](#), [154](#), [260](#)
 formatted_range, [155](#)
 formatting, [260](#)
 frequency2wl (wl2wavenumber), [462](#)
 fscale, [155](#), [165](#), [175](#), [176](#), [213](#), [215](#), [239](#),
[323](#), [327](#)
 fshift, [161](#), [161](#), [175](#), [176](#), [213](#), [215](#), [239](#),
[323](#), [327](#)
- generic_mspct, [166](#)
 generic_spct (source_spct), [341](#)
 geocode2tb (add_attr2tb), [18](#)
 get_attributes, [20](#), [168](#), [170–172](#), [177](#), [180](#),
[181](#), [183](#), [183](#), [209](#), [210](#), [309](#), [312](#),
[317](#), [319](#), [320](#), [328](#), [332](#), [334](#), [335](#),
[348](#), [349](#), [425](#), [426](#)
 get_peaks, [146](#), [147](#), [185](#), [250](#), [291](#), [356](#), [448](#),
[468](#)
 get_valleys (get_peaks), [185](#)
 getAfrType (defunct), [100](#)
 getBSWFUsed (setBSWFUsed), [309](#)
 getFilterProperties, [20](#), [167](#), [170–172](#),
[177](#), [180](#), [181](#), [183](#), [184](#), [209](#), [210](#),
[309](#), [312](#), [317](#), [319](#), [320](#), [328](#), [332](#),
[334](#), [335](#), [348](#), [349](#), [425](#), [426](#)
 getHowMeasured, [20](#), [168](#), [169](#), [171](#), [172](#), [177](#),
[180](#), [181](#), [183](#), [184](#), [209](#), [210](#), [309](#),
[312](#), [317](#), [319](#), [320](#), [328](#), [332](#), [334](#),
[335](#), [348](#), [349](#), [425](#), [426](#)
 getIdFactor, [170](#), [318](#)
 getInstrDesc, [20](#), [168](#), [170](#), [171](#), [172](#), [177](#),
[180](#), [181](#), [183](#), [184](#), [209](#), [210](#), [309](#),
[312](#), [317](#), [319](#), [320](#), [328](#), [332](#), [334](#),
[335](#), [348](#), [349](#), [425](#), [426](#)
 getInstrSettings, [20](#), [168](#), [170](#), [171](#), [171](#),
[177](#), [180](#), [181](#), [183](#), [184](#), [209](#), [210](#),
[309](#), [312](#), [317](#), [319](#), [320](#), [328](#), [332](#),
[334](#), [335](#), [348](#), [349](#), [425](#), [426](#)
 getKType, [172](#), [321](#)
 getMspctVersion, [173](#)
 getMultipleWl, [173](#), [321](#)
 getNormalisation (getNormalized), [174](#)
 getNormalised (getNormalized), [174](#)
 getNormalization (getNormalized), [174](#)
 getNormalized, [161](#), [165](#), [174](#), [176](#), [213](#), [215](#),
[239](#), [323](#), [327](#)
- getResponseType (setResponseType), [323](#)
 getRfrType (setRfrType), [324](#)
 getScaled, [161](#), [165](#), [175](#), [175](#), [213](#), [215](#), [239](#),
[323](#), [327](#)
 getScaling (getScaled), [175](#)
 getSoluteProperties, [20](#), [168](#), [170–172](#),
[176](#), [180](#), [181](#), [183](#), [184](#), [209](#), [210](#),
[309](#), [312](#), [317](#), [319](#), [320](#), [328](#), [332](#),
[334](#), [335](#), [348](#), [349](#), [425](#), [426](#)
 getSpectVersion, [178](#)
 getTfrType (setTfrType), [329](#)
 getTimeUnit, [64](#), [89](#), [90](#), [178](#), [331](#)
 getWhatMeasured, [20](#), [168](#), [170–172](#), [177](#),
[179](#), [181](#), [183](#), [184](#), [209](#), [210](#), [309](#),
[312](#), [317](#), [319](#), [320](#), [328](#), [332](#), [334](#),
[335](#), [348](#), [349](#), [425](#), [426](#)
 getWhenMeasured, [20](#), [168](#), [170–172](#), [177](#),
[180](#), [180](#), [183](#), [184](#), [209](#), [210](#), [309](#),
[312](#), [317](#), [319](#), [320](#), [328](#), [332](#), [334](#),
[335](#), [348](#), [349](#), [425](#), [426](#)
 getWhereMeasured, [20](#), [168](#), [170–172](#), [177](#),
[180](#), [181](#), [182](#), [184](#), [209](#), [210](#), [309](#),
[312](#), [317](#), [319](#), [320](#), [328](#), [332](#), [334](#),
[335](#), [348](#), [349](#), [425](#), [426](#)
 green_leaf.spct, [11](#), [59](#), [63](#), [80](#), [95](#), [186](#),
[220](#), [251](#), [252](#), [374](#), [378](#), [379](#), [435](#),
[451](#), [462](#)
- head, [188](#)
 head_tail, [187](#)
 how_measured (getHowMeasured), [169](#)
 how_measured2tb (add_attr2tb), [18](#)
 how_measured<- (setHowMeasured), [316](#)
- id_factor (getIdFactor), [170](#)
 id_factor<- (setIdFactor), [317](#)
 illuminance, [189](#)
 insert_hinges, [55](#), [56](#), [61](#), [111](#), [118](#), [120](#),
[191](#), [193](#), [196](#), [202](#), [243](#), [253–255](#),
[262](#), [361](#), [364](#), [369](#), [373](#), [380](#), [430](#),
[449](#), [450](#)
 insert_spct_hinges, [192](#)
 instr_desc2tb (add_attr2tb), [18](#)
 instr_descriptor (getInstrDesc), [171](#)
 instr_descriptor<- (setInstrDesc), [318](#)
 instr_settings (getInstrSettings), [171](#)
 instr_settings2tb (add_attr2tb), [18](#)
 instr_settings<- (setInstrSettings), [319](#)
 integrate_spct, [192](#)

- integrate_xy, [55](#), [56](#), [61](#), [111](#), [118](#), [120](#), [191](#), [193](#), [196](#), [202](#), [243](#), [253–255](#), [262](#), [361](#), [364](#), [369](#), [373](#), [380](#), [430](#), [449](#), [450](#)
- interpolate_mspct (interpolate_spct), [194](#)
- interpolate_spct, [194](#)
- interpolate_spectrum, [55](#), [56](#), [61](#), [111](#), [118](#), [120](#), [191](#), [193](#), [195](#), [202](#), [243](#), [253–255](#), [262](#), [361](#), [364](#), [369](#), [373](#), [380](#), [430](#), [449](#), [450](#)
- interpolate_wl, [196](#)
- irrad, [131](#), [137](#), [153](#), [198](#), [271](#), [277](#)
- irrad_extraterrestrial, [203](#)
- irradiance, [55](#), [56](#), [61](#), [111](#), [118](#), [120](#), [191](#), [193](#), [196](#), [201](#), [240](#), [243](#), [253–255](#), [262](#), [361](#), [364](#), [369](#), [373](#), [380](#), [430](#), [449](#), [450](#)
- is.any_mspct (is.generic_mspct), [204](#)
- is.any_spct (is.generic_spct), [205](#)
- is.any_summary_spct (is.summary_generic_spct), [207](#)
- is.calibration_mspct (is.generic_mspct), [204](#)
- is.calibration_spct (is.generic_spct), [205](#)
- is.chroma_mspct (is.generic_mspct), [204](#)
- is.chroma_spct (is.generic_spct), [205](#)
- is.cps_mspct (is.generic_mspct), [204](#)
- is.cps_spct (is.generic_spct), [205](#)
- is.filter_mspct (is.generic_mspct), [204](#)
- is.filter_spct (is.generic_spct), [205](#)
- is.generic_mspct, [204](#)
- is.generic_spct, [205](#)
- is.object_mspct (is.generic_mspct), [204](#)
- is.object_spct (is.generic_spct), [205](#)
- is.old_spct, [206](#), [439](#)
- is.raw_mspct (is.generic_mspct), [204](#)
- is.raw_spct (is.generic_spct), [205](#)
- is.reflector_mspct (is.generic_mspct), [204](#)
- is.reflector_spct (is.generic_spct), [205](#)
- is.response_mspct (is.generic_mspct), [204](#)
- is.response_spct (is.generic_spct), [205](#)
- is.solar_date (is.solar_time), [207](#)
- is.solar_time, [47](#), [207](#), [259](#), [341](#)
- is.solute_mspct (is.generic_mspct), [204](#)
- is.solute_spct (is.generic_spct), [205](#)
- is.source_mspct (is.generic_mspct), [204](#)
- is.source_spct (is.generic_spct), [205](#)
- is.summary_chroma_spct (is.summary_generic_spct), [207](#)
- is.summary_cps_spct (is.summary_generic_spct), [207](#)
- is.summary_filter_spct (is.summary_generic_spct), [207](#)
- is.summary_generic_spct, [207](#)
- is.summary_object_spct (is.summary_generic_spct), [207](#)
- is.summary_raw_spct (is.summary_generic_spct), [207](#)
- is.summary_reflector_spct (is.summary_generic_spct), [207](#)
- is.summary_response_spct (is.summary_generic_spct), [207](#)
- is.summary_solute_spct (is.summary_generic_spct), [207](#)
- is.summary_source_spct (is.summary_generic_spct), [207](#)
- is.waveband, [208](#)
- is_absorbance_based, [210](#), [212](#), [214](#)
- is_absorptance_based (is_absorbance_based), [210](#)
- is_daytime (day_night), [96](#)
- is_effective, [211](#), [218](#), [233](#)
- is_energy_based (is_photon_based), [214](#)
- is_mass_based (is_mole_based), [212](#)
- is_mole_based, [210](#), [212](#), [214](#)
- is_normalised (is_normalized), [213](#)
- is_normalized, [161](#), [165](#), [175](#), [176](#), [213](#), [215](#), [239](#), [323](#), [327](#)
- is_photon_based, [210](#), [212](#), [214](#)
- is_scaled, [161](#), [165](#), [175](#), [176](#), [213](#), [215](#), [239](#), [323](#), [327](#)
- is_tagged, [215](#), [406](#), [438](#), [459–461](#)
- is_transmittance_based (is_absorbance_based), [210](#)
- is_valid_geocode (validate_geocode), [440](#)
- isValidInstrDesc, [20](#), [168](#), [170–172](#), [177](#), [180](#), [181](#), [183](#), [184](#), [209](#), [210](#), [309](#), [312](#), [317](#), [319](#), [320](#), [328](#), [332](#), [334](#), [335](#), [348](#), [349](#), [425](#), [426](#)
- isValidInstrSettings, [20](#), [168](#), [170–172](#), [177](#), [180](#), [181](#), [183](#), [184](#), [209](#), [209](#), [309](#), [312](#), [317](#), [319](#), [320](#), [328](#), [332](#),

- 334, 335, 348, 349, 425, 426
- join, 224
- join_mspct, 216
- l_insert_hinges, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 380, 430, 449, 450
- labels, 212, 218, 233
- lat2tb (add_attr2tb), 18
- length_geocode (validate_geocode), 440
- Ler_leaf.spct, 11, 59, 63, 80, 95, 187, 219, 251, 252, 374, 378, 379, 435, 451, 462
- Ler_leaf_rfl.t.spct (Ler_leaf.spct), 219
- Ler_leaf_trns.spct (Ler_leaf.spct), 219
- Ler_leaf_trns_i.spct (Ler_leaf.spct), 219
- log, 91, 110, 220, 223, 226, 256, 308, 336, 337, 421, 476
- log10.generic_spct (log), 220
- log2.generic_spct (log), 220
- lon2tb (add_attr2tb), 18
- lonlat2tb (add_attr2tb), 18
- make.names, 217
- make_var_labels, 221
- mat2mspct (as.generic_mspct), 33
- MathFun, 91, 110, 221, 223, 226, 256, 308, 336, 337, 421, 476
- max, 365, 470
- max (wl_max), 468
- mean, 382, 384, 386
- median, 388
- merge2object_spct, 224
- merge_attributes, 225
- midpoint (wl_midpoint), 469
- min, 365, 470
- min (wl_min), 471
- minus-.generic_spct, 226
- mod-.generic_spct, 226
- msaply (msmsply), 227
- msdply (msmsply), 227
- mslply (msmsply), 227
- msmsply, 227
- mspct2mat (as.matrix_mspct), 36
- mspct_classes, 228
- multiple_wl (getMultipleWl), 173
- multiple_wl<- (setMultipleWl), 321
- mutate_mspct (defunct), 100
- NA, 155
- na.action, 230
- na.exclude.chroma_spct (na.omit), 228
- na.exclude.cps_spct (na.omit), 228
- na.exclude.filter_spct (na.omit), 228
- na.exclude.generic_mspct (na.omit), 228
- na.exclude.generic_spct (na.omit), 228
- na.exclude.object_spct (na.omit), 228
- na.exclude.raw_spct (na.omit), 228
- na.exclude.reflector_spct (na.omit), 228
- na.exclude.response_spct (na.omit), 228
- na.exclude.solute_spct (na.omit), 228
- na.exclude.source_spct (na.omit), 228
- na.fail, 230
- na.omit, 228
- na_geocode (validate_geocode), 440
- NDxI (normalized_diff_ind), 239
- net_irradiance, 124, 231
- new_waveband (waveband), 455
- night_length (day_night), 96
- noon_time (day_night), 96
- normalise (normalize), 233
- normalised_diff_ind (normalized_diff_ind), 239
- normalization, 212, 218, 232
- normalize, 161, 165, 175, 176, 213, 215, 233, 323, 327
- normalize_range_arg, 241
- normalized2tb (add_attr2tb), 18
- normalized_diff_ind, 239, 301, 413
- object_mspct (generic_mspct), 166
- object_spct, 325, 330
- object_spct (source_spct), 341
- opaque.spct (clear.spct), 79
- oper_spectra, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 242, 253–255, 262, 361, 364, 369, 373, 380, 430, 449, 450
- paste, 155
- peaks, 146, 147, 186, 243, 291, 356, 448, 468
- phenylalanine.spct, 11, 59, 63, 80, 95, 187, 220, 250, 252, 374, 378, 379, 435, 451, 462
- photobiology (photobiology-package), 8

- photobiology-package, 8
- photodiode.spct, *11, 59, 63, 80, 95, 187, 220, 251, 251, 374, 378, 379, 435, 451, 462*
- photon_as_default (energy_as_default), 117
- photon_irradiance, *55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253, 253, 255, 262, 361, 364, 369, 373, 380, 430, 449, 450*
- photon_ratio, *55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253, 254, 254, 262, 361, 364, 369, 373, 380, 430, 449, 450*
- photons_energy_ratio, *55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 252, 254, 255, 262, 361, 364, 369, 373, 380, 430, 449, 450*
- plus-.generic_spct, 256
- polyester.spct (two_filters.spct), 434
- print.filter_properties (print.metadata), 258
- print.generic_mspct (print.generic_spct), 256
- print.generic_spct, 256
- print.instr_desc (print.metadata), 258
- print.instr_settings (print.metadata), 258
- print.metadata, 258
- print.solar_date (print.solar_time), 259
- print.solar_time, *47, 207, 259, 341*
- print.solute_properties (print.metadata), 258
- print.summary_generic_mspct (print.summary_generic_spct), 259
- print.summary_generic_spct, *259, 370*
- print.tod_time, *57, 154, 260*
- print.waveband, 261
- prod, 390
- prod_spectra, *55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 261, 361, 364, 369, 373, 380, 430, 449, 450*
- psychrometric_constant (water_vp_sat), 451
- pull_sample, 262
- q2e, *12, 22, 23, 56, 115, 116, 264, 402, 404*
- q_fluence, *131, 137, 153, 201, 268, 277*
- q_fraction, *122, 134, 141, 268, 271, 281*
- q_irrad, *131, 137, 153, 201, 271, 274*
- q_ratio, *122, 134, 141, 268, 274, 278*
- q_response, *144, 281, 294*
- qe_ratio, *122, 134, 141, 266, 274, 281*
- quantum_as_default (energy_as_default), 117
- r4p_pkgs, 284
- range, 155
- range (wl_range), 472
- raw_mspct (generic_mspct), 166
- raw_spct (source_spct), 341
- rbindspect, 284
- reflectance, 240, 286
- reflector_mspct (generic_mspct), 166
- reflector_spct, 325
- reflector_spct (source_spct), 341
- relative_AM, 289
- replace_bad_pixs, *107, 146, 147, 186, 250, 290, 356, 448, 468*
- response, *144, 240, 283, 291*
- response_mspct (generic_mspct), 166
- response_spct (source_spct), 341
- Rfr_fraction, *294, 301, 305*
- Rfr_from_n, 297
- Rfr_normdiff, *241, 297, 298, 305*
- Rfr_p_from_n (Rfr_from_n), 297
- Rfr_ratio, *297, 301, 302*
- Rfr_s_from_n (Rfr_from_n), 297
- Rfr_type2tb (add_attr2tb), 18
- rgb, 380
- rgb_spct, *305, 474, 475*
- rmDerivedMspct, 306, 336
- rmDerivedSpct, 306, 316
- round, *91, 110, 221, 223, 226, 256, 307, 336, 337, 421, 476*
- s_e_irrad2rgb, *55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 379, 430, 449, 450*
- s_mean, 380
- s_mean_se, 382
- s_mean_se_band, 384
- s_median, 386
- s_prod, 388
- s_range, 390

- s_sd, 392
- s_se, 394
- s_sum, 396
- s_var, 398
- sample, 264
- sample_mspct (defunct), 100
- sample_spct (defunct), 100
- scaled2tb (add_attr2tb), 18
- sd, 394
- se, 384
- select_spct_attributes, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 308, 312, 317, 319, 320, 328, 332, 334, 335, 348, 349, 425, 426
- set_check_spct (enable_check_spct), 116
- setAfrType (defunct), 100
- setBSWFUsed, 309
- setCalibrationSpct (setGenericSpct), 312
- setChromaSpct (setGenericSpct), 312
- setCpsSpct (setGenericSpct), 312
- setFilterProperties, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 310, 317, 319, 320, 328, 332, 334, 335, 347–349, 425, 426
- setFilterSpct (setGenericSpct), 312
- setGenericSpct, 26, 28, 30, 33, 36, 39, 42, 45, 47, 54, 307, 312
- setHowMeasured, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 316, 319, 320, 328, 332, 334, 335, 348, 349, 425, 426
- setIdFactor, 170, 317
- setInstrDesc, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 318, 320, 328, 332, 334, 335, 348, 349, 425, 426
- setInstrSettings, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 319, 328, 332, 334, 335, 348, 349, 425, 426
- setKType, 172, 320
- setMultipleWL, 174, 321
- setNormalised (setNormalized), 322
- setNormalized, 161, 165, 174–176, 213, 215, 239, 322, 327
- setObjectSpct (setGenericSpct), 312
- setRawSpct (setGenericSpct), 312
- setReflectorSpct (setGenericSpct), 312
- setResponseSpct (setGenericSpct), 312
- setResponseType, 323
- setRfrType, 324
- setScaled, 161, 165, 175, 176, 213, 215, 239, 323, 326
- setSoluteProperties, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 327, 332, 334, 335, 347–349, 425, 426
- setSoluteSpct, 51
- setSoluteSpct (setGenericSpct), 312
- setSourceSpct (setGenericSpct), 312
- setTfrType, 89, 329
- setTimeUnit, 64, 89, 90, 179, 331
- setWhatMeasured, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 334, 335, 348, 349, 425, 426
- setWhenMeasured, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 333, 335, 348, 349, 425, 426
- setWhereMeasured, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 334, 334, 348, 349, 425, 426
- shared_member_class, 306, 336
- sign, 91, 110, 221, 223, 226, 256, 308, 336, 337, 421, 476
- signif.generic_spct (round), 307
- sin.generic_spct (Trig), 424
- slash-.generic_spct, 337
- smooth_spct, 337
- solar_time, 47, 57, 207, 259, 340
- solute_mspct (generic_mspct), 166
- solute_properties (getSoluteProperties), 176
- solute_properties2tb (add_attr2tb), 18
- solute_properties<- (setSoluteProperties), 327
- solute_spct (source_spct), 341
- source_mspct (generic_mspct), 166
- source_spct, 26, 28, 30, 33, 36, 39, 42, 45, 47, 51, 54, 341
- spct_attr2tb, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 334, 335, 347, 349, 425, 426

- spct_attributes
 - (select_spct_attributes), 308
- spct_classes, 74, 348
- spct_metadata, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 334, 335, 348, 348, 425, 426
- spct_wide2long, 350
- spikes, 146, 147, 186, 250, 291, 351, 448, 468
- splinefun, 196
- split2calibration_mspct (split2mspct), 356
- split2cps_mspct (split2mspct), 356
- split2filter_mspct (split2mspct), 356
- split2mspct, 25, 27, 29, 32, 35, 38, 41, 44, 46, 49, 53, 356, 368
- split2raw_mspct (split2mspct), 356
- split2reflector_mspct (split2mspct), 356
- split2response_mspct (split2mspct), 356
- split2solute_mspct (split2mspct), 356
- split2source_mspct (split2mspct), 356
- split_bands, 359, 456
- split_energy_irradiance, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 360, 364, 369, 373, 380, 430, 449, 450
- split_irradiance, 362
- split_photon_irradiance, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 363, 369, 373, 380, 430, 449, 450
- spread, 364
- sqrt.generic_spct (MathFun), 223
- stepsize (wl_stepsize), 473
- strict_range_as_default
 - (verbose_as_default), 448
- Subset, 366
- subset, 127
- subset.generic_spct (Subset), 366
- subset2mspct, 25, 27, 29, 32, 35, 38, 41, 44, 46, 49, 53, 359, 367
- subset_attributes, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 334, 335, 348, 349, 425, 426
- subt_spectra, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 368, 373, 380, 430, 449, 450
- sum, 398
- sum_spectra, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 372, 380, 430, 449, 450
- summary.generic_mspct
 - (summary.generic_spct), 369
- summary.generic_spct, 369
- summary_spct_classes, 371
- sun.daily.data (sun_daily.spct), 377
- sun.daily.spct (sun_daily.spct), 377
- sun.data (sun.spct), 373
- sun.spct, 11, 59, 63, 80, 95, 187, 220, 251, 252, 373, 378, 379, 435, 451, 462
- sun_angles, 99, 154, 203, 374
- sun_angles_fast (sun_angles), 374
- sun_azimuth (sun_angles), 374
- sun_daily.data (sun_daily.spct), 377
- sun_daily.spct, 11, 59, 63, 80, 95, 187, 220, 251, 252, 374, 377, 379, 435, 451, 462
- sun_elevation (sun_angles), 374
- sun_evening.mspct (sun_evening.spct), 378
- sun_evening.spct, 11, 59, 63, 80, 95, 187, 220, 251, 252, 374, 378, 378, 435, 451, 462
- sun_zenith_angle (sun_angles), 374
- sunrise_time (day_night), 96
- sunset_time (day_night), 96
- Sys.timezone, 436
- T2A, 12, 22, 23, 56, 115, 116, 265, 400, 404
- T2Afr, 12, 22, 23, 56, 115, 116, 265, 402, 402
- T2T (defunct), 100
- tag, 86, 216, 404, 438, 459–461
- tan.generic_spct (Trig), 424
- Tfr_as_default (energy_as_default), 117
- Tfr_fraction, 406, 413, 416
- Tfr_normdiff, 409, 410, 416
- Tfr_ratio, 409, 413, 413
- Tfr_type2tb (add_attr2tb), 18
- thin_wl, 82, 113, 417, 437
- time_unit2tb (add_attr2tb), 18
- times-.generic_spct, 421
- transmittance, 240, 421
- Trig, 424
- trim2overlap (trim_spct), 427

- trim_mspect (trim_spct), 427
- trim_spct, 81, 127, 427, 431, 434
- trim_tails, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 380, 429, 449, 450
- trim_waveband, 81, 428, 430, 434
- trim_wl, 81, 428, 431, 432
- trimInstrDesc, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 334, 335, 348, 349, 425, 426
- trimInstrSettings, 20, 168, 170–172, 177, 180, 181, 183, 184, 209, 210, 309, 312, 317, 319, 320, 328, 332, 334, 335, 348, 349, 425, 426
- trunc.generic_spct (round), 307
- two_filters.mspect (two_filters.spct), 434
- two_filters.spct, 11, 59, 63, 80, 95, 187, 220, 251, 252, 374, 378, 379, 434, 451, 462
- tz_time_diff, 435
- uncollect2spct, 82, 113, 420, 436
- unset_filter_qty_default (energy_as_default), 117
- unset_radiation_unit_default (energy_as_default), 117
- unset_user_defaults (energy_as_default), 117
- untag, 216, 406, 437, 459–461
- upgrade_spct, 206, 438, 439
- upgrade_spectra, 206, 439, 439
- use_cached_mult_as_default (wb_trim_as_default), 461
- using_A (using_Tfr), 439
- using_Afr (using_Tfr), 439
- using_energy (using_Tfr), 439
- using_photon (using_Tfr), 439
- using_quantum (using_Tfr), 439
- using_Tfr, 439
- v_insert_hinges, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 380, 430, 449, 450
- v_replace_hinges, 55, 56, 61, 111, 118, 120, 191, 193, 196, 202, 243, 253–255, 262, 361, 364, 369, 373, 380, 430, 449, 449
- validate_geocode, 440
- valleys, 146, 147, 186, 250, 291, 356, 441, 468
- verbose_as_default, 448
- w_length2rgb, 305, 474, 475
- w_length_range2rgb, 305, 474, 475
- water.spct, 11, 59, 63, 80, 95, 187, 220, 251, 252, 374, 378, 379, 435, 450, 462
- water_dp (water_vp_sat), 451
- water_fp (water_vp_sat), 451
- water_mvc2vp (water_vp_sat), 451
- water_RH2vp (water_vp_sat), 451
- water_vp2mvc (water_vp_sat), 451
- water_vp2RH (water_vp_sat), 451
- water_vp_sat, 451
- water_vp_sat_slope (water_vp_sat), 451
- waveband, 84, 233, 360, 455
- waveband_ratio, 457
- wavenumber2wl (wl2wavenumber), 462
- wb2rect_spct, 216, 406, 438, 458, 460, 461
- wb2spct, 216, 406, 438, 459, 459, 461
- wb2tagged_spct, 216, 406, 438, 459, 460, 460
- wb_trim_as_default, 461
- what_measured (getWhatMeasured), 179
- what_measured2tb (add_attr2tb), 18
- what_measured<- (setWhatMeasured), 332
- when_measured (getWhenMeasured), 180
- when_measured2tb (add_attr2tb), 18
- when_measured<- (setWhenMeasured), 333
- where_measured (getWhereMeasured), 182
- where_measured<- (setWhereMeasured), 334
- white_body.spct (black_body.spct), 59
- white_led.cps_spct (white_led.source_spct), 461
- white_led.raw_spct (white_led.source_spct), 461
- white_led.source_spct, 11, 59, 63, 80, 95, 187, 220, 251, 252, 374, 378, 379, 435, 451, 461
- wl2energy (wl2wavenumber), 462
- wl2frequency (wl2wavenumber), 462
- wl2wavenumber, 462
- wl_expanse (spread), 364
- wl_max, 468
- wl_midpoint, 469, 471, 472, 474
- wl_min, 470, 471, 472, 474

wl_range, [470](#), [471](#), [472](#), [474](#)
wl_stepsize, [470–472](#), [473](#)
wls_at_target, [146](#), [147](#), [186](#), [250](#), [291](#), [356](#),
[448](#), [464](#)

yellow_gel.spct (two_filters.spct), [434](#)